

VICKSBURG, MS

Section Included: From Mississippi River mile 437 AHP on left descending bank in a northerly direction, a channel 14,500 feet long by 150 feet wide in the Yazoo Diversion Canal, thence a dredged entrance channel 4,800 feet long and 150 feet wide, transitioning into a 300-foot wide dredged slack water harbor and turning basin 10,700 feet long. All channels are maintained to a 9-foot depth at low water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	4,096	1995	5,128	1998	5,825	2001	4,740
1993	4,384	1996	4,728	1999	6,093		
1994	5,108	1997	5,627	2000	4,973		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Receipts	Shipments	Intraport
Total, all commodities	4,740	3,680	956	103
Total petroleum and petroleum products	3,030	2,264	662	103
Subtotal crude petroleum	1,051	1,051	—	—
2100 crude petroleum	1,051	1,051	—	—
Subtotal petroleum products	1,979	1,213	662	103
2211 gasoline	235	214	22	—
2330 distillate fuel oil	342	159	81	103
2340 residual fuel oil	741	721	20	—
2350 lube oil & greases	253	72	182	—
2429 naphtha & solvents	23	—	23	—
2430 asphalt, tar & pitch	375	49	326	—
2540 petroleum coke	9	—	9	—
Total chemicals and related products	258	168	90	—
Subtotal fertilizers	249	160	89	—
3110 nitrogenous fert.	182	97	85	—
3130 potassic fert.	29	29	—	—
3190 fert. & mixes nec	37	34	4	—
Subtotal other chemicals and related products	10	8	1	—
3274 sodium hydroxide	8	8	—	—
3276 metallic salts	1	—	1	—
Total crude materials, inedible except fuels	779	779	—	—
Subtotal forest products, wood and chips	193	193	—	—
4170 wood in the rough	193	193	—	—
Subtotal soil, sand, gravel, rock and stone	567	567	—	—
4322 limestone	286	286	—	—
4331 sand & gravel	211	211	—	—
4335 waterway improv. mat	70	70	—	—
Subtotal slag	19	19	—	—
4860 slag	19	19	—	—
Total primary manufactured goods	377	308	69	—
Subtotal paper products	65	—	65	—
5110 newsprint	42	—	42	—
5120 paper & paperboard	22	—	22	—
5190 paper products nec	0	—	0	—
Subtotal lime, cement and glass	289	289	—	—
5210 lime	189	189	—	—
5220 cement & concrete	100	100	—	—
Subtotal primary iron and steel products	17	17	0	—
5330 i&s plates & sheets	12	12	—	—
5370 i&s pipe & tube	0	—	0	—
5390 primary i&s nec	5	5	—	—
Subtotal primary non-ferrous metal products	6	3	3	—
5422 aluminum	1	1	—	—
5480 fab. metal products	4	1	3	—
Subtotal primary wood products	1	—	1	—
5540 primary wood prod.	1	—	1	—
Total food and farm products	294	161	133	—
Subtotal grain	246	154	93	—
6241 wheat	82	42	40	—
6344 corn	141	107	34	—
6445 oats	5	5	—	—
6447 sorghum grains	18	—	18	—
Subtotal oilseeds	42	2	41	—
6522 soybeans	42	2	41	—
Subtotal processed grain and animal feed	5	5	—	—
6782 animal feed, prep.	5	5	—	—
Total all manufactured equipment, machinery and products	1	—	1	—
7110 machinery (not elec)	1	—	1	—

NATCHEZ, MS

Section Included: From Mississippi River mile 359 through mile 365(LMR). Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	636	1995	535	1998	620	2001	630
1993	608	1996	613	1999	782		
1994	633	1997	628	2000	593		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal	
		Receipts	Shipments
Total, all commodities	630	410	220
Total petroleum and petroleum products	3	1	1
Subtotal petroleum products	3	1	1
2350 lube oil & greases	3	1	1
Total chemicals and related products	128	127	1
Subtotal fertilizers	22	22	—
3110 nitrogenous fert.	16	16	—
3130 potassic fert.	1	1	—
3190 fert. & mixes nec	4	4	—
Subtotal other chemicals and related products	106	105	1
3274 sodium hydroxide	74	74	—
3275 inorg. elem., oxides, & halogen salts	3	3	—
3276 metallic salts	29	28	1
Total crude materials, inedible except fuels	164	145	20
Subtotal forest products, wood and chips	70	70	—
4170 wood in the rough	70	70	—
Subtotal pulp and waste paper	6	—	6
4225 pulp & waste paper	6	—	6
Subtotal soil, sand, gravel, rock and stone	66	52	14
4322 limestone	43	43	—
4331 sand & gravel	22	9	14
Subtotal non-ferrous ores and scrap	22	22	—
4650 aluminum ore	22	22	—
Subtotal sulphur, clay and salt	0	—	0
4782 clay & refrac. mat.	0	—	0
Total primary manufactured goods	125	119	6
Subtotal paper products	1	—	1
5120 paper & paperboard	1	—	1
Subtotal lime, cement and glass	119	119	—
5220 cement & concrete	119	119	—
Subtotal primary non-ferrous metal products	5	—	5
5480 fab. metal products	5	—	5
Total food and farm products	210	18	192
Subtotal grain	154	15	140
6241 wheat	20	—	20
6344 corn	89	7	82
6442 rice	9	—	9
6447 sorghum grains	36	8	28
Subtotal oilseeds	54	2	52
6522 soybeans	42	2	40
6590 oilseeds nec	12	—	12
Subtotal processed grain and animal feed	1	1	—
6782 animal feed, prep.	1	1	—

GREENVILLE, MS

Section Included: From Mississippi River mile 537 AHP left descending bank in an easterly direction, an entrance channel, 8,000 feet long and 250 feet wide transitioning into the harbor and port area 10,000 feet long and 500 feet wide, then transitioning into Lake Ferguson, a channel 5,700 feet long and 250 feet wide. Depths are maintained to 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,780	1995	1,874	1998	3,255	2001	3,068
1993	2,724	1996	2,543	1999	2,854		
1994	2,430	1997	2,808	2000	3,069		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Receipts	Shipments	Intraport
Total, all commodities	3,068	2,113	953	2
Total petroleum and petroleum products	1,430	1,408	21	2
Subtotal petroleum products	1,430	1,408	21	2
2211 gasoline	508	499	9	—
2330 distillate fuel oil	294	286	8	—
2340 residual fuel oil	550	546	4	—
2429 naphtha & solvents	7	7	—	—
2640 liquid natural gas	71	69	—	2
2990 petro. products nec	1	1	—	—
Total chemicals and related products	152	140	12	—
Subtotal fertilizers	136	125	11	—
3110 nitrogenous fert.	102	91	11	—
3130 potassic fert.	13	13	—	—
3190 fert. & mixes nec	22	22	—	—
Subtotal other chemicals and related products	16	15	1	—
3220 alcohols	15	15	—	—
3276 metallic salts	1	—	1	—
Total crude materials, inedible except fuels	534	431	103	—
Subtotal soil, sand, gravel, rock and stone	386	386	—	—
4322 limestone	350	350	—	—
4323 gypsum	3	3	—	—
4331 sand & gravel	33	33	—	—
Subtotal iron ore and scrap	103	—	103	—
4420 iron & steel scrap	103	—	103	—
Subtotal other non-metal. min.	45	45	—	—
4900 non-metal. min. nec	45	45	—	—
Total food and farm products	952	135	817	—
Subtotal grain	484	61	423	—
6241 wheat	153	1	152	—
6344 corn	140	50	90	—
6442 rice	121	10	111	—
6447 sorghum grains	70	—	70	—
Subtotal oilseeds	392	3	388	—
6522 soybeans	361	—	361	—
6590 oilseeds nec	30	3	27	—
Subtotal processed grain and animal feed	76	70	6	—
6782 animal feed, prep.	76	70	6	—

ROSEDALE HARBOR, MS

Section Included: Section 107 of The River and Harbor Act of 1960, as amended (PL86-645) provides for the construction of Rosedale Harbor. The harbor channel is 150 ft wide and 2.7 miles long with a turning basin 1,000 feet long and 400 feet wide. A minimum operating depth of 9 feet below the lowest water of record (102.5 feet, msl) was maintained in both the channel and turning basin and provided a 20-acre landfill to a net elevation of 162.9, msl. The landfill is 1,250 feet long and 700 feet wide.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	507	1995	712	1998	564	2001	587
1993	538	1996	645	1999	582		
1994	606	1997	565	2000	548		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal	
		Receipts	Shipments
Total, all commodities	587	140	447
Total chemicals and related products	95	95	—
Subtotal fertilizers	95	95	—
3110 nitrogenous fert.	62	62	—
3120 phosphatic fert.	6	6	—
3130 potassic fert.	23	23	—
3190 fert. & mixes nec	5	5	—
Total crude materials, inedible except fuels	74	34	40
Subtotal forest products, wood and chips	39	—	39
4170 wood in the rough	39	—	39
Subtotal soil, sand, gravel, rock and stone	34	32	1
4322 limestone	3	3	—
4331 sand & gravel	3	1	1
4335 waterway improv. mat	28	28	—
Subtotal slag	1	1	—
4860 slag	1	1	—
Total primary manufactured goods	9	8	2
Subtotal lime, cement and glass	2	—	2
5220 cement & concrete	2	—	2
Subtotal primary iron and steel products	7	7	—
5330 i&s plates & sheets	7	7	—
Subtotal primary non-ferrous metal products	1	1	—
5422 aluminum	0	0	—
5480 fab. metal products	0	0	—
Total food and farm products	408	3	405
Subtotal grain	259	2	257
6241 wheat	73	—	73
6344 corn	17	—	17
6442 rice	155	2	154
6447 sorghum grains	13	—	13
Subtotal oilseeds	148	2	146
6522 soybeans	144	2	142
6590 oilseeds nec	4	—	4
Subtotal processed grain and animal feed	2	—	2
6782 animal feed, prep.	2	—	2

LAKE PROVIDENCE, LA

Section Included: From Mississippi River mile 482.9 AHP right descending bank in a westerly direction, a channel 8,200 feet long, 150 feet wide, and 9 feet deep, with a turning basin 400 feet wide, 800 feet long, and 9 feet deep at channel upper limits.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	680	1995	315	1998	584	2001	490
1993	489	1996	530	1999	440		
1994	713	1997	627	2000	524		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal	
		Receipts	Shipments
Total, all commodities	490	185	305
Total coal	41	41	—
1100 coal lignite	41	41	—
Total chemicals and related products	76	76	—
Subtotal fertilizers	76	76	—
3110 nitrogenous fert.	48	48	—
3120 phosphatic fert.	10	10	—
3130 potassic fert.	8	8	—
3190 fert. & mixes nec	10	10	—
Total crude materials, inedible except fuels	84	65	19
Subtotal soil, sand, gravel, rock and stone	84	65	19
4322 limestone	20	20	—
4331 sand & gravel	56	37	19
4335 waterway improv. mat	8	8	—
Total food and farm products	288	2	286
Subtotal grain	171	2	170
6241 wheat	23	—	23
6344 corn	78	2	76
6442 rice	25	—	25
6447 sorghum grains	46	—	46
Subtotal oilseeds	115	—	115
6522 soybeans	111	—	111
6590 oilseeds nec	5	—	5
Subtotal other agricultural products	1	—	1
6893 cotton	1	—	1
Total all manufactured equipment, machinery and products	1	1	—
7600 rubber & plastic pr.	1	1	—

OUACHITA AND BLACK RIVERS, AR AND LA

Section Included: From mouth of Black River to Camden, AR (336 miles). Maintained Depth: Minimum depth 9 feet to Camden, AR during low water season. Commensurably greater depth available at higher river stages.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,159	1995	1,209	1998	1,632	2001	1,575
1993	1,089	1996	1,850	1999	1,663		
1994	1,189	1997	1,361	2000	1,476		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Inbound Upbound	Outbound Downbnd	Through Upbound
Total, all commodities	1,575	1,113	266	196
Total petroleum and petroleum products	866	658	38	169
Subtotal crude petroleum	175	170	5	—
2100 crude petroleum	175	170	5	—
Subtotal petroleum products	692	489	33	169
2211 gasoline	322	224	—	98
2330 distillate fuel oil	225	154	5	66
2340 residual fuel oil	121	107	9	5
2350 lube oil & greases	20	—	20	—
2430 asphalt, tar & pitch	3	3	—	—
Total chemicals and related products	202	192	—	11
Subtotal fertilizers	19	8	—	11
3110 nitrogenous fert.	19	8	—	11
Subtotal other chemicals and related products	184	184	—	—
3273 ammonia	60	60	—	—
3274 sodium hydroxide	124	124	—	—
Total crude materials, inedible except fuels	277	261	—	16
Subtotal soil, sand, gravel, rock and stone	277	261	—	16
4322 limestone	242	242	—	—
4335 waterway improv. mat	35	20	—	16
Total primary manufactured goods	2	2	—	—
Subtotal lime, cement and glass	2	2	—	—
5220 cement & concrete	0	0	—	—
5290 misc. mineral prod.	2	2	—	—
Total food and farm products	228	—	228	—
Subtotal grain	189	—	189	—
6241 wheat	27	—	27	—
6344 corn	46	—	46	—
6447 sorghum grains	116	—	116	—
Subtotal oilseeds	38	—	38	—
6522 soybeans	38	—	38	—
Ton-miles (x1000)	212,028	184,536	16,877	10,615

Tons All Traffic (x1000) 1,575
Ton-miles All Traffic (x1000) 212,028

MOUTH OF YAZOO RIVER, MS (INCLUDED IN TRAFFIC OF VICKSBURG, MS)

Section Included: From Mississippi River to junction of Old and Yazoo Rivers (9.3 miles). Maintained Depth: 9 feet from Mississippi River to approximately mile 2.5. (Mile 2.5 is entrance point to Vicksburg Harbor Channel. Minimum depth 9 feet.) Mile 2.5 to mile 9.3 about 7 feet during low water season. Commensurably greater depths available at higher river stages.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	2,502	1995	2,577	1998	2,917	2001	2,071
1993	2,264	1996	2,653	1999	2,974		
1994	2,717	1997	2,817	2000	1,995		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal					
		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	2,071	1,379	44	2	400	48	199
Total petroleum and petroleum products	695	532	---	---	163	---	---
Subtotal petroleum products	695	532	---	---	163	---	---
2211 gasoline	231	214	---	---	17	---	---
2330 distillate fuel oil	219	151	---	---	68	---	---
2340 residual fuel oil	57	50	---	---	7	---	---
2350 lube oil & greases	118	67	---	---	50	---	---
2429 naphtha & solvents	14	---	---	---	14	---	---
2430 asphalt, tar & pitch	52	49	---	---	3	---	---
2540 petroleum coke	3	---	---	---	3	---	---
Total chemicals and related products	363	104	39	2	44	4	171
Subtotal fertilizers	350	96	39	2	43	---	171
3110 nitrogenous fert.	289	39	39	2	39	---	171
3130 potassic fert.	24	24	---	---	---	---	---
3190 fert. & mixes nec	37	34	---	---	4	---	---
Subtotal other chemicals and related products	14	8	---	---	1	4	---
3274 sodium hydroxide	12	8	---	---	---	4	---
3276 metallic salts	1	---	---	---	1	---	---
Total crude materials, inedible except fuels	328	284	---	---	---	44	---
Subtotal forest products, wood and chips	193	193	---	---	---	---	---
4170 wood in the rough	193	193	---	---	---	---	---
Subtotal soil, sand, gravel, rock and stone	116	72	---	---	---	44	---
4322 limestone	72	72	---	---	---	---	---
4335 waterway improv. mat	44	---	---	---	---	44	---
Subtotal slag	19	19	---	---	---	---	---
4860 slag	19	19	---	---	---	---	---
Total primary manufactured goods	367	304	---	---	62	---	---
Subtotal paper products	59	---	---	---	59	---	---
5110 newsprint	42	---	---	---	42	---	---
5120 paper & paperboard	17	---	---	---	17	---	---
5190 paper products nec	0	---	---	---	0	---	---
Subtotal lime, cement and glass	289	289	---	---	---	---	---
5210 lime	189	189	---	---	---	---	---
5220 cement & concrete	100	100	---	---	---	---	---
Subtotal primary iron and steel products	13	13	---	---	---	---	---
5330 i&s plates & sheets	10	10	---	---	---	---	---
5390 primary i&s nec	3	3	---	---	---	---	---
Subtotal primary non-ferrous metal products	5	3	---	---	2	---	---
5422 aluminum	1	1	---	---	---	---	---
5480 fab. metal products	4	1	---	---	2	---	---
Subtotal primary wood products	0	---	---	---	0	---	---
5540 primary wood prod.	0	---	---	---	0	---	---
Total food and farm products	318	154	5	---	130	---	29
Subtotal grain	268	149	5	---	93	---	22
6241 wheat	102	42	---	---	40	---	20
6344 corn	141	102	5	---	34	---	---
6445 oats	5	5	---	---	---	---	---
6447 sorghum grains	20	---	---	---	18	---	1
Subtotal oilseeds	46	2	---	---	37	---	7
6522 soybeans	46	2	---	---	37	---	7
Subtotal processed grain and animal feed	4	4	---	---	---	---	---
6782 animal feed, prep.	4	4	---	---	---	---	---
Total all manufactured equipment, machinery and products	1	---	---	---	1	---	---
7110 machinery (not elec)	1	---	---	---	1	---	---
Ton-miles (x1000)	7,648	4,024	220	6	1,173	432	1,793

Tons All Traffic (x1000) **2,071**
 Ton-miles All Traffic (x1000) **7,648**

YAZOO RIVER, MS

Section Included: From Old River to mouth of Yalobusha River (161 miles). Maintained Depth: 4 feet or less during low water season. Commensurably greater depths available at higher river stages.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	728	1995	605	1998	459	2001	305
1993	623	1996	536	1999	395		
1994	765	1997	574	2000	94		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Inbound Upbound	Outbound Downbnd	Intra Upbound
Total, all commodities	305	50	243	12
Total chemicals and related products	227	6	209	12
Subtotal fertilizers	223	2	209	12
3110 nitrogenous fert.	223	2	209	12
Subtotal other chemicals and related products	4	4	—	—
3274 sodium hydroxide	4	4	—	—
Total crude materials, inedible except fuels	44	44	—	—
Subtotal soil, sand, gravel, rock and stone	44	44	—	—
4335 waterway improv. mat	44	44	—	—
Total food and farm products	34	—	34	—
Subtotal grain	27	—	27	—
6241 wheat	20	—	20	—
6344 corn	5	—	5	—
6447 sorghum grains	1	—	1	—
Subtotal oilseeds	7	—	7	—
6522 soybeans	7	—	7	—
Ton-miles (x1000)	25,367	7,120	17,742	506
Tons All Traffic (x1000)	305			
Ton-miles All Traffic (x1000)	25,367			

RED RIVER BELOW FULTON, AR

Section Included: Mouth at junction of Old and Atchafalaya Rivers, LA, to Fulton, AR, 455.6 miles. Maintained Depth: Mouth of Red River to mouth of Black River, mile 34.2, 9 feet; mouth of Black River to Alexandria, LA, 9 feet; to Shreveport, LA, less than 2 feet; to Fulton, AR, less than 1 foot.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	4,505	1995	3,619	1998	3,750	2001	3,685
1993	3,048	1996	2,939	1999	3,820		
1994	3,537	1997	2,609	2000	3,765		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal			
		Inbound Upbound	Outbound Downbnd	Through Upbound Downbnd	
Total, all commodities	3,685	2,083	28	1,308	266
Total coal	49	49	—	—	—
1100 coal lignite	49	49	—	—	—
Total petroleum and petroleum products	1,091	198	26	828	38
Subtotal crude petroleum	258	84	—	170	5
2100 crude petroleum	258	84	—	170	5
Subtotal petroleum products	832	115	26	658	33
2211 gasoline	322	—	—	322	—
2330 distillate fuel oil	246	—	21	220	5
2340 residual fuel oil	121	—	—	112	9
2350 lube oil & greases	134	109	5	—	20
2430 asphalt, tar & pitch	9	6	—	3	—
Total chemicals and related products	316	113	—	202	—
Subtotal fertilizers	121	102	—	19	—
3110 nitrogenous fert.	82	64	—	19	—
3120 phosphatic fert.	7	7	—	—	—
3130 potassic fert.	24	24	—	—	—
3190 fert. & mixes nec	7	7	—	—	—
Subtotal other chemicals and related products	195	11	—	184	—
3273 ammonia	60	—	—	60	—
3274 sodium hydroxide	135	11	—	124	—
Total crude materials, inedible except fuels	1,996	1,718	2	277	—
Subtotal forest products, wood and chips	2	—	2	—	—
4190 forest products nec	2	—	2	—	—
Subtotal soil, sand, gravel, rock and stone	1,994	1,718	—	277	—
4322 limestone	614	372	—	242	—
4331 sand & gravel	367	367	—	—	—
4335 waterway improv. mat	1,014	978	—	35	—
Total primary manufactured goods	4	3	—	2	—
Subtotal lime, cement and glass	2	—	—	2	—
5220 cement & concrete	0	—	—	0	—
5290 misc. mineral prod.	2	—	—	2	—
Subtotal primary iron and steel products	3	3	—	—	—
5370 i&s pipe & tube	3	3	—	—	—
Total food and farm products	229	1	—	—	228
Subtotal grain	189	—	—	—	189
6241 wheat	27	—	—	—	27
6344 corn	46	—	—	—	46
6447 sorghum grains	116	—	—	—	116
Subtotal oilseeds	38	—	—	—	38
6522 soybeans	38	—	—	—	38
Subtotal processed grain and animal feed	1	1	—	—	—
6782 animal feed, prep.	1	1	—	—	—
Total all manufactured equipment, machinery and products	0	—	0	—	—
7230 ships & boats	0	—	0	—	—
Ton-miles (x1000)	295,721	246,055	5,576	36,637	7,453

Tons All Traffic (x1000) 3,685
 Ton-miles All Traffic (x1000) 295,721

MADISON PARISH PORT, LA

Section Included: A navigation channel 150 feet wide and 900 feet long which transitions into a 200-foot-wide channel 600 feet long with a 600-by 1,110-foot turning basin at the existing landfill and Industrial Park on the Mississippi River at Buckhorn Landing (River mile 457.2 AHP). The channel was constructed under authority of Section 107 of The River and Harbor Act of 1960, as amended.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	162	1995	190	1998	416	2001	392
1993	140	1996	348	1999	461		
1994	257	1997	337	2000	399		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal	
		Receipts	Shipments
Total, all commodities	392	263	129
Total chemicals and related products	112	112	—
Subtotal fertilizers	112	112	—
3110 nitrogenous fert.	98	98	—
3130 potassic fert.	5	5	—
3190 fert. & mixes nec	10	10	—
Total crude materials, inedible except fuels	118	118	—
Subtotal soil, sand, gravel, rock and stone	118	118	—
4322 limestone	67	67	—
4331 sand & gravel	49	49	—
4335 waterway improv. mat	3	3	—
Total food and farm products	161	33	129
Subtotal grain	125	26	100
6241 wheat	32	—	32
6344 corn	31	18	12
6442 rice	43	—	43
6445 oats	7	7	—
6447 sorghum grains	12	—	12
Subtotal oilseeds	35	7	28
6522 soybeans	24	7	17
6590 oilseeds nec	11	—	11
Subtotal processed grain and animal feed	1	—	1
6782 animal feed, prep.	1	—	1

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)

Section Included: Minneapolis, MN to Mouth of Passes. For navigation seasons and maintained depths see tables of individual stretches listed separately. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	491,006	1995	520,287	1998	504,412*	2001	504,165
1993	475,112	1996	505,577	1999	512,348		
1994	496,823	1997	504,701	2000	515,626*		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
Total, all commodities	187,619	87,116	98,931	673	898
Total coal	3,977	2,713	1,152	112	—
1100 coal lignite	3,255	2,042	1,101	112	—
1200 coal coke	721	671	50	—	—
Total petroleum and petroleum products	56,705	47,409	8,506	35	755
Subtotal crude petroleum	36,754	36,166	575	13	—
2100 crude petroleum	36,754	36,166	575	13	—
Subtotal petroleum products	19,951	11,243	7,931	22	755
2211 gasoline	1,240	178	979	19	64
2221 kerosene	111	—	105	—	6
2330 distillate fuel oil	5,543	4,826	680	—	37
2340 residual fuel oil	6,480	2,743	3,407	—	330
2350 lube oil & greases	595	364	231	—	—
2410 petro. jelly & waxes	12	8	4	—	—
2429 naphtha & solvents	2,035	1,895	137	3	—
2430 asphalt, tar & pitch	79	73	6	—	—
2540 petroleum coke	3,788	1,088	2,382	—	317
2640 liquid natural gas	68	68	0	—	—
Total chemicals and related products	13,419	9,818	3,109	350	143
Subtotal fertilizers	6,537	5,816	565	73	82
3110 nitrogenous fert.	4,257	4,189	16	—	52
3120 phosphatic fert.	672	672	—	—	—
3130 potassic fert.	850	550	227	73	—
3190 fert. & mixes nec	758	406	322	—	30
Subtotal other chemicals and related products	6,883	4,002	2,543	276	61
3211 acyclic hydrocarbons	107	45	17	44	—
3212 benzene & toluene	46	12	1	33	—
3219 other hydrocarbons	613	39	537	36	—
3220 alcohols	2,274	1,876	253	145	—
3230 carboxylic acids	63	43	20	—	—
3240 nitrogen func. comp.	182	8	174	—	—
3250 organo - inorg. comp.	12	3	10	—	—
3260 organic comp. nec	95	12	83	—	—
3272 sulphuric acid	16	11	5	—	—
3273 ammonia	949	949	0	—	—
3274 sodium hydroxide	288	—	227	—	61
3275 inorg. elem., oxides, & halogen salts	734	389	345	—	—
3276 metallic salts	406	368	22	15	—
3279 inorganic chem. nec	106	105	1	—	—
3281 radioactive material	27	1	26	—	—
3282 pigments & paints	122	11	111	—	—
3283 coloring mat. nec	1	1	0	—	—
3284 medicines	1	0	1	—	—
3285 perfumes & cleansers	21	6	15	—	—
3286 plastics	425	6	418	—	—
3291 pesticides	48	27	21	—	—
3292 starches, gluten, glue	54	0	54	—	—
3293 explosives	2	—	2	—	—
3297 chemical additives	79	9	70	—	—
3298 wood & resin chem.	4	1	3	—	—
3299 chem. products nec	209	82	125	2	1
Total crude materials, inedible except fuels	14,875	14,247	496	133	0
Subtotal forest products, wood and chips	597	468	129	—	0
4110 rubber & gums	387	382	5	—	0
4150 fuel wood	0	0	0	—	—
4161 wood chips	90	—	90	—	—
4170 wood in the rough	31	28	3	—	—
4189 lumber	76	45	31	—	—
4190 forest products nec	13	12	0	—	—
Subtotal pulp and waste paper	42	3	39	—	—
4225 pulp & waste paper	42	3	39	—	—
Subtotal soil, sand, gravel, rock and stone	1,131	1,089	1	41	—
4310 building stone	4	4	—	—	—
4322 limestone	1,072	1,072	0	—	—
4323 gypsum	40	—	0	40	—
4331 sand & gravel	14	13	1	1	—
Subtotal iron ore and scrap	3,126	3,000	126	—	—
4410 iron ore	2,818	2,818	—	—	—
4420 iron & steel scrap	309	183	126	—	—

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
Subtotal non-ferrous ores and scrap	6,860	6,664	133	63	---
4650 aluminum ore	5,220	5,120	100	---	---
4670 manganese ore	331	331	---	---	---
4680 non-ferrous scrap	23	1	2	21	---
4690 non-ferrous ores nec	1,286	1,212	32	42	---
Subtotal sulphur, clay and salt	307	279	28	---	---
4741 sulphur, (dry)	0	---	0	---	---
4782 clay & refrac. mat.	307	279	28	---	---
Subtotal slag	259	259	---	---	---
4860 slag	259	259	---	---	---
Subtotal other non-metal. min.	2,553	2,485	39	29	---
4900 non-metal. min. nec	2,553	2,485	39	29	---
Total primary manufactured goods	11,512	11,185	312	15	---
Subtotal paper products	217	25	192	---	---
5110 newsprint	0	---	0	---	---
5120 paper & paperboard	215	25	190	---	---
5190 paper products nec	2	0	2	---	---
Subtotal lime, cement and glass	2,496	2,487	9	---	---
5220 cement & concrete	2,381	2,381	0	---	---
5240 glass & glass prod.	4	3	0	---	---
5290 misc. mineral prod.	112	103	9	---	---
Subtotal primary iron and steel products	6,970	6,902	69	---	---
5312 pig iron	3,200	3,200	0	---	---
5315 ferro alloys	580	577	3	---	---
5320 i&s primary forms	505	475	29	---	---
5330 i&s plates & sheets	1,152	1,145	7	---	---
5360 i&s bars & shapes	1,158	1,146	13	---	---
5370 i&s pipe & tube	349	335	14	---	---
5390 primary i&s nec	26	24	2	---	---
Subtotal primary non-ferrous metal products	1,668	1,615	38	15	---
5421 copper	466	463	2	---	---
5422 aluminum	232	216	1	15	---
5429 smelted prod. nec	526	520	6	---	---
5480 fab. metal products	445	416	29	---	---
Subtotal primary wood products	160	156	4	---	---
5540 primary wood prod.	160	156	4	---	---
Total food and farm products	86,581	1,331	85,236	13	---
Subtotal fish	0	0	---	---	---
6134 fish (not shellfish)	0	0	---	---	---
6136 shellfish	0	0	---	---	---
Subtotal grain	50,116	246	49,870	---	---
6241 wheat	---	7,111	7,111	---	---
6344 corn	39,466	---	39,466	---	---
6442 rice	1,493	0	1,493	---	---
6443 barley & rye	22	22	---	---	---
6445 oats	224	224	0	---	---
6447 sorghum grains	1,800	---	1,800	---	---
Subtotal oilseeds	25,599	0	25,599	---	---
6522 soybeans	20,065	---	20,065	---	---
6590 oilseeds nec	5,534	0	5,534	---	---
Subtotal vegetable products	2,109	582	1,521	6	---
6653 vegetable oils	2,073	577	1,490	6	---
6654 vegetables & prod.	36	5	31	---	---
Subtotal processed grain and animal feed	7,826	19	7,807	---	---
6746 wheat flour	65	---	65	---	---
6747 grain mill products	927	16	912	---	---
6781 hay & fodder	1	---	1	---	---
6782 animal feed, prep.	6,833	4	6,829	---	---
Subtotal other agricultural products	930	484	440	7	---
6811 meat, fresh, frozen	115	0	115	---	---
6817 meat, prepared	1	0	0	---	---
6822 dairy products	1	0	1	---	---
6835 fish, prepared	4	4	---	---	---
6838 tallow, animal oils	123	---	123	---	---
6839 animals & prod. nec	0	---	0	---	---
6857 fruit & nuts nec	0	0	0	---	---
6858 fruit juices	10	1	9	---	---
6861 sugar	49	39	10	---	---
6865 molasses	225	213	12	---	---
6871 coffee	116	113	3	---	---
6872 cocoa beans	0	0	---	---	---
6885 alcoholic beverages	40	38	2	---	---
6888 water & ice	1	1	0	---	---
6889 food products nec	230	71	152	7	---
6891 tobacco & products	0	0	---	---	---
6893 cotton	10	---	10	---	---
6894 natural fibers nec	2	2	0	---	---
6899 farm products nec	3	0	3	---	---
Total all manufactured equipment, machinery and products	485	366	103	16	---
7110 machinery (not elec)	147	101	47	---	---
7120 electrical machinery	137	116	6	16	---
7210 vehicles & parts	19	15	4	---	---
7220 aircraft & parts	0	0	0	---	---

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
7230	ships & boats	1	1	0	—	—
7400	manufac. wood prod.	5	5	0	—	—
7500	textile products	51	48	4	—	—
7600	rubber & plastic pr.	88	54	34	—	—
7900	manufac. prod. nec	35	28	8	—	—
Total unknown or not elsewhere classified		64	47	17	—	—
9900	unknown or nec	64	47	17	—	—
Ton-miles (x1000)		27,239,866	12,400,917	14,594,588	101,316	143,044
Foreign & Canadian						

Commodity		Total	Coastwise			
			Receipts	Shipments	Through	
					Upbound	Downbnd
Total, all commodities		30,905	4,649	25,938	46	272
Total coal		7,318	—	7,318	—	—
1100	coal lignite	7,303	—	7,303	—	—
1200	coal coke	16	—	16	—	—
Total petroleum and petroleum products		18,600	1,254	17,140	31	176
Subtotal crude petroleum		37	24	13	—	—
2100	crude petroleum	37	24	13	—	—
Subtotal petroleum products		18,563	1,230	17,127	31	176
2211	gasoline	7,707	75	7,630	0	1
2221	kerosene	125	—	125	—	—
2330	distillate fuel oil	4,240	532	3,708	0	0
2340	residual fuel oil	4,902	572	4,330	—	—
2350	lube oil & greases	176	26	151	—	—
2429	naphtha & solvents	236	22	211	—	3
2430	asphalt, tar & pitch	614	3	611	—	—
2540	petroleum coke	97	—	97	—	—
2640	liquid natural gas	202	—	—	30	172
2990	petro. products nec	265	—	265	—	—
Total chemicals and related products		2,068	1,530	537	—	1
Subtotal fertilizers		1,451	1,451	—	—	—
3110	nitrogenous fert.	12	12	—	—	—
3120	phosphatic fert.	175	175	—	—	—
3190	fert. & mixes nec	1,264	1,264	—	—	—
Subtotal other chemicals and related products		617	79	537	—	1
3212	benzene & toluene	4	4	—	—	—
3219	other hydrocarbons	28	—	28	—	—
3220	alcohols	98	4	94	—	—
3230	carboxylic acids	13	—	13	—	—
3260	organic comp. nec	7	—	7	—	—
3271	sulphur (liquid)	60	—	60	—	—
3274	sodium hydroxide	385	68	318	—	—
3276	metallic salts	5	3	—	—	1
3297	chemical additives	18	—	18	—	—
Total crude materials, inedible except fuels		1,866	1,865	—	0	0
Subtotal forest products, wood and chips		0	—	—	0	—
4189	lumber	0	—	—	0	—
Subtotal soil, sand, gravel, rock and stone		1,812	1,812	—	—	—
4322	limestone	48	48	—	—	—
4327	phosphate rock	1,735	1,735	—	—	—
4331	sand & gravel	29	29	—	—	—
Subtotal iron ore and scrap		44	44	—	—	—
4420	iron & steel scrap	44	44	—	—	—
Subtotal non-ferrous ores and scrap		9	9	—	—	—
4690	non-ferrous ores nec	9	9	—	—	—
Subtotal sulphur, clay and salt		1	—	—	0	0
4782	clay & refrac. mat.	1	—	—	0	0
Total primary manufactured goods		0	—	—	0	0
Subtotal lime, cement and glass		0	—	—	—	0
5220	cement & concrete	0	—	—	—	0
Subtotal primary iron and steel products		0	—	—	0	—
5360	i&s bars & shapes	0	—	—	0	—
Subtotal primary non-ferrous metal products		0	—	—	0	—
5480	fab. metal products	0	—	—	0	—
Total food and farm products		1,024	—	943	0	81
Subtotal grain		199	—	199	—	—
6241	wheat	154	—	154	—	—
6344	corn	34	—	34	—	—
6442	rice	12	—	12	—	—
Subtotal oilseeds		9	—	9	—	—
6522	soybeans	6	—	6	—	—

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)
 Freight Traffic, 2001 - continued
 (thousand short tons)

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
6590 oilseeds nec	2	—	2	—	—
Subtotal vegetable products	27	—	27	—	—
6653 vegetable oils	27	—	27	—	—
Subtotal processed grain and animal feed	469	—	469	—	—
6747 grain mill products	469	—	469	—	—
Subtotal other agricultural products	320	—	238	0	81
6838 tallow, animal oils	2	—	2	—	—
6861 sugar	236	—	236	—	—
6888 water & ice	0	—	—	0	0
6889 food products nec	81	—	—	—	81
Total all manufactured equipment, machinery and products	27	—	0	14	13
7110 machinery (not elec)	1	—	—	0	0
7230 ships & boats	1	—	0	0	—
7300 ordnance & access.	0	—	0	—	—
7500 textile products	0	—	—	0	—
7600 rubber & plastic pr.	1	—	—	1	—
7900 manufac. prod. nec	25	—	—	12	12
Ton-miles (x1000)	4,037,964	655,617	3,319,203	4,807	58,336
Coastwise					

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	285,642	18,777	63,588	41,158	26,037	20,120	16,965	31,387	67,610
Total coal	39,137	3,115	8,500	1,949	5,637	1,535	2,079	4,248	12,074
1100 coal lignite	35,632	2,491	8,335	730	5,595	1,458	2,037	4,019	10,968
1200 coal coke	3,505	624	165	1,219	42	77	43	229	1,106
Total petroleum and petroleum products	61,154	8,818	4,190	11,703	7,890	4,773	2,654	10,708	10,419
Subtotal crude petroleum	6,896	2,255	664	546	435	233	347	1,619	796
2100 crude petroleum	6,896	2,255	664	546	435	233	347	1,619	796
Subtotal petroleum products	54,259	6,563	3,526	11,157	7,455	4,540	2,306	9,089	9,623
2211 gasoline	11,551	1,829	981	2,908	1,569	1,558	160	2,265	282
2221 kerosene	306	—	31	109	110	6	—	12	39
2330 distillate fuel oil	11,859	1,172	690	2,507	1,735	870	411	2,430	2,044
2340 residual fuel oil	12,326	1,490	821	1,222	1,076	228	188	2,627	4,675
2350 lube oil & greases	2,381	562	93	221	252	592	97	200	364
2410 petro. jelly & waxes	47	31	—	—	—	8	8	—	—
2429 naphtha & solvents	2,831	496	184	419	985	279	78	147	244
2430 asphalt, tar & pitch	4,164	359	290	1,581	762	257	146	350	419
2540 petroleum coke	6,650	244	366	1,620	556	487	851	1,017	1,509
2640 liquid natural gas	1,115	196	9	13	291	225	368	5	7
2990 petro. products nec	1,027	183	62	556	118	30	1	36	41
Total chemicals and related products	32,717	2,142	1,668	10,236	2,681	5,631	1,372	6,313	2,674
Subtotal fertilizers	11,068	460	256	5,290	610	581	202	3,338	331
3110 nitrogenous fert.	6,581	174	113	3,574	366	279	71	1,913	91
3120 phosphatic fert.	966	90	—	411	26	68	—	371	—
3130 potassic fert.	1,062	73	137	127	172	53	124	172	204
3190 fert. & mixes nec	2,459	124	6	1,179	45	181	8	881	35
Subtotal other chemicals and related products	21,649	1,682	1,412	4,946	2,071	5,050	1,170	2,975	2,343
3211 acyclic hydrocarbons	790	248	90	162	185	8	7	76	14
3212 benzene & toluene	2,586	278	131	126	550	183	117	424	776
3219 other hydrocarbons	5,447	385	359	974	103	2,891	374	196	165
3220 alcohols	3,693	101	305	1,279	322	569	237	712	168
3230 carboxylic acids	324	16	1	47	16	243	1	—	—
3240 nitrogen func. comp.	549	2	31	9	10	415	82	—	—
3260 organic comp. nec	652	47	85	102	68	103	168	25	55
3271 sulphur (liquid)	205	39	82	10	37	—	—	3	34
3272 sulphuric acid	780	99	67	114	150	3	2	129	215
3273 ammonia	1,134	15	—	638	150	63	10	105	153
3274 sodium hydroxide	3,477	255	102	1,168	174	398	57	599	724
3275 inorg. elem., oxides, & halogen salts	797	25	97	27	17	99	79	452	2
3276 metallic salts	568	5	37	94	211	42	9	147	22
3279 inorganic chem. nec	187	—	1	149	5	7	—	23	3
3286 plastics	15	—	—	15	—	—	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	312	166	11	20	10	14	—	82	11
3298 wood & resin chem.	2	—	2	—	—	—	—	—	—
3299 chem. products nec	129	1	10	11	65	14	25	3	—

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total crude materials, inedible except fuels	48,494	3,599	8,310	8,259	3,823	5,882	6,670	6,029	5,922
Subtotal forest products, wood and chips	825	44	0	31	304	300	25	17	104
4161 wood chips	472	33	—	13	90	290	25	2	19
4170 wood in the rough	295	—	—	3	193	—	—	14	85
4189 lumber	22	—	0	12	10	—	0	—	—
4190 forest products nec	36	11	0	2	11	11	—	2	—
Subtotal pulp and waste paper	22	13	2	1	—	—	—	—	6
4225 pulp & waste paper	22	13	2	1	—	—	—	—	6
Subtotal soil, sand, gravel, rock and stone	26,691	453	6,358	712	2,787	258	6,079	4,637	5,408
4310 building stone	32	18	4	—	—	—	9	—	—
4322 limestone	10,201	5	4,313	446	77	30	4,213	79	1,040
4323 gypsum	949	17	326	18	3	149	377	2	57
4331 sand & gravel	10,000	183	573	164	1,344	78	573	4,183	2,900
4335 waterway improv. mat	5,508	229	1,142	83	1,363	—	908	373	1,411
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	6,961	989	1,592	2,943	187	239	197	430	382
4410 iron ore	3,075	—	29	2,859	135	14	15	22	1
4420 iron & steel scrap	3,886	989	1,563	84	52	226	181	408	381
Subtotal marine shells	3	3	—	—	—	—	—	—	—
4515 marine shells	3	3	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	4,398	195	42	2,991	36	504	30	599	—
4650 aluminum ore	3,313	154	0	2,190	16	456	19	477	—
4670 manganese ore	476	1	9	391	10	10	3	52	—
4680 non-ferrous scrap	9	—	5	—	—	—	5	—	—
4690 non-ferrous ores nec	599	40	28	410	9	39	3	70	—
Subtotal sulphur, clay and salt	671	39	6	208	113	66	68	167	5
4782 clay & refrac. mat.	671	39	6	208	113	66	68	167	5
Subtotal slag	819	79	48	286	72	79	136	102	17
4860 slag	819	79	48	286	72	79	136	102	17
Subtotal other non-metal. min.	8,104	1,784	261	1,087	323	4,435	136	77	—
4900 non-metal. min. nec	8,104	1,784	261	1,087	323	4,435	136	77	—
Total primary manufactured goods	20,447	458	382	8,296	4,266	1,104	2,043	3,431	468
Subtotal paper products	104	2	34	18	—	42	0	1	6
5110 newsprint	42	—	—	—	—	42	—	—	—
5120 paper & paperboard	29	2	18	3	—	—	—	—	6
5190 paper products nec	33	—	16	15	—	0	0	1	—
Subtotal lime, cement and glass	8,103	185	88	1,409	3,132	342	724	1,867	357
5210 lime	1,056	—	3	—	1,036	2	4	—	11
5220 cement & concrete	7,038	183	82	1,407	2,097	338	720	1,867	344
5240 glass & glass prod.	7	2	3	2	—	—	—	—	—
5290 misc. mineral prod.	3	—	—	—	—	2	—	—	1
Subtotal primary iron and steel products	10,887	247	207	6,032	996	661	1,240	1,412	93
5312 pig iron	4,434	—	2	3,361	127	4	11	929	—
5315 ferro alloys	801	24	14	600	58	12	8	86	1
5320 i&s primary forms	339	—	7	281	31	12	3	5	—
5330 i&s plates & sheets	2,623	118	139	622	575	284	669	131	85
5360 i&s bars & shapes	1,336	26	6	815	30	235	27	194	4
5370 i&s pipe & tube	577	13	6	68	151	44	289	4	1
5390 primary i&s nec	777	66	34	285	22	70	234	63	2
Subtotal primary non-ferrous metal products	1,347	22	52	837	137	58	78	151	12
5421 copper	27	3	—	—	—	—	—	23	1
5422 aluminum	217	—	1	174	6	21	—	14	—
5429 smelted prod. nec	163	—	8	112	23	—	3	17	—
5480 fab. metal products	940	19	44	551	108	37	75	96	12
Subtotal primary wood products	6	3	0	—	2	1	—	—	0
5540 primary wood prod.	6	3	0	—	2	1	—	—	0
Total food and farm products	82,258	599	40,531	582	1,712	421	1,728	636	36,048
Subtotal grain	48,220	98	23,896	193	1,259	159	1,305	125	21,186
6241 wheat	6,596	43	3,045	—	103	143	80	13	3,169
6344 corn	38,230	16	19,750	38	941	3	1,185	36	16,261
6442 rice	1,809	31	414	14	186	13	37	19	1,095
6443 barley & rye	32	—	—	27	—	—	—	5	—
6445 oats	197	1	1	112	29	—	3	47	4
6447 sorghum grains	1,356	6	685	2	2	—	—	5	656
Subtotal oilseeds	24,652	114	11,736	86	353	22	203	155	11,983
6522 soybeans	19,593	95	9,146	48	287	3	193	47	9,773

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)
 Freight Traffic, 2001 - continued
 (thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
6590 oilseeds nec	5,058	19	2,590	38	66	18	10	107	2,210
Subtotal vegetable products	959	18	473	—	40	—	16	80	331
6653 vegetable oils	904	3	436	—	40	—	16	80	328
6654 vegetables & prod.	55	15	37	—	—	—	—	—	3
Subtotal processed grain and animal feed	7,028	65	4,089	54	10	37	83	185	2,504
6746 wheat flour	82	10	70	1	—	—	—	—	—
6747 grain mill products	408	2	113	—	—	—	—	2	291
6782 animal feed, prep.	6,538	53	3,906	53	10	37	83	183	2,213
Subtotal other agricultural products	1,400	304	336	249	50	204	121	92	44
6861 sugar	610	269	256	41	—	16	—	9	19
6865 molasses	317	23	—	152	19	46	—	74	4
6885 alcoholic beverages	29	—	2	—	7	—	6	—	14
6887 groceries	1	—	1	0	—	0	0	—	—
6888 water & ice	267	—	—	55	24	142	36	5	4
6889 food products nec	168	12	77	—	—	—	79	—	—
6893 cotton	1	—	—	—	—	—	—	1	—
6899 farm products nec	6	—	1	—	—	—	—	1	3
Total all manufactured equipment, machinery and products	1,178	46	6	133	27	562	376	22	5
7110 machinery (not elec)	1,017	21	3	32	22	559	373	5	0
7120 electrical machinery	6	0	1	1	1	0	—	—	3
7210 vehicles & parts	4	0	—	3	—	0	0	—	—
7230 ships & boats	2	1	0	—	—	0	0	0	—
7300 ordnance & access.	0	0	—	—	—	—	—	—	—
7400 manufac. wood prod.	9	5	1	0	—	2	1	—	—
7500 textile products	28	—	—	13	0	—	—	15	—
7600 rubber & plastic pr.	107	18	1	83	3	—	2	—	1
7900 manufac. prod. nec	5	0	1	0	1	—	—	2	0
Total waste and scrap nec	256	—	0	—	1	212	42	0	1
8900 waste and scrap nec	256	—	0	—	1	212	42	0	1
Ton-miles Internal (x1000)	176,029,652	6,549,590	50,722,575	27,678,157	6,482,393	11,345,813	8,814,963	11,947,898	52,488,264
Tons All Traffic (x1000)		504,165							
Ton-miles All Traffic (x1000)		207,307,482							

*Includes 367 (x1000) tons of foreign inbound in-transits; Includes 752 (x1000) tons of foreign outbound in-transits.

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER,
MINNEAPOLIS TO MOUTH OF PASSES)

Section Included: Mouth of Ohio River to Baton Rouge, LA; Lower Mississippi River from mile 954 to mile 236. Maintained Depth: not less than 9 feet during low water and commensurably greater depths available during the high water season. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	198,689	1995	205,106	1998	196,314*	2001	200,662
1993	183,843	1996	195,875	1999	204,857		
1994	196,793	1997	193,921	2000	204,405		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise		
		Receipts	Through Upbound	Downbnd
Total, all commodities	92	9	2	81
Total crude materials, inedible except fuels	9	9	0	—
Subtotal forest products, wood and chips	0	—	0	—
4189 lumber	0	—	0	—
Subtotal iron ore and scrap	9	9	—	—
4420 iron & steel scrap	9	9	—	—
Total primary manufactured goods	0	—	0	—
Subtotal primary iron and steel products	0	—	0	—
5360 i&s bars & shapes	0	—	0	—
Subtotal primary non-ferrous metal products	0	—	0	—
5480 fab. metal products	0	—	0	—
Total food and farm products	81	—	—	81
Subtotal other agricultural products	81	—	—	81
6889 food products nec	81	—	—	81
Total all manufactured equipment, machinery and products	1	—	1	—
7500 textile products	0	—	0	—
7600 rubber & plastic pr.	1	—	1	—
Ton-miles (x1000)	45,885	5,464	860	39,561
Coastwise				

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	200,570	10,002	18,314	1,908	8,683	56,175	103,949	1,006	532
Total coal	25,022	273	8,274	4	3	1,945	14,523	—	—
1100 coal lignite	23,462	144	8,274	4	3	641	14,396	—	—
1200 coal coke	1,560	129	—	—	—	1,304	127	—	—
Total petroleum and petroleum products	24,343	5,052	300	1,032	672	13,347	2,976	848	116
Subtotal crude petroleum	1,572	1,071	6	62	174	227	31	—	—
2100 crude petroleum	1,572	1,071	6	62	174	227	31	—	—
Subtotal petroleum products	22,771	3,981	294	970	497	13,120	2,945	848	116
2211 gasoline	7,465	1,919	171	371	265	4,254	94	378	14
2221 kerosene	140	4	31	7	—	99	—	—	—
2330 distillate fuel oil	4,846	570	14	211	81	2,669	754	448	100
2340 residual fuel oil	3,470	1,201	23	35	25	1,104	1,081	—	1
2350 lube oil & greases	1,732	80	6	45	70	1,156	354	20	—
2410 petro. jelly & waxes	16	—	—	—	—	8	8	—	—
2429 naphtha & solvents	617	7	—	17	4	516	73	—	—
2430 asphalt, tar & pitch	1,882	—	20	275	48	1,293	245	—	—
2540 petroleum coke	2,155	14	29	9	—	1,795	307	—	—
2640 liquid natural gas	75	69	—	—	—	5	—	2	—
2990 petro. products nec	373	117	1	—	5	221	30	—	—
Total chemicals and related products	19,474	1,478	350	103	44	16,386	1,035	42	37
Subtotal fertilizers	9,494	1,175	246	66	42	7,677	219	42	26
3110 nitrogenous fert.	5,759	842	79	63	36	4,570	103	40	25
3120 phosphatic fert.	893	76	—	—	—	818	—	—	—
3130 potassic fert.	576	61	161	3	4	229	115	2	2
3190 fert. & mixes nec	2,266	197	6	—	1	2,060	2	—	—
Subtotal other chemicals and related products	9,980	302	104	37	1	8,709	816	—	11
3211 acyclic hydrocarbons	115	—	—	—	—	115	—	—	—
3212 benzene & toluene	176	—	—	—	—	56	119	—	—
3219 other hydrocarbons	3,290	10	—	2	—	3,151	126	—	—

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER,
MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
3220 alcohols	1,837	82	—	—	—	1,471	284	—	—
3230 carboxylic acids	274	16	1	—	—	256	1	—	—
3240 nitrogen func. comp.	400	—	—	—	—	375	25	—	—
3260 organic comp. nec	354	46	71	—	—	112	125	—	—
3272 sulphuric acid	45	—	27	—	—	—	18	—	—
3273 ammonia	750	20	—	32	—	688	10	—	—
3274 sodium hydroxide	2,078	81	—	—	—	1,996	1	—	—
3275 inorg. elem., oxides, & halogen salts	104	3	2	—	—	66	34	—	—
3276 metallic salts	275	19	—	—	1	223	21	—	11
3279 inorganic chem. nec	180	23	1	3	—	149	3	—	—
3286 plastics	13	—	—	—	—	13	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	19	—	—	—	—	14	5	—	—
3298 wood & resin chem.	2	—	—	—	—	—	2	—	—
3299 chem. products nec	67	1	1	—	—	22	42	—	—
Total crude materials, inedible except fuels	38,649	2,064	8,910	221	292	13,952	12,815	106	289
Subtotal forest products, wood and chips	539	3	—	5	204	117	122	14	74
4161 wood chips	220	3	—	—	—	96	122	—	—
4170 wood in the rough	295	—	—	3	204	—	—	14	74
4189 lumber	12	—	—	—	—	12	—	—	—
4190 forest products nec	11	—	—	2	—	9	—	—	—
Subtotal pulp and waste paper	9	—	—	—	6	1	2	—	—
4225 pulp & waste paper	9	—	—	—	6	1	2	—	—
Subtotal soil, sand, gravel, rock and stone	20,257	230	7,202	134	6	250	12,208	12	215
4310 building stone	13	—	—	—	—	—	13	—	—
4322 limestone	9,655	—	3,331	—	—	122	6,195	—	7
4323 gypsum	719	—	218	9	—	7	484	—	—
4331 sand & gravel	5,168	1	1,494	125	6	119	3,203	12	208
4335 waterway improv. mat	4,700	229	2,158	—	—	1	2,312	—	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	6,169	1,198	1,696	56	19	2,887	233	80	—
4410 iron ore	2,851	—	3	—	—	2,848	—	—	—
4420 iron & steel scrap	3,318	1,198	1,693	56	19	39	233	80	—
Subtotal marine shells	3	—	—	—	—	3	—	—	—
4515 marine shells	3	—	—	—	—	3	—	—	—
Subtotal non-ferrous ores and scrap	4,134	536	10	—	—	3,553	35	—	—
4650 aluminum ore	3,178	499	—	—	—	2,679	0	—	—
4670 manganese ore	434	36	6	—	—	388	5	—	—
4680 non-ferrous scrap	5	—	5	—	—	—	—	—	—
4690 non-ferrous ores nec	517	2	—	—	—	486	30	—	—
Subtotal sulphur, clay and salt	252	3	—	—	0	222	27	—	—
4782 clay & refrac. mat.	252	3	—	—	0	222	27	—	—
Subtotal slag	582	—	1	27	57	309	188	—	—
4860 slag	582	—	1	27	57	309	188	—	—
Subtotal other non-metal. min.	6,704	95	—	—	—	6,609	—	—	—
4900 non-metal. min. nec	6,704	95	—	—	—	6,609	—	—	—
Total primary manufactured goods	14,734	1,046	366	398	333	9,409	3,146	—	37
Subtotal paper products	102	1	—	—	6	60	34	—	—
5110 newsprint	42	—	—	—	—	42	—	—	—
5120 paper & paperboard	28	—	—	—	6	3	18	—	—
5190 paper products nec	32	1	—	—	—	15	16	—	—
Subtotal lime, cement and glass	3,978	3	122	2	—	2,091	1,760	—	—
5210 lime	369	—	3	—	—	2	365	—	—
5220 cement & concrete	3,604	3	119	2	—	2,086	1,394	—	—
5240 glass & glass prod.	2	—	—	—	—	2	—	—	—
5290 misc. mineral prod.	3	—	—	—	—	2	1	—	—
Subtotal primary iron and steel products	9,487	1,021	224	174	275	6,495	1,261	—	37
5312 pig iron	4,197	849	—	—	—	3,346	2	—	—
5315 ferro alloys	697	30	14	—	—	649	4	—	—
5320 i&s primary forms	301	4	—	—	—	291	7	—	—
5330 i&s plates & sheets	2,127	42	175	104	269	700	800	—	37
5360 i&s bars & shapes	1,266	60	5	64	1	1,128	9	—	—
5370 i&s pipe & tube	322	3	0	—	1	36	282	—	—
5390 primary i&s nec	578	33	30	6	5	346	158	—	—
Subtotal primary non-ferrous metal products	1,167	20	20	223	51	762	90	—	—
5421 copper	24	—	—	—	—	23	1	—	—
5422 aluminum	211	—	0	—	—	210	0	—	—

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER,
MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
5429 smelted prod. nec	136	—	—	—	—	125	11	—	—
5480 fab. metal products	797	20	20	223	51	405	78	—	—
Subtotal primary wood products	1	—	—	—	0	—	0	—	—
5540 primary wood prod.	1	—	—	—	0	—	0	—	—
Total food and farm products	78,144	90	113	148	7,339	952	69,441	9	53
Subtotal grain	46,381	48	25	29	4,545	373	41,310	1	49
6241 wheat	6,424	—	4	—	1,325	148	4,947	—	—
6344 corn	36,770	33	19	23	1,595	24	35,041	—	34
6442 rice	1,689	7	—	6	1,198	29	438	1	10
6443 barley & rye	32	—	—	—	—	32	—	—	—
6445 oats	147	7	—	—	—	138	2	—	—
6447 sorghum grains	1,318	1	2	—	427	2	882	—	5
Subtotal oilseeds	23,522	11	7	113	2,774	19	20,588	8	3
6522 soybeans	18,659	11	2	51	2,751	9	15,824	8	3
6590 oilseeds nec	4,863	—	5	61	23	10	4,763	—	—
Subtotal vegetable products	894	—	31	—	12	66	784	—	—
6653 vegetable oils	854	—	31	—	10	66	746	—	—
6654 vegetables & prod.	39	—	—	—	1	—	38	—	—
Subtotal processed grain and animal feed	6,801	31	50	5	8	146	6,561	—	—
6746 wheat flour	71	—	—	—	—	1	70	—	—
6747 grain mill products	406	—	—	—	—	2	405	—	—
6782 animal feed, prep.	6,324	31	50	5	8	143	6,087	—	—
Subtotal other agricultural products	546	—	—	1	—	347	198	—	—
6861 sugar	57	—	—	—	—	57	—	—	—
6865 molasses	305	—	—	—	—	289	17	—	—
6885 alcoholic beverages	21	—	—	—	—	—	21	—	—
6887 groceries	1	—	—	—	—	—	1	—	—
6889 food products nec	155	—	—	—	—	—	155	—	—
6893 cotton	1	—	—	1	—	—	—	—	—
6899 farm products nec	6	—	—	—	—	1	4	—	—
Total all manufactured equipment, machinery and products	202	0	2	2	1	184	13	—	—
7110 machinery (not elec)	76	—	—	2	1	67	6	—	—
7120 electrical machinery	6	0	1	—	—	2	3	—	—
7210 vehicles & parts	3	—	—	—	—	3	0	—	—
7230 ships & boats	0	—	—	—	—	—	0	—	—
7400 manufac. wood prod.	0	—	—	—	—	0	—	—	—
7500 textile products	28	—	—	—	—	28	—	—	—
7600 rubber & plastic pr.	85	—	1	—	—	81	2	—	—
7900 manufac. prod. nec	3	—	—	—	—	2	1	—	—
Total waste and scrap nec	1	—	—	—	1	—	—	—	—
8900 waste and scrap nec	1	—	—	—	1	—	—	—	—
Ton-miles Internal (x1000)	123,089,962	3,673,299	8,241,195	555,931	3,810,714	36,941,061	69,697,077	114,118	56,568
Tons All Traffic (x1000)		200,662							
Ton-miles All Traffic (x1000)		123,135,847							

MISSISSIPPI RIVER SYSTEM

Section Included: Main Channels and all Tributaries of the Mississippi, Illinois, Missouri, and Ohio Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	465,434	1995	479,421	1998	491,640*	2001	496,259
1993	451,731	1996	482,791	1999	499,550		
1994	478,673	1997	488,876	2000	493,121		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	496,259	29,322	8,778	13,850	29,647	5,216	2,678	201,150	205,620
Total coal	177,094	142	91	1,689	5,733	162	12	91,457	77,806
1100 coal lignite	173,328	21	12	1,200	5,688	151	8	89,705	76,543
1200 coal coke	3,765	121	79	490	44	11	4	1,753	1,263
Total petroleum and petroleum products	75,283	13,418	2,973	4,337	7,496	1,633	1,183	27,264	16,980
Subtotal crude petroleum	8,896	3,815	646	208	398	229	273	2,519	808
2100 crude petroleum	8,896	3,815	646	208	398	229	273	2,519	808
Subtotal petroleum products	66,387	9,602	2,328	4,128	7,098	1,404	910	24,745	16,172
2211 gasoline	16,909	2,748	949	623	1,556	257	152	7,516	3,107
2221 kerosene	347	6	—	79	110	—	—	68	84
2330 distillate fuel oil	15,447	1,591	474	1,154	1,901	329	191	6,164	3,644
2340 residual fuel oil	13,124	1,785	428	451	947	109	90	4,013	5,302
2350 lube oil & greases	2,645	1,056	51	34	333	158	5	499	509
2410 petro. jelly & waxes	79	39	—	—	8	—	—	32	—
2429 naphtha & solvents	3,003	581	128	360	1,019	152	69	313	380
2430 asphalt, tar & pitch	5,384	463	121	644	173	161	15	2,564	1,242
2540 petroleum coke	6,913	685	131	403	611	7	21	3,234	1,822
2640 liquid natural gas	1,189	196	9	9	291	225	368	84	7
2990 petro. products nec	1,349	452	36	372	149	5	—	258	77
Total chemicals and related products	34,373	6,170	1,129	2,465	3,119	1,091	383	16,264	3,752
Subtotal fertilizers	11,548	539	21	750	393	24	14	9,066	741
3110 nitrogenous fert.	6,742	42	5	631	300	—	—	5,502	262
3120 phosphatic fert.	966	139	—	46	26	18	—	736	—
3130 potassic fert.	1,366	73	15	3	18	—	6	816	434
3190 fert. & mixes nec	2,474	285	—	70	48	6	8	2,013	44
Subtotal other chemicals and related products	22,825	5,631	1,108	1,715	2,726	1,067	369	7,198	3,011
3211 acyclic hydrocarbons	792	253	90	53	185	3	7	186	14
3212 benzene & toluene	2,591	323	78	104	500	170	73	510	833
3219 other hydrocarbons	5,828	3,064	356	80	435	262	56	1,124	451
3220 alcohols	3,982	370	164	746	360	252	31	1,712	347
3230 carboxylic acids	324	259	0	34	17	—	—	13	1
3240 nitrogen func. comp.	662	377	31	9	131	40	57	17	—
3260 organic comp. nec	657	103	14	70	189	46	46	63	126
3271 sulphur (liquid)	205	39	82	10	37	—	—	3	34
3272 sulphuric acid	780	99	67	114	150	3	2	129	215
3273 ammonia	1,134	42	—	40	155	15	—	728	153
3274 sodium hydroxide	3,685	419	102	361	147	251	46	1,626	734
3275 inorg. elem., oxides, & halogen salts	936	50	92	9	73	17	43	610	41
3276 metallic salts	571	44	20	40	213	4	5	204	39
3279 inorganic chem. nec	189	—	—	12	5	3	—	164	5
3286 plastics	15	—	—	15	—	—	—	—	—
3291 pesticides	1	1	—	—	—	—	—	—	—
3297 chemical additives	342	176	6	20	39	—	—	91	11
3298 wood & resin chem.	2	—	—	—	—	—	—	—	2
3299 chem. products nec	130	12	5	—	89	0	1	17	5
Total crude materials, inedible except fuels	98,987	7,666	1,475	2,918	8,983	1,148	236	45,283	31,278
Subtotal forest products, wood and chips	2,232	283	0	112	1,257	3	0	470	106
4150 fuel wood	3	—	—	—	3	—	—	—	—
4161 wood chips	1,739	268	—	97	1,101	—	—	251	21
4170 wood in the rough	428	—	—	—	133	—	—	210	85
4189 lumber	22	—	0	12	10	—	0	1	—
4190 forest products nec	40	15	0	4	11	3	—	8	—
Subtotal pulp and waste paper	22	13	—	—	—	—	—	1	8
4225 pulp & waste paper	22	13	—	—	—	—	—	1	8
Subtotal soil, sand, gravel, rock and stone	74,650	148	487	1,986	6,715	147	2	35,617	29,547
4310 building stone	32	—	—	—	9	—	—	18	4
4322 limestone	26,232	2	18	531	3,608	134	—	10,059	11,881
4323 gypsum	2,547	40	—	7	525	—	—	1,047	928

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4327 phosphate rock	2	—	—	—	2	—	—	—	—
4331 sand & gravel	39,495	105	469	1,406	1,749	13	2	22,133	13,619
4335 waterway improv. mat	6,340	—	—	43	823	—	—	2,359	3,115
4338 soil & fill dirt	1	1	—	—	—	—	—	—	—
Subtotal iron ore and scrap	7,361	1,015	691	80	135	27	48	3,860	1,505
4410 iron ore	3,150	15	26	64	14	—	—	2,974	57
4420 iron & steel scrap	4,210	1,000	664	16	122	27	48	885	1,448
Subtotal marine shells	3	3	—	—	—	—	—	—	—
4515 marine shells	3	3	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	4,515	669	10	109	40	2	16	3,626	43
4650 aluminum ore	3,318	612	—	27	12	2	16	2,648	0
4670 manganese ore	489	5	—	46	19	—	—	407	12
4680 non-ferrous scrap	9	5	2	—	—	—	—	—	3
4690 non-ferrous ores nec	699	47	8	37	8	—	—	571	28
Subtotal sulphur, clay and salt	740	22	6	25	87	66	59	463	11
4782 clay & refrac. mat.	740	22	6	25	87	66	59	463	11
Subtotal slag	1,128	108	8	57	240	18	12	628	57
4860 slag	1,128	108	8	57	240	18	12	628	57
Subtotal other non-metal. min.	8,336	5,405	273	548	507	886	98	619	0
4900 non-metal. min. nec	8,336	5,405	273	548	507	886	98	619	0
Total primary manufactured goods	25,469	1,229	211	2,171	3,302	251	327	15,828	2,151
Subtotal paper products	104	2	—	18	0	0	0	43	40
5110 newsprint	42	—	—	—	—	—	—	42	—
5120 paper & paperboard	29	2	—	3	—	—	—	—	25
5190 paper products nec	33	0	—	15	0	0	0	1	16
Subtotal lime, cement and glass	12,078	627	6	714	1,654	72	156	7,395	1,454
5210 lime	3,399	2	—	—	166	—	—	2,216	1,015
5220 cement & concrete	8,665	624	3	714	1,488	72	156	5,171	438
5240 glass & glass prod.	11	—	3	—	—	—	—	8	—
5290 misc. mineral prod.	3	2	—	—	—	—	—	—	1
Subtotal primary iron and steel products	11,861	550	187	1,244	1,467	161	160	7,493	600
5312 pig iron	4,434	5	—	477	129	4	5	3,813	2
5315 ferro alloys	875	14	8	127	49	—	—	671	7
5320 i&s primary forms	540	11	—	56	12	1	1	250	207
5330 i&s plates & sheets	3,155	219	145	274	761	48	118	1,304	286
5360 i&s bars & shapes	1,344	178	5	139	38	73	—	900	12
5370 i&s pipe & tube	590	10	6	55	338	28	12	132	9
5390 primary i&s nec	924	114	23	115	140	7	24	423	78
Subtotal primary non-ferrous metal products	1,419	47	17	194	179	18	11	897	56
5421 copper	27	3	—	—	—	—	—	23	1
5422 aluminum	217	18	—	3	3	3	—	189	1
5429 smelted prod. nec	167	—	—	71	23	—	—	66	8
5480 fab. metal products	1,009	26	17	121	154	15	11	619	47
Subtotal primary wood products	6	3	—	—	2	1	—	—	1
5540 primary wood prod.	6	3	—	—	2	1	—	—	1
Total food and farm products	83,469	612	2,893	169	949	176	124	4,903	73,643
Subtotal grain	48,811	111	1,170	2	842	2	3	2,838	43,845
6241 wheat	6,638	57	460	—	34	—	—	355	5,731
6344 corn	38,778	9	375	—	556	2	2	2,204	35,632
6442 rice	1,809	41	196	—	223	—	2	35	1,312
6443 barley & rye	32	—	—	—	—	—	—	32	—
6445 oats	199	1	3	2	27	—	—	162	4
6447 sorghum grains	1,356	3	136	—	2	—	—	50	1,165
Subtotal oilseeds	25,055	53	764	—	20	2	5	1,231	22,979
6522 soybeans	19,873	47	736	—	18	2	—	863	18,207
6590 oilseeds nec	5,182	6	28	—	2	—	5	368	4,772
Subtotal vegetable products	1,169	18	112	—	28	—	—	318	693
6653 vegetable oils	1,114	3	84	—	28	—	—	318	681
6654 vegetables & prod.	55	15	28	—	—	—	—	—	12
Subtotal processed grain and animal feed	7,029	88	515	6	7	7	—	327	6,079
6746 wheat flour	82	10	68	—	—	—	—	1	2
6747 grain mill products	408	—	6	—	—	—	—	3	398
6782 animal feed, prep.	6,539	77	440	6	7	7	—	323	5,679
Subtotal other agricultural products	1,405	343	333	161	52	166	115	188	47
6861 sugar	610	269	256	41	—	16	—	9	19
6865 molasses	317	61	—	65	19	7	—	162	4
6885 alcoholic beverages	29	—	—	—	5	—	—	9	16
6887 groceries	1	0	1	0	0	0	0	—	—
6888 water & ice	272	0	—	55	28	142	36	5	4

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
6889 food products nec	168	12	77	—	—	—	79	—	—
6893 cotton	1	—	—	—	—	—	—	1	—
6899 farm products nec	6	—	—	—	—	—	—	1	4
Total all manufactured equipment, machinery and products	1,243	85	6	101	64	543	371	64	9
7110 machinery (not elec)	1,081	60	5	14	59	540	369	33	2
7120 electrical machinery	7	1	1	—	1	0	—	1	3
7210 vehicles & parts	4	0	—	—	0	—	—	3	—
7230 ships & boats	2	1	—	—	—	0	0	0	0
7300 ordnance & access.	0	0	—	—	—	—	—	—	—
7400 manufac. wood prod.	9	5	1	—	0	2	1	0	—
7500 textile products	28	—	—	4	0	—	—	25	—
7600 rubber & plastic pr.	107	18	0	83	3	—	2	—	2
7900 manufac. prod. nec	5	0	—	0	1	—	—	2	1
Total waste and scrap nec	342	—	0	—	1	212	42	86	1
8900 waste and scrap nec	342	—	0	—	1	212	42	86	1
Ton-miles (x1000)	261,252,013	19,338,319	3,571,702	6,453,683	14,727,389	2,966,849	403,593	87,945,503	125,844,976
Tons All Traffic (x1000)		496,259							
Ton-miles All Traffic (x1000)		261,252,013							

Other Harbors and Waterways 2001

Harbor or Waterway Project	Commodity	Thousand Short Tons
BIG SUNFLOWER RIVER, MS	No Commerce Reported	
LITTLE RIVER, LA	2211 gasoline	98
	2330 distillate fuel oil	66
	2340 residual fuel oil	5
	3110 nitrogenous fert.	11
	Total Tons(x1000)	180
	Total Ton-miles(x1000)	1,801
PEARL RIVER, MS AND LA	No Commerce Reported	
TENSAS RIVER AND BAYOU MACON, LA	4335 waterway improv. mat	16
	Total Tons(x1000)	16
	Total Ton-miles(x1000)	77
YELLOW BEND, MS	3110 nitrogenous fert.	65
	3130 potassic fert.	4
	3276 metallic salts	9
	4161 wood chips	3
	4322 limestone	6
	6241 wheat	7
	6344 corn	5
	6442 rice	40
	6447 sorghum grains	7
	6522 soybeans	36
	6782 animal feed, prep.	7
	Total Tons(x1000)	190

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

VICKSBURG, MS

	Inbound						Outbound					
Grand Total	5,118	9	—	1,708	1,212	2,189	4,972	9	—	1,716	1,095	2,152

DOMESTIC

Total	5,118	9	—	1,708	1,212	2,189	4,972	9	—	1,716	1,095	2,152
14	1	—	—	1	—	—	1	—	—	1	—	—
12	16	—	—	—	16	—	10	—	—	—	7	3
11	64	—	—	6	33	25	9	—	—	6	2	1
10	391	—	—	3	72	316	47	—	—	3	14	30
9	707	—	—	127	390	190	330	—	—	130	57	143
8	393	—	—	162	184	47	263	—	—	161	49	53
7	324	—	—	150	142	32	230	—	—	150	46	34
6	1,042	—	—	947	43	52	992	—	—	947	27	18
5	187	—	—	128	33	26	141	—	—	132	4	5
4	118	9	—	43	—	66	90	9	—	45	1	35
3	277	—	—	139	2	136	291	—	—	139	4	148
2	776	—	—	2	288	486	1,746	—	—	2	806	938
1	822	—	—	—	9	813	822	—	—	—	78	744
Total trips:											10,090	

NATCHEZ, MS

	Inbound						Outbound					
Grand Total	628	—	—	183	386	59	603	—	—	180	367	56

DOMESTIC

Total	628	—	—	183	386	59	603	—	—	180	367	56
13	—	—	—	—	—	—	3	—	—	—	3	—
11	—	—	—	—	—	—	1	—	—	—	1	—
10	16	—	—	6	9	1	24	—	—	6	18	—
9	119	—	—	14	72	33	109	—	—	13	95	1
8	89	—	—	18	48	23	39	—	—	17	20	2
7	108	—	—	59	49	—	59	—	—	55	4	—
6	42	—	—	20	21	1	26	—	—	23	3	—
5	69	—	—	62	7	—	64	—	—	62	2	—
4	3	—	—	3	—	—	6	—	—	3	3	—
3	3	—	—	1	2	—	18	—	—	1	17	—
2	179	—	—	—	178	1	248	—	—	—	196	52
1	—	—	—	—	—	—	6	—	—	—	5	1
Total trips:											1,231	

GREENVILLE, MS

	Inbound						Outbound					
Grand Total	2,266	—	—	581	982	703	2,185	—	—	568	952	665

DOMESTIC

Total	2,266	—	—	581	982	703	2,185	—	—	568	952	665
14	—	—	—	—	—	—	3	—	—	—	3	—
13	2	—	—	—	2	—	5	—	—	—	5	—
12	17	—	—	—	16	1	6	—	—	—	6	—
11	64	—	—	5	48	11	15	—	—	6	9	—
10	109	—	—	12	41	56	65	—	—	11	53	1
9	447	—	—	42	125	280	361	—	—	40	303	18
8	255	—	—	75	123	57	254	—	—	76	176	2
7	151	—	—	78	10	63	100	—	—	74	20	6
6	356	—	—	312	3	41	314	—	—	305	7	2
5	116	—	—	49	37	30	49	—	—	48	—	1
4	61	—	—	5	—	56	106	—	—	5	—	101
3	25	—	—	3	3	19	13	—	—	3	2	8
2	648	—	—	—	568	80	861	—	—	—	345	516
1	15	—	—	—	6	9	33	—	—	—	23	10
Total trips:											4,451	

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

ROSEDALE HARBOR, MS

				Inbound						Outbound		
Grand Total	1,016	—	—	626	382	8	991	—	—	608	375	8
DOMESTIC												
Total	1,016	—	—	626	382	8	991	—	—	608	375	8
14	—	—	—	—	—	—	4	—	—	—	4	—
13	—	—	—	—	—	—	2	—	—	—	2	—
12	1	—	—	—	—	1	—	—	—	—	—	—
11	7	—	—	3	4	—	6	—	—	3	3	—
10	11	—	—	6	3	2	29	—	—	7	22	—
9	142	—	—	114	25	3	235	—	—	104	131	—
8	342	—	—	299	41	2	378	—	—	299	79	—
7	155	—	—	149	6	—	175	—	—	145	30	—
6	54	—	—	51	3	—	59	—	—	46	13	—
5	4	—	—	4	—	—	7	—	—	4	3	—
3	1	—	—	—	1	—	—	—	—	—	—	—
2	297	—	—	—	297	—	92	—	—	—	84	8
1	2	—	—	—	2	—	4	—	—	—	4	—
										Total trips:		2,007

LAKE PROVIDENCE, LA

				Inbound						Outbound		
Grand Total	360	2	—	60	280	18	359	2	—	74	270	13
DOMESTIC												
Total	360	2	—	60	280	18	359	2	—	74	270	13
14	—	—	—	—	—	—	1	—	—	—	1	—
13	—	—	—	—	—	—	2	—	—	—	2	—
12	2	—	—	—	—	2	—	—	—	—	—	—
11	5	—	—	—	5	—	10	—	—	—	10	—
10	9	—	—	2	6	1	52	—	—	2	50	—
9	68	—	—	19	40	9	112	—	—	27	84	1
8	52	—	—	11	40	1	40	—	—	16	24	—
7	18	—	—	11	7	—	15	—	—	12	3	—
6	13	—	—	13	—	—	13	—	—	13	—	—
5	4	—	—	4	—	—	4	—	—	4	—	—
4	2	2	—	—	—	—	2	2	—	—	—	—
2	182	—	—	—	177	5	99	—	—	—	89	10
1	5	—	—	—	5	—	9	—	—	—	7	2
										Total trips:		719

OUACHITA AND BLACK RIVERS, AR AND LA

				Upbound						Downbound		
Grand Total	1,081	59	—	218	349	455	1,049	59	—	211	338	441
DOMESTIC												
Total	1,081	59	—	218	349	455	1,049	59	—	211	338	441
12	10	—	—	—	—	10	—	—	—	—	—	—
11	9	—	—	—	6	3	—	—	—	—	—	—
10	26	—	—	1	18	7	23	—	—	1	22	—
9	279	—	—	27	14	238	130	—	—	26	103	1
8	297	—	—	76	143	78	102	—	—	79	17	6
7	128	59	—	38	—	31	113	59	—	36	4	14
6	72	—	—	55	11	6	52	—	—	43	1	8
5	17	—	—	9	1	7	12	—	—	10	—	2
4	18	—	—	10	—	8	12	—	—	12	—	—
3	11	—	—	2	2	7	12	—	—	4	5	3
2	197	—	—	—	143	54	539	—	—	—	186	353
1	17	—	—	—	11	6	54	—	—	—	—	54
										Total trips:		2,130

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

MOUTH OF YAZOO RIVER, MS

	Upbound						Downbound					
Grand Total	1,670	9	—	304	936	421	1,651	9	—	314	895	433

DOMESTIC

Total	1,670	9	—	304	936	421	1,651	9	—	314	895	433
12	1	—	—	—	1	—	7	—	—	—	7	—
11	11	—	—	3	2	6	5	—	—	3	1	1
10	53	—	—	—	43	10	23	—	—	—	16	7
9	436	—	—	64	273	99	209	—	—	67	73	69
8	146	—	—	13	108	25	153	—	—	14	120	19
7	220	—	—	97	111	12	152	—	—	98	52	2
6	109	—	—	50	41	18	79	—	—	51	24	4
5	76	—	—	34	31	11	41	—	—	37	2	2
4	71	9	—	38	—	24	52	9	—	39	—	4
3	25	—	—	5	1	19	7	—	—	5	1	1
2	465	—	—	—	295	170	798	—	—	—	531	267
1	57	—	—	—	30	27	125	—	—	—	68	57
Total trips:												3,321

YAZOO RIVER, MS

	Upbound						Downbound					
Grand Total	293	—	—	147	116	30	330	—	—	151	140	39

DOMESTIC

Total	293	—	—	147	116	30	330	—	—	151	140	39
10	5	—	—	—	5	—	3	—	—	—	3	—
9	28	—	—	—	20	8	55	—	—	—	29	26
8	9	—	—	1	7	1	71	—	—	1	66	4
7	68	—	—	67	1	—	82	—	—	67	15	—
6	8	—	—	8	—	—	9	—	—	9	—	—
5	20	—	—	20	—	—	20	—	—	20	—	—
4	51	—	—	51	—	—	54	—	—	54	—	—
2	103	—	—	—	82	21	36	—	—	—	27	9
1	1	—	—	—	1	—	—	—	—	—	—	—
Total trips:												623

RED RIVER BELOW FULTON, AR

	Upbound						Downbound					
Grand Total	2,790	2	—	561	1,638	589	2,734	2	—	551	1,614	567

DOMESTIC

Total	2,790	2	—	561	1,638	589	2,734	2	—	551	1,614	567
12	10	—	—	—	—	10	—	—	—	—	—	—
11	120	—	—	9	108	3	10	—	—	10	—	—
10	300	—	—	1	286	13	7	—	—	1	6	—
9	841	—	—	102	392	347	208	—	—	101	100	7
8	832	—	—	126	623	83	171	—	—	127	38	6
7	130	—	—	68	29	33	88	—	—	69	4	15
6	108	—	—	74	28	6	70	—	—	59	1	10
5	187	—	—	169	11	7	171	—	—	168	—	3
4	20	2	—	10	—	8	15	2	—	12	1	—
3	11	—	—	2	2	7	19	—	—	4	13	2
2	75	—	—	—	9	66	1,902	—	—	—	1,430	472
1	156	—	—	—	150	6	73	—	—	—	21	52
Total trips:												5,524

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

MADISON PARISH PORT, LA

Inbound							Outbound					
Grand Total	239	—	—	16	178	45	224	—	—	20	161	43
DOMESTIC												
Total	239	—	—	16	178	45	224	—	—	20	161	43
12	1	—	—	—	1	—	1	—	—	—	1	—
11	4	—	—	—	4	—	1	—	—	—	1	—
10	11	—	—	1	10	—	16	—	—	1	15	—
9	95	—	—	7	47	41	36	—	—	7	29	—
8	36	—	—	2	31	3	32	—	—	5	27	—
7	12	—	—	6	6	—	10	—	—	7	3	—
6	—	—	—	—	—	—	1	—	—	—	1	—
5	1	—	—	—	1	—	—	—	—	—	—	—
2	78	—	—	—	77	1	111	—	—	—	68	43
1	1	—	—	—	1	—	16	—	—	—	16	—
Total trips:											463	

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)

Upbound							Downbound					
Grand Total	262,094	47,334	1,768	58,886	119,435	34,671	263,181	45,789	1,749	62,309	119,434	33,900
FOREIGN												
Total	5,167	3,676	1,422	31	35	3	5,383	3,918	1,394	35	33	3
48	—	—	—	—	—	—	2	2	—	—	—	—
47	8	8	—	—	—	—	4	4	—	—	—	—
46	28	27	1	—	—	—	17	17	—	—	—	—
45	69	46	23	—	—	—	33	24	9	—	—	—
44	48	31	17	—	—	—	45	44	1	—	—	—
43	24	16	8	—	—	—	68	62	6	—	—	—
42	47	24	23	—	—	—	93	80	13	—	—	—
41	41	15	26	—	—	—	47	42	5	—	—	—
40	164	64	100	—	—	—	361	327	33	—	1	—
39	175	47	128	—	—	—	237	209	28	—	—	—
38	171	56	115	—	—	—	160	132	28	—	—	—
37	123	43	80	—	—	—	80	61	19	—	—	—
36	139	68	71	—	—	—	304	221	83	—	—	—
35	145	80	64	—	—	1	196	154	42	—	—	—
34	134	71	63	—	—	—	172	140	30	—	2	—
33	120	75	45	—	—	—	205	185	19	—	1	—
32	159	107	52	—	—	—	361	284	77	—	—	—
31	107	77	30	—	—	—	109	83	25	—	1	—
30	220	143	77	—	—	—	380	176	202	—	2	—
29	108	78	30	—	—	—	175	86	88	—	1	—
28	208	148	59	—	1	—	415	155	258	1	1	—
27	132	84	47	1	—	—	165	85	78	2	—	—
26	157	109	48	—	—	—	172	82	88	2	—	—
25	369	324	44	—	1	—	301	231	69	—	1	—
24	252	200	51	1	—	—	175	117	55	—	3	—
23	227	196	31	—	—	—	144	116	27	—	1	—
22	237	209	27	1	—	—	165	132	31	—	2	—
21	367	338	29	—	—	—	118	95	19	—	4	—
20	388	361	26	—	1	—	128	102	25	1	—	—
19	179	160	18	—	1	—	63	47	15	1	—	—
18	621	471	89	28	31	2	488	423	21	28	13	3
DOMESTIC												
Total	256,927	43,658	346	58,855	119,400	34,668	257,798	41,871	355	62,274	119,401	33,897
41	—	—	—	—	—	—	1	—	1	—	—	—
40	2	—	2	—	—	—	—	—	—	—	—	—
39	1	—	1	—	—	—	2	—	2	—	—	—
38	—	—	—	—	—	—	5	—	5	—	—	—
37	1	—	—	—	1	—	11	—	11	—	—	—
36	21	—	—	—	18	3	43	—	15	—	25	3
35	17	3	1	—	13	—	53	11	22	—	20	—
34	12	—	3	—	9	—	39	—	28	—	10	1
33	8	1	4	—	3	—	51	6	44	—	—	1
32	31	—	3	—	28	—	108	—	29	—	23	56
31	12	—	2	—	9	1	83	—	31	—	15	37
30	16	—	12	—	2	2	96	—	25	—	11	60
29	6	—	2	—	1	3	57	—	4	—	7	46
28	36	—	1	22	9	4	146	—	7	34	16	89
27	8	—	1	—	—	7	34	—	3	—	7	24
26	22	—	4	—	2	16	57	—	2	—	20	35
25	78	—	62	—	11	5	81	—	3	—	61	17
24	37	—	15	12	—	10	53	—	3	23	8	19

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT) - continued

Upbound

Downbound

DOMESTIC

23	7	—	5	—	—	2	10	—	—	4	1	5
22	16	—	1	12	—	3	41	—	—	14	4	23
21	40	—	2	31	2	5	92	—	—	40	44	8
20	142	—	85	48	3	6	112	1	3	44	51	13
19	75	—	1	50	8	16	159	—	1	71	37	50
18	256,339	43,654	139	58,680	119,281	34,585	256,464	41,853	116	62,044	119,041	33,410
											Total trips:	525,275

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)

Upbound

Downbound

Grand Total	108,608	93	—	12,621	81,064	14,830	107,527	88	—	12,304	81,131	14,004
--------------------	----------------	-----------	----------	---------------	---------------	---------------	----------------	-----------	----------	---------------	---------------	---------------

DOMESTIC

Total	108,608	93	—	12,621	81,064	14,830	107,527	88	—	12,304	81,131	14,004
14	15	—	—	1	12	2	39	—	—	1	38	—
13	25	—	—	—	21	4	195	—	—	—	195	—
12	187	—	—	49	41	97	470	—	—	49	413	8
11	523	—	—	79	220	224	2,803	—	—	81	2,592	130
10	2,249	—	—	399	502	1,348	4,798	—	—	356	4,193	249
9	21,007	13	—	2,888	11,325	6,781	41,121	11	—	2,830	37,165	1,115
8	17,459	3	—	3,491	11,356	2,609	33,113	3	—	3,267	29,158	685
7	4,069	61	—	2,194	1,236	578	5,910	62	—	2,289	3,417	142
6	63,074	16	—	3,520	56,351	3,187	19,078	12	—	3,431	3,960	11,675
											Total trips:	216,135

MISSISSIPPI RIVER SYSTEM

Upbound

Downbound

Grand Total	532,210	64,532	1,768	142,659	280,823	42,428	529,725	64,070	1,749	141,655	279,822	42,429
--------------------	----------------	---------------	--------------	----------------	----------------	---------------	----------------	---------------	--------------	----------------	----------------	---------------

FOREIGN

Total	5,167	3,676	1,422	31	35	3	5,383	3,918	1,394	35	33	3
13	5,051	3,595	1,422	23	9	2	5,113	3,667	1,394	29	22	1
12	33	21	—	5	7	—	26	18	—	3	5	—
11	9	8	—	—	1	—	10	9	—	1	—	—
10	9	6	—	2	1	—	14	12	—	1	1	—
9	13	10	—	1	2	—	10	9	—	—	1	—
8	14	7	—	—	7	—	27	24	—	1	1	1
7	6	3	—	—	2	1	46	45	—	—	—	1
6	28	25	—	—	3	—	123	120	—	—	3	—
5	3	—	—	—	3	—	12	12	—	—	—	—
3	1	1	—	—	—	—	1	1	—	—	—	—
2	—	—	—	—	—	—	1	1	—	—	—	—

DOMESTIC

Total	527,043	60,856	346	142,628	280,788	42,425	524,342	60,152	355	141,620	279,789	42,426
13	2,883	405	292	1,811	191	184	3,716	343	254	1,904	615	600
12	2,106	317	1	1,124	126	538	2,517	300	—	1,095	681	441
11	3,773	242	19	1,273	1,540	699	4,875	197	5	1,227	2,741	705
10	13,603	618	4	4,785	5,445	2,751	11,584	460	—	3,927	6,001	1,196
9	89,805	5,407	7	11,641	63,941	8,809	96,923	5,426	—	11,754	72,276	7,467
8	79,408	3,088	5	24,654	46,051	5,610	119,673	3,035	2	24,655	89,302	2,679
7	52,422	4,677	—	32,688	12,960	2,097	45,098	4,804	—	32,675	6,317	1,302
6	42,795	11,091	18	20,865	9,851	970	38,601	11,091	94	20,865	5,830	721
5	40,326	9,880	—	24,705	4,372	1,369	40,432	9,885	—	24,706	5,321	520
4	14,944	5,368	—	7,418	845	1,313	14,865	4,894	—	7,009	1,982	980
3	12,166	7,087	—	1,717	1,998	1,364	12,255	7,198	—	1,906	1,852	1,299
2	159,076	12,674	—	8,491	123,055	14,856	127,314	12,519	—	8,491	84,034	22,270
1	13,736	2	—	1,456	10,413	1,865	6,489	—	—	1,406	2,837	2,246
											Total trips:	1,061,935

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BIG SUNFLOWER RIVER, MS No Vessel Trips Reported												
LITTLE RIVER, LA (9 feet and less)												
				Upbound						Downbound		
Grand Total	92	—	—	7	—	85	93	—	—	9	—	84
										Total trips:		185
PEARL RIVER, MS AND LA (9 feet and less)												
				Upbound						Downbound		
Grand Total	44	—	—	44	—	—	42	—	—	42	—	—
										Total trips:		86
TENSAS RIVER AND BAYOU MACON, LA (11 feet and less)												
				Upbound						Downbound		
Grand Total	17	—	—	5	12	—	31	—	—	5	26	—
										Total trips:		48
YELLOW BEND, MS (11 feet and less)												
				Inbound						Outbound		
Grand Total	339	—	—	245	69	25	347	—	—	246	71	30
										Total trips:		686

FREIGHT TRAFFIC INDEX

B	
BAYOUS:	
MACON, LA (TENSAS RIVER AND BAYOU MACON, LA)	23
BIG SUNFLOWER RIVER, MS	23
BLACK RIVER, AR AND LA (OUACHITA AND BLACK RIVERS, AR AND LA).	6
G	
GREENVILLE, MS.	3
L	
LAKE PROVIDENCE, LA	5
LITTLE RIVER, LA	23
M	
MACON BAYOU, LA (TENSAS RIVER AND BAYOU MACON, LA)	23
MADISON PARISH PORT, LA	10
MISSISSIPPI RIVER SYSTEM.	20
MISSISSIPPI RIVER:	
MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)	11
MOUTH OF OHIO RIVER TO BATON ROUGE, LA.	17
MOUTH OF YAZOO RIVER, MS	7
N	
NATCHEZ, MS	2
O	
OUACHITA AND BLACK RIVERS, AR AND LA.	6
P	
PEARL RIVER, MS AND LA	23
R	
RED RIVER BELOW FULTON, AR	9
ROSEDALE HARBOR, MS	4
T	
TENSAS RIVER AND BAYOU MACON, LA	23
V	
VICKSBURG, MS	1
VICKSBURG, MS DISTRICT	1
Y	
YAZOO RIVER, MS	8
YAZOO RIVER, MS (MOUTH OF YAZOO RIVER, MS).	7
YELLOW BEND, MS	23

TRIPS AND DRAFTS INDEX

	B	
BAYOUS:		
MACON, LA (TENSAS RIVER AND BAYOU MACON, LA)		29
BIG SUNFLOWER RIVER, MS		29
BLACK RIVER, AR AND LA (OUACHITA AND BLACK RIVERS, AR AND LA)		25
	G	
GREENVILLE, MS		24
	L	
LAKE PROVIDENCE, LA.		25
LITTLE RIVER, LA		29
	M	
MACON BAYOU, LA (TENSAS RIVER AND BAYOU MACON, LA)		29
MADISON PARISH PORT, LA		27
MISSISSIPPI RIVER SYSTEM.		28
MISSISSIPPI RIVER:		
MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)		27
MOUTH OF OHIO RIVER TO BATON ROUGE, LA.		28
MOUTH OF YAZOO RIVER, MS.		26
	N	
NATCHEZ, MS		24
	O	
OUACHITA AND BLACK RIVERS, AR AND LA		25
	P	
PEARL RIVER, MS AND LA		29
	R	
RED RIVER BELOW FULTON, AR		26
ROSEDALE HARBOR, MS.		25
	T	
TENSAS RIVER AND BAYOU MACON, LA		29
	V	
VICKSBURG, MS		24
VICKSBURG, MS DISTRICT.		24
	Y	
YAZOO RIVER, MS		26
YAZOO RIVER, MS (MOUTH OF YAZOO RIVER, MS)		26
YELLOW BEND, MS		29

Port Facilities by Waterway

Waterway: **Black River** Mile: 7.9 PWD: 18
 Name: **Bunge Corp. Book Grain Elevator Dock.**
 Port: Missouri/Arkansas R.
 Location: Right bank, Black River, mile 7.9, approximately 8 miles above juncture with Red River. Datum: CRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: State Highway 124 Phone: 318-339-2217
 Town: Acme State: LA County: Catahoula
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 5 | | Latitude (decimal): 31.346944
 Total Berthing Space (feet): 675 | | Longitude (decimal): -91.86611
 Remarks: Grain elevator at rear, consisting of 9 concrete silos, 14 interstices, and 13 steel tanks, has total capacity for 2,600,000 bushels. □

Port Series: 68 Year of Last Survey: 1987 Corps of Engnr's Waterway Code: 21872 Vicksburg District

Waterway: **Lake Ferguson** Mile: 1 PWD: 55
 Name: **Comet Rice Delta Wharf.**
 Port: Greenville
 Location: Southeast side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP
 Operator: Comet Rice, Inc.
 Owner: Comet Rice, Inc.
 Address: Comet Ways Drive. Phone: 601/335-0800
 Town: Greenville State: MS County: Washington
 Railway Connection: Two surface tracks in rear connect with Columbus and Greenville Railroad.
 Purpose: Shipment of rice.
 Depth Alongside (feet): 12 | | Latitude (decimal): 33.355278
 Total Berthing Space (feet): 180 | | Longitude (decimal): -91.11028
 Remarks: Grain elevator in rear consisting of 20 concrete silos and 43 steel tanks, has total capacity for 1,750,000 bushels. Rice is received by truck at pit served by a 30-inch, electric, belt-conveyor system.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnr's Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 1 PWD: 54
 Name: **Gerald Andrus, Steam Electric Station Wharf.**
 Port: Greenville
 Location: Southwest side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP
 Operator: Mississippi Power and Light Co.
 Owner: System Fuels, Inc.
 Address: M.P.N L. Road. Phone: 601/335-6086
 Town: Greenville State: MS County: Washington
 Railway Connection: One surface track in rear connects with Columbus and Greenville Railroad.
 Purpose: Receipt of fuel oil for plant consumption.
 Depth Alongside (feet): 20 | | Latitude (decimal): 33.354722
 Total Berthing Space (feet): 490 | | Longitude (decimal): -91.11306
 Remarks: One 20-inch and one 12-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 1,850,000 barrels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 1 PWD: 57
 Name: **Greenville Port Commission, Public Terminal - South Wharf.**
 Port: Greenville
 Location: North side, at entrance to Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left ban Datum: LWRP
 Operator: Greenville Port Commission.
 Owner: Greenville Port Commission.
 Address: Industrial Harbor Road. Phone: 601/335-2683
 Town: Greenville State: MS County: Washington
 Railway Connection: Two parallel surface tracks on apron and one platform-level track at rear of transit shed connect with Columbus and Greenville Railroad.
 Purpose: Receipt and shipment of conventional and containerized general cargo, heavy-lift items, scrap metal, and miscellaneous dry bulk commodities.
 Depth Alongside (feet): 20 | | Latitude (decimal): 33.358333
 Total Berthing Space (feet): 480 | | Longitude (decimal): -91.10972
 Remarks: Transit shed also serves as a storage warehouse (S.W. Ref. No 7). Approximately 1.6 acres of, paved, open storage area is located at rear. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 1 PWD: 58
 Name: **Mississippi Limestone Corp. Dock.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 1.2 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Mississippi Limestone Corp.
 Owner: Mississippi Limestone Corp.
 Address: Industrial Harbor Road. Phone: 601/335-9620
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of sand, stone, and gravel.
 Depth Alongside (feet): 2 - 8 | | Latitude (decimal): 33.363889
 Total Berthing Space (feet): 195 | | Longitude (decimal): -91.1075
 Remarks: Approximately 11.8 acres of open storage area located at rear.□□
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 1 PWD: 56
 Name: **Mississippi Marine Corp., South Yard Wharf.**
 Port: Greenville
 Location: Northeast side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP
 Operator: Mississippi Marine Corp.
 Owner: Mississippi Marine Corp.
 Address: Industrial Harbor Road. Phone: 601/332-5457
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring barges for cleaning and maintenance; mooring floating drydock.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.358056
 Total Berthing Space (feet): 520 | | Longitude (decimal): -91.10889
 Remarks: One 1,750-ton floating drydock is morred at wharf. Facilities are supplemented by those at Main Yard (Ref No. 62).□
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 1 PWD: 60
 Name: **Precision Marine Engineering Wharf.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 1.4 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Precision Marine Engineering, Inc..
 Owner: Precision Marine Engineering, Inc..
 Address: Industrial Harbor Road. Phone: 601/378-2288
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring company-owned floating equipment for cleaning, maintenance, and repair.
 Depth Alongside (feet): 9 | | Latitude (decimal): 33.365278
 Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10583
 Remarks: -□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 1 PWD: 59
 Name: **Waterways Marine Barge Cleaning Plant Dock.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 1.3 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Waterways Marine of Greenville, Inc.
 Owner: Waterways Marine of Greenville, Inc.
 Address: Industrial Harbor Road. Phone: 601/335-2526
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring barges for cleaning, maintenance, and minor repair.
 Depth Alongside (feet): 9 | | Latitude (decimal): 33.364722
 Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10667
 Remarks: -□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 2 PWD: 63
 Name: **Air Products & Chemicals, Greenville Dock.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 1.9 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Air Products & Chemicals, Inc.
 Owner: Air Products & Chemicals, Inc.
 Address: Industrial Harbor Road. Phone: 601/335-2433
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of liquid urea.
 Depth Alongside (feet): 5 | | Latitude (decimal): 33.369722
 Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09861
 Remarks: Temporary pipelines, placed when required, extend to 5 steel storage tanks, total capacity 5,000 tons. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 2 PWD: 64
 Name: **Delta/Ergon, Greenville Harbor Wharf.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 2.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Delta Terminals, Inc. and Ergon, Inc.
 Owner: Delta Terminals, Inc. and Ergon, Inc.
 Address: Industrial Harbor Road. Phone: 601/332-4849
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of petroleum products and liquid urea.
 Depth Alongside (feet): 15 | | Latitude (decimal): 33.371389
 Total Berthing Space (feet): 275 | | Longitude (decimal): -91.0975
 Remarks: Ergon, Inc. One 12- and one 8-inch pipelines extend from wharf to 3 steel storage tanks at rear; total capacity 190,000 barrels. Delta Terminals, Inc. Three 6-inch pipelines extend from wharf to 8 steel storag total capacity 235,660 barrels. Walker Ag Services: One 6-inch pipeline extends from lower dolphin to one 5,000-ton urea storage tank at rear.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 2 PWD: 65
 Name: **Farmers Grain Terminal Wharf.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 2.2 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Farmers Grain Terminal, Inc.
 Owner: Farmers Grain Terminal, Inc.
 Address: Industrial Harbor Road. Phone: 601/332-0987
 Town: Greenville State: MS County: Washington
 Railway Connection: One surface track serving undertrack pit and loading spout at grain elevator in rear connects with Columbus and Greenville Railroad.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 14 | | Latitude (decimal): 33.373056
 Total Berthing Space (feet): 176 | | Longitude (decimal): -91.095
 Remarks: Grain elevator in rear consisting of 10 concrete silos and 6 steel tanks, has total capacity for 4,800,000 bushels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 2 PWD: 66
 Name: **Farmers Grain Terminal, Greenville Unloading Dock.**
 Port: Greenville
 Location: Southerly shore of Lake Ferguson, 2.3 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Farmers Grain Terminal, Inc.
 Owner: Farmers Grain Terminal, Inc.
 Address: Industrial Harbor Road. Phone: 601/332-0987
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of grain.
 Depth Alongside (feet): 14 | | Latitude (decimal): 33.373333
 Total Berthing Space (feet): 165 | | Longitude (decimal): -91.09472
 Remarks: Grain is transferred by truck to grain elevator described under Ref. No. 65.□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 2 PWD: 61

Name: **Greenville Shipbuilding Corp. Wharf.**

Port: Greenville

Location: Southerly shore of Lake Ferguson, 1.6 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP

Operator: Greenville Shipbuilding Corp.

Owner: Greenville Shipbuilding Corp.

Address: Industrial Harbor Road. Phone: 601/335-1175

Town: Greenville State: MS County: Washington

Railway Connection: None.

Purpose: Mooring barges and towboats for repair; mooring floating drydocks.

Depth Alongside (feet): 22 | | Latitude (decimal): 33.366667

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.10306

Remarks: One 2,900-, one 2,000-, and one 1,200-ton floating drydocks moored at upper end. Wharf is equipped with outlets for fresh water, steam, oxygen, and welding gas. Vickers Towing Co. moors floating equipment at wh on upper side of wharf.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 2 PWD: 62

Name: **Mississippi Marine Corp., Main Yard Wharf.**

Port: Greenville

Location: Southerly shore of Lake Ferguson, 1.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP

Operator: Mississippi Marine Corp.

Owner: Mississippi Marine Corp.

Address: Industrial Harbor Road. Phone: 601/332-5457

Town: Greenville State: MS County: Washington

Railway Connection: None.

Purpose: Mooring barges and towboats for repair; mooring floating drydocks.

Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 33.368056

Total Berthing Space (feet): 218 | 240 | 300 Longitude (decimal): -91.10167

Remarks: One 2,500-ton floating drydock is moored at wharf and one 3,600-ton floating drydock is moored at lower end. Wharf is equipped with outlets for oxygen and compressed air.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: Lake Ferguson	Mile: 2	PWD: 67
Name: The Valley Line Co., Greenville Mooring Wharf.		
Port: Greenville		
Location: Southerly shore of Lake Ferguson, 2.4 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP		
Operator: The Valley Line Co.		
Owner: The Valley Line Co.		
Address: Industrial Harbor Road.		Phone: 601/378-3500
Town: Greenville	State: MS	County: Washington
Railway Connection: None.		
Purpose: Mooring company-owned towboats.		
Depth Alongside (feet): 10		Latitude (decimal): 33.373889
Total Berthing Space (feet): 6		Longitude (decimal): -91.09417
Remarks: Dispatch and general offices are located in building in rear.□□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: Lake Ferguson	Mile: 3	PWD: 69
Name: Superior Boat Works, Outfitting Wharf.		
Port: Greenville		
Location: Easterly shore of Lake Ferguson, 2.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP		
Operator: Superior Boat Works, Inc.		
Owner: Superior Boat Works, Inc.		
Address: Industrial Harbor Road.		Phone: 601/378-4700
Town: Greenville	State: MS	County: Washington
Railway Connection: None.		
Purpose: Mooring barges and towboats for outfitting.		
Depth Alongside (feet): 15		Latitude (decimal): 33.371944
Total Berthing Space (feet): 240		Longitude (decimal): -91.08833
Remarks: Wharf is equipped with outlets for welding gas. Boat building plant is located at rear.□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 3 PWD: 68
 Name: **Superior Boat Works, Repair Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 2.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Superior Boat Works, Inc.
 Owner: Lea and Howard Brent.
 Address: Industrial Harbor Road. Phone: 601/378-4700
 Town: Greenville State: MS County: Washington
 Railway Connection: Two surface tracks in rear connect with Columbus and Greenville Railroad.
 Purpose: Mooring barges and towboats for repair; mooring floating drydocks.
 Depth Alongside (feet): 13 | | 13 Latitude (decimal): 33.378889
 Total Berthing Space (feet): 550 | | 1750 Longitude (decimal): -91.08889
 Remarks: One 1,500- and one 1,200-ton floating drydocks are moored at face and one 600-ton floating drydock is moored at rear of face. Wharf is equipped with outlets for compressed air, welding gas, and oxygen. Natural extends below wharf to Ref. No. 67.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 5 PWD: 73
 Name: **Greenville City Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 5.3 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: City of Greenville.
 Owner: City of Greenville.
 Address: Foot of Central Avenue. Phone: 601/378-1554
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring miscellaneous vessels; launching recreational craft.
 Depth Alongside (feet): 11 | | Latitude (decimal): 33.412222
 Total Berthing Space (feet): 450 | | Longitude (decimal): -91.06722
 Remarks: The Marina, Inc. operates a yacht club on floats extending from the lower end and a floating restaurant at the upper end. A public launching ramp is located near the lower end.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 5 PWD: 71
 Name: **Greenville Republic Terminal Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 4.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Greenville Republic Terminal, Inc.
 Owner: Greenville Republic Terminal, Inc.
 Address: 310 Walthall Street. Phone: 601/332-2692
 Town: Greenville State: MS County: Washington
 Railway Connection: One surface track serves terminal on opposite side of levee; connects with Columbus and Greenville Railroad.
 Purpose: Receipt of petroleum products.
 Depth Alongside (feet): 8 | | Latitude (decimal): 33.403889
 Total Berthing Space (feet): 200 | | Longitude (decimal): -91.07306
 Remarks: One 8- and five 6-inch pipelines extend from wharf to 11 steel storage tanks at terminal in rear, total capacity 237,000 barrels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 5 PWD: 72
 Name: **Itapco - Greenville, Terminal Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 4.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Itapco - Greenville, Terminal Inc.
 Owner: Independent Terminal & Pipeline Co., Inc.
 Address: 208 Short Clay Street. Phone: 601/335-1264
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of petroleum products.
 Depth Alongside (feet): 12 | | Latitude (decimal): 33.406389
 Total Berthing Space (feet): 125 | | Longitude (decimal): -91.07167
 Remarks: Three 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, total capacity 160,000 barrels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 5 PWD: 70
 Name: **U.S. Army Corps of Engineers, Greenville Mooring.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 4.5 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: U.S. Army Corps of Engineers, Vicksburg District.
 Owner: U.S. Government.
 Address: Foot of Deaton Street. Phone: 601/335-1137
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring government-owned mat construction units and other floating equipment.
 Depth Alongside (feet): 15 | 15 | Latitude (decimal): 33.402222
 Total Berthing Space (feet): 600 | 400 | Longitude (decimal): -91.07361
 Remarks: Additional berthing space is available along 7,000 feet of adjacent natural bank below wharf and adjacent to the U.S. Army Corps of Engineers mat casting field. Mat loading areas are established, as required.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 6 PWD: 75
 Name: **Arkansas River Co. Dock.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 5.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Arkansas River Co.
 Owner: Arkansas River Co.
 Address: Lake Ferguson Road. Phone: 601/332-4473
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring barges and towboats for storage and occasional repair.
 Depth Alongside (feet): 6 | | Latitude (decimal): 33.417222
 Total Berthing Space (feet): 55 | | Longitude (decimal): -91.0625
 Remarks: -□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 6 PWD: 78
 Name: **Greenville Gravel Co. Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 6.1 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Greenville Gravel Co.
 Owner: Greenville Gravel Co.
 Address: 200 Belle Aire Street. Phone: 601/332-8039
 Town: Greenville State: MS County: Washington
 Railway Connection: One surface track serves open storage area in rear of levee, connects with Columbus and Greenville Railroad.
 Purpose: Receipt of sand, gravel, crushed stone, and bulk lime.
 Depth Alongside (feet): 12 | | Latitude (decimal): 33.420833
 Total Berthing Space (feet): 175 | | Longitude (decimal): -91.05972
 Remarks: Approximately 5.4 acres of open storage area located at rear. □ □
 Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 6 PWD: 74
 Name: **Greenville Port Commission, Public Terminal, North Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 5.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Greenville Port Commission.
 Owner: Greenville Port Commission.
 Address: Lake Ferguson Road. Phone: 601/335-2683
 Town: Greenville State: MS County: Washington
 Railway Connection: Two carfloor-level tracks serve buildings in rear; connect with Columbus and Greenville Railroad.
 Purpose: Receipt and shipment of miscellaneous dry bulk materials and occasional general cargo.
 Depth Alongside (feet): 15 | | Latitude (decimal): 33.416667
 Total Berthing Space (feet): 250 | | Longitude (decimal): -91.06361
 Remarks: At time of survey, two storage warehouses at rear of transit shed were under lease to Southern Marine Equipment Co. Approximately 0.5 acre of paved open storage area also located at rear.
 Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 6 PWD: 76
 Name: **Mississippi Marine Corp., North Yard Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 5.9 miles above Mile 537.0, left bank Mississippi River. Datum: LWRP
 Operator: Mississippi Marine Corp.
 Owner: Mississippi Marine Corp.
 Address: Lake Ferguson Road. Phone: 601/332-5457
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Mooring barges and towboats for storage and occasional repair.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.418889
 Total Berthing Space (feet): 175 | | Longitude (decimal): -91.06111
 Remarks: -□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 6 PWD: 77
 Name: **Scott Petroleum Corp. Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 6.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Scott Petroleum Corp., Fertilizer Division.
 Owner: Scott Petroleum Corp.
 Address: 100 Belle Aire Street. Phone: 601/332-3670
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of liquid fertilizer.
 Depth Alongside (feet): 12 | | Latitude (decimal): 33.420833
 Total Berthing Space (feet): 125 | | Longitude (decimal): -91.05917
 Remarks: Three 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear of levee; total capacity 4,000,000 gallons.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 7 PWD: 79

Name: **Bunge Corp., Greenville Harbor Wharf.**

Port: Greenville

Location: Easterly shore of Lake Ferguson, 6.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP

Operator: Bunge Corp.

Owner: Bunge Corp.

Address: North Broadway. Phone: 601/378-8135

Town: Greenville State: MS County: Washington

Railway Connection: One surface track serving undertrack pit and loading spout at grain elevator in rear connects with Columbus and Greenville Railroad.

Purpose: Receipt and shipment of grain.

Depth Alongside (feet): 13 | | Latitude (decimal): 33.432222

Total Berthing Space (feet): 470 | | Longitude (decimal): -91.055

Remarks: Grain elevator in rear consisting of 3 steel tanks and 10 concrete silos with 18 interstices has total capacity for 2,150,000 bushels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Waterway: **Lake Ferguson** Mile: 7 PWD: 81

Name: **U.S. Coast Guard, Greenville Moorings.**

Port: Greenville

Location: Easterly shore of Lake Ferguson, 7.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP

Operator: U.S. Coast Guard.

Owner: U.S. Government.

Address: Lake Ferguson Road. Phone: 601/332-1044

Town: Greenville State: MS County: Washington

Railway Connection: None.

Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids.

Depth Alongside (feet): 5 | | Latitude (decimal): 33.434722

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.05472

Remarks: At time of survey, plans called for facility to be moved to a site near the mouth of Lake Ferguson in 1991.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21537 Vicksburg District

Port Facilities by Waterway

Waterway: **Lake Ferguson** Mile: 7 PWD: 80
 Name: **Warren Petroleum Co., Greenville Wharf.**
 Port: Greenville
 Location: Easterly shore of Lake Ferguson, 6.9 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
 Operator: Warren Petroleum Co., Division of Chevron USA, Inc.
 Owner: Warren Petroleum Co., Division of Chevron USA, Inc.
 Address: Lake Ferguson Road. Phone: 601/335-4846
 Town: Greenville State: MS County: Washington
 Railway Connection: None.
 Purpose: Receipt of liquefied petroleum gas.
 Depth Alongside (feet): 14 | | Latitude (decimal): 33.433333
 Total Berthing Space (feet): 140 | | Longitude (decimal): -91.05472
 Remarks: One 8- becoming 10-inch pipeline extends from wharf to 14 steel storage tanks at terminal on opposite side of levee in rear, total capacity 35,700 barrels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Vicksburg District

Waterway: **Mississippi River** Mile: 362 PWD: 5
 Name: **Natchez Boat Store Wharf.**
 Port: Natchez
 Location: Mile 361.5 A.H.P, left bank, Mississippi River, Natchez, approxi- mately 1.8 miles below Natchez-Vidalia Datum: LWRP
 Operator: Natchez Boat Store, Inc.
 Owner: Natchez Boat Store, Inc.
 Address: River Terminal Road. Phone: 601/442-1474
 Town: Natchez State: MS County: Adams
 Railway Connection: None.
 Purpose: Mooring company-owned towboats and barges for repair.
 Depth Alongside (feet): 50 | | Latitude (decimal): 31.538889
 Total Berthing Space (feet): 590 | | Longitude (decimal): -91.44056
 Remarks: Barges house office and repair shops. Vidalia Dock and Storage Co. (Vidalia Fleeting Service, Inc.) operates its 'Natchez Fleet' with capacity for 10 barges, 2 abreast at shore moorings located 1,200 feet below w

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 362 PWD: 6

Name: **Natchez-Adams County Port Commission, General Cargo Wharf.**

Port: Natchez

Location: Mile 361.5 A.H.P, left bank, Mississippi River, Natchez, approximately, 1.7 miles below Datum: LWRP
Natchez-Vidalia (U)

Operator: Natchez-Adams County Port Commission.

Owner: Natchez-Adams County Port Commission.

Address: River Terminal Road. Phone: 601/442-2561

Town: Natchez State: MS County: Adams

Railway Connection: One marginal surface track along rear of face extending from lower approach; and two surface tracks on upper approach; serve transit sheds and yard at rear; connect with Illinois Central Railroad.

Purpose: Receipt and shipment of general cargo including heavy-lift items and miscellaneous bulk materials by conventional and vessel-borne barges.

Depth Alongside (feet): 26 | | Latitude (decimal): 31.540278

Total Berthing Space (feet): 650 | | Longitude (decimal): -91.43944

Remarks: Paved 3-acre open storage area located at rear. Riverside Central Services, Inc. warehouse is located at rear on opposite side of River Terminal Road. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Vicksburg District

Waterway: **Mississippi River** Mile: 362 PWD: 7

Name: **Natchez-Adams County Port Commission, Liquid Products Wharf.**

Port: Natchez

Location: Mile 361.7 A.H.P, left bank, Mississippi River, Natchez, approximately, 1.7 miles below Datum: LWRP
Natchez-Vidalia (U)

Operator: Mid-Continent Systems Terminal, Inc. and Amoco Chemicals Corp.

Owner: Natchez-Adams County Port Commission.

Address: - Phone: 601/442-2561

Town: Natchez State: MS County: Adams

Railway Connection: None.

Purpose: Receipt of crude oil and shipment of petroleum products; receipt of neutral oil, black liquor, and green liquor (chemicals).

Depth Alongside (feet): 26 | | Latitude (decimal): 31.540556

Total Berthing Space (feet): 300 | | Longitude (decimal): -91.43778

Remarks: Mid-Continent Systems Terminal, Inc. services Natchez Refining, Inc. via four 12-, and two 8-inch pipelines extending from wharf to 28 steel storage tanks at rear, total capacity 810,600 barrels. Amoco Chemicals pipeline extends from wharf to 6 steel storage tanks at rear, total capacity approximately 75,000 barrels. Two additional 8-inch pipelines were inactive at time of survey.

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 362 PWD: 9

Name: **River Cement Company, Natchez Dock.**

Port: Natchez

Location: Mile 362.2 A.H.P, left bank, Mississippi River, Natchez, approximately, 1.1 miles below Datum: LWRP
Natchez-Vidalia (U)

Operator: River Cement Co.

Owner: River Cement Co.

Address: 250 River Terminal Road. Phone: 601/442-4881

Town: Natchez State: MS County: Adams

Railway Connection: One unused surface track at cement storage silo in rear connects with Illinois Central Railroad.

Purpose: Receipt of cement.

Depth Alongside (feet): 21 | | Latitude (decimal): 31.545278

Total Berthing Space (feet): 355 | | Longitude (decimal): -91.43139

Remarks: One 10-inch, pneumatic pipeline extends from wharf to one cement storage silo at rear divided into 6 compartments, total capacity 8,100 tons. Silo is served by a truck-loading station.

Port Series: 72 Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 21360 Vicksburg District

Waterway: **Mississippi River** Mile: 362 PWD: 8

Name: **U.S. Coast Guard, Natchez Landing.**

Port: Natchez

Location: Mile 362.0 A.H.P, left bank, Mississippi River, Natchez, approximately, 1.3 miles below Datum: LWRP
Natchez-Vidalia (U)

Operator: U.S. Coast Guard.

Owner: U.S. Government.

Address: River Terminal Road. Phone: 601/445-5436 44

Town: Natchez State: MS County: Adams

Railway Connection: None.

Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids.

Depth Alongside (feet): - 10 | | Latitude (decimal): 31.543889

Total Berthing Space (feet): 270 | | Longitude (decimal): -91.43389

Remarks: U.S. Coast Guard Base located in building at rear with repair and maintenance facilities. One 4-inch sewage pipeline serves vessels. Open area located in rear is used for storing navigation aids.

Port Series: 72 Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 21360 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 363 PWD: 10

Name: **J.M. Jones Lumber Company, Landing.**

Port: Natchez

Location: Mile 362.5 A.H.P., left bank, Mississippi River, Natchez, approximately, 0.8 mile below Datum: LWRP
Natchez-Vidalia (U.

Operator: J.M. Jones Lumber Company, Inc.

Owner: J.M. Jones Lumber Company, Inc.

Address: Government Fleet Road. Phone: 601/442-7471

Town: Natchez State: MS County: Adams

Railway Connection: Two surface tracks serving yard at rear connect with Illinois Central Railroad.

Purpose: Occasional receipt of logs.

Depth Alongside (feet): - 20 | | Latitude (decimal): 31.549722

Total Berthing Space (feet): 800 | | Longitude (decimal): -91.42583

Remarks: Open storage area at rear has capacity for approximately 800,000 board feet of lumber. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21360 Vicksburg District

Waterway: **Mississippi River** Mile: 364 PWD: 104

Name: **Vidalia Dock & Storage Co. Mooring.**

Port: Vidalia

Location: Right bank, Mississippi River, Mile 364.0 A.H.P., approximately 0.5 mile above Datum: LWRP
Natchez-Vidalia (U.S High

Operator: Vidalia Dock & Storage Co.

Owner: Vidalia Dock & Storage Co.

Address: Riverside Street. Phone: 601/442-6812

Town: Vidalia State: MS County: Concordia

Railway Connection: None.

Purpose: Receipt of lime and limestone: mooring barges for fleeting.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 31.567222

Total Berthing Space (feet): 1500 | | Longitude (decimal): -91.41556

Remarks: Approximately 2.3 acres of open storage area are located in rear. Fleeting areas are located below
Mooring fronting adjacent Corps of Engineers Vidalia Casting Field and below Natchez Boat Store
Wharf (Ref No. 5 approximately 2.5 miles below Mooring. Each has capacity for 10 barges arranged 2-
and 3- abreast.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21360 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 405 PWD: 11

Name: **Claiborne County Port Commission Wharf.**

Port: Grand Gulf Island

Location: Lower side of rectangular dredged basin, mile 404.8 A.H.P, left bank, Mississippi River, Grand Gulf Island Datum: LWRP

Operator: Claiborne County Port Commission.

Owner: Claiborne County Port Commission.

Address: Claiborne County Port Road. Phone: 601/833-2342

Town: Grand Gulf Is. State: MS County: Claiborne

Railway Connection: None.

Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials.

Depth Alongside (feet): 12 | | Latitude (decimal): 31.994167

Total Berthing Space (feet): 290 | | Longitude (decimal): -91.0775

Remarks: Facility was under construction at time of survey (1989). A truck dump and barge-loading chute are built into wharf. Approximately 10 acres of open storage area is located in rear.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21404 Vicksburg District

Waterway: **Mississippi River** Mile: 406 PWD: 12

Name: **Grand Gulf Nuclear Station, Slip.**

Port: Grand Gulf Island

Location: Mile 406.4 A.H.P, left bank, Mississippi River, Grand Gulf Island. Datum: LWRP

Operator: System Energy Resources, Inc.

Owner: System Energy Resources, Inc.

Address: Grand Gulf Road. Phone: 601/437-2438

Town: Grand Gulf Isl. State: MS County: Claiborne

Railway Connection: None.

Purpose: Occasional receipt of plant equipment; deployment of company-owned surveillance craft.

Depth Alongside (feet): - 12 | | Latitude (decimal): 32.018056

Total Berthing Space (feet): 1000 | | Longitude (decimal): -91.06889

Remarks: Slip formerly was used for handling heavy construction materials and equipment when plant was under construction. A barge-grounding platform of crushed stone was constructed as required, corresponding to river stable platform for transfer operations.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21406 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 426 PWD: 13

Name: **Marathon-LeTourneau Company Landing.**

Port: LeTourneau

Location: Mile 406.4 A.H.P, left bank, Mississippi River, LeTourneau. Datum: LWRP

Operator: Marine Division of Marathon-LeTourneau Company.

Owner: Marathon-LeTourneau Company.

Address: LeTourneau Drive. Phone: 601/636-4132

Town: LeTourneau State: MS County: Warren

Railway Connection: Unused surface tracks serving yard and plant at rear, connect with Mid-South Rail.

Purpose: Mooring offshore, oil, well-drilling platforms for outfitting.

Depth Alongside (feet): - 40 | | Latitude (decimal): 32.1975

Total Berthing Space (feet): 5280 | | Longitude (decimal): -90.98667

Remarks: Offshore platforms constructed in yard, at rear, are launched by 'walking' down bank into river. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21406 Vicksburg District

Waterway: **Mississippi River** Mile: 433 PWD: 14

Name: **Baxter Wilson, Steam Electric Station Wharf.**

Port: Vicksburg

Location: Mile 433.1 A.H.P, left bank, Mississippi River, Vicksburg, approxi- mately 2.6 miles Datum: LWRP
below Interstate Hi

Operator: Mississippi Power and Light Co.

Owner: System Fuels, Inc.

Address: U.S. Highway Business 61. Phone: 601/636-4254

Town: Vicksburg State: MS County: Warren

Railway Connection: One surface track serving plant at rear connects with Mid-South Rail.

Purpose: Receipt and occasional shipment of fuel oil by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 32.284444

Total Berthing Space (feet): 550 | | Longitude (decimal): -90.93167

Remarks: One 12- and one 24-inch pipeline, becoming respectively two 12- and two 16-inch pipelines, extend from wharf to 9 steel storage tanks at rear, total capacity 1,550,000 barrels. Three steel dolphins for debris de upper end.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21431 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 435 PWD: 15

Name: **PetroSource Resources Wharf.**

Port: Vicksburg

Location: Mile 434.5 A.H.P, left bank, Mississippi River, Vicksburg, approxi- mately one mile Datum: LWRP
below Interstate Hig

Operator: PetroSource Resources.

Owner: PetroSource Resources.

Address: U.S. Highway Business 61. Phone: 601/638-1405

Town: Vicksburg State: MS County: Warren

Railway Connection: None.

Purpose: Receipt of crude oil; shipment of petroleum products.

Depth Alongside (feet): 7 | | Latitude (decimal): 32.296944

Total Berthing Space (feet): 400 | | Longitude (decimal): -90.9175

Remarks: One 10- and two 8-inch pipelines extend from wharf to one 100,000-barrel crude oil storage tank and 8 product storage tanks, total capacity 228,000 barrels. * A berthing depth of 7 feet is attainable with use of

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21431 Vicksburg District

Waterway: **Mississippi River** Mile: 436 PWD: 17

Name: **Mid-Continent Systems, Wharf.**

Port: Vicksburg

Location: Mile 436.2 A.H.P, left bank, Mississippi River, Vicksburg, approxi- mately 0.5 mile Datum: LWRP
above Interstate Hig

Operator: Ergon, Inc.

Owner: Mid-Continent Systems, Inc.

Address: 4106 Warrenton Road. Phone: 601/636-9491

Town: Vicksburg State: MS County: Warren

Railway Connection: None.

Purpose: Shipment of crude oil.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.319444

Total Berthing Space (feet): 260 | | Longitude (decimal): -90.89889

Remarks: One 8-inch pipeline with two 6-inch connections on wharf extends to 9 steel storage tanks at rear, total capacity 179,000 barrels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21431 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 436 PWD: 16

Name: **Vicksburg Terminal Co., Wharf.**

Port: Vicksburg

Location: Mile 435.6 A.H.P, left bank, Mississippi River, Vicksburg, below Interstate Highway 20 Bridge. Datum: LWRP

Operator: Vicksburg Terminal Co., Inc.

Owner: Vicksburg Terminal Co., Inc.

Address: 4212 Warrenton Road. Phone: 601/636-1946

Town: Vicksburg State: MS County: Warren

Railway Connection: None.

Purpose: Receipt and shipment of crude oil; receipt of petroleum products and ethanol.

Depth Alongside (feet): 10 | | Latitude (decimal): 32.311667

Total Berthing Space (feet): 250 | | Longitude (decimal): -90.90278

Remarks: Three 6-inch pipelines extend from wharf to one 672,000-gallon ethanol storage tank and to 6 crude oil storage tanks at rear, total capacity 184,000 barrels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21431 Vicksburg District

Waterway: **Mississippi River** Mile: 437 PWD: 19

Name: **Central Waterway Terminal, Wharf.**

Port: Vicksburg

Location: Mile 437.0 A.H.P., left bank, Mississippi River, foot of Dorsey Street. Datum: LWRP

Operator: Central Waterway Terminal, Inc.

Owner: Central Waterway Terminal, Inc.

Address: 375 Dorsey Street. Phone: 601/636-7510

Town: Vicksburg State: MS County: Warren

Railway Connection: Two surface tracks in rear connect with Mid-South Rail.

Purpose: Receipt and shipment of fish meal, lumber, coal, zircon sand, and other miscellaneous bulk materials; shipment of grain.

Depth Alongside (feet): 1 | | Latitude (decimal): 32.333333

Total Berthing Space (feet): 250 | | Longitude (decimal): -90.89611

Remarks: A 3,000-ton capacity steel frame, metal-covered fish meal storage building, two storage warehouses, and approximately 15 acres of unpaved open storage area are located at rear.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21431 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 437 PWD: 18

Name: **Ergon Marine and Industrial Supplies, Fueling Wharf.**

Port: Vicksburg

Location: Mile 436.6 A.H.P., left bank, Mississippi River, Vicksburg, approxi-mately 0.9 mile above Interstate High Datum: LWRP

Operator: Ergon Marine and Industrial Supplies.

Owner: Ergon Marine and Industrial Supplies.

Address: - Phone: 601/638-8415

Town: Vicksburg State: MS County: Warren

Railway Connection: None.

Purpose: Receipt of petroleum products; fueling vessels.

Depth Alongside (feet): 11 | | Latitude (decimal): 32.325833

Total Berthing Space (feet): 100 | | Longitude (decimal): -90.89639

Remarks: Fuel is delivered to barges by truck, from 8 steel storage tanks located approximately 0.7 mile upstream, total capacity 116,000 barrels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21431 Vicksburg District

Waterway: **Mississippi River** Mile: 438 PWD: 101

Name: **U.S. Army Corps of Engineers, Delta Point Casting Field Landing.**

Port: Tallulah

Location: Mile 437.5, A.H.P., right bank, Mississippi River, mile 437.5 Delta, approximately 1.7 miles above Inter Datum: LWRP

Operator: U.S. Army Corps of Engineers.

Owner: U.S. Government.

Address: Foot of St. Martin Street. Phone: 601/633-9733

Town: Delta State: MS County: Madison

Railway Connection: None.

Purpose: Loading precast, concrete, articulated mattress blocks; mooring government-owned floating equipment.

Depth Alongside (feet): 10 - 45 | | Latitude (decimal): 32.335833

Total Berthing Space (feet): 3200 | | Longitude (decimal): -90.92167

Remarks: Bulldozer constructs causeways for truck access to floating equipment moored along bank as required. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21431 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 494 PWD: 51

Name: **Koch Pipelines, Mayersville Dock.**

Port: Mayersville

Location: Mile 494.4, left bank of Mississippi River, Mayersville. Datum: LWRP

Operator: Koch Pipelines, Inc.

Owner: Koch Pipelines, Inc.

Address: State Highway No. 1. Phone: 601/873-4073

Town: Mayersville State: MS County: Issaquena

Railway Connection: None.

Purpose: Receipt and shipment of crude oil.

Depth Alongside (feet): 25 | | Latitude (decimal): 32.876111

Total Berthing Space (feet): 350 | | Longitude (decimal): -91.07861

Remarks: One 12- becoming 20-inch pipeline extends from wharf to 10 steel storage tanks approximately 1 1/4 miles in rear, total capacity 800,000 barrels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21494 Vicksburg District

Waterway: **Mississippi River** Mile: 497 PWD: 52

Name: **Bunge Corp., Mayersville Wharf.**

Port: Mayersville

Location: Mile 497.4, left bank of Mississippi River, Mayersville. Datum: LWRP

Operator: Bunge Corp.

Owner: Bunge Corp.

Address: State Highway No. 1. Phone: 601/873-6266

Town: Mayersville State: MS County: Issaquena

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 17 | | Latitude (decimal): 32.916667

Total Berthing Space (feet): 420 | | Longitude (decimal): -91.06167

Remarks: Grain elevator in rear consisting of 2 steel storage tanks, has total capacity for 1,028,000 bushels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21497 Vicksburg District

Waterway: **Mississippi River** Mile: 531 PWD: 91

Name: **Garnac Grain Co., Lake Village Dock.**

Port: Lake Village

Location: Right bank, Mississippi River, mile 531.0 A.H.P., below Greenville Highway Bridge, Lake Village. Datum: LWRP

Operator: Garnac Grain Co., Inc.

Owner: Garnac Grain Co., Inc.

Address: U.S. Highway 82. Phone: 501/265-5301

Town: Lake Village State: AR County: Chicot

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 33.271389

Total Berthing Space (feet): 325 | | Longitude (decimal): -91.15944

Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 1,000,000 bushels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21531 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 537 PWD: 53

Name: **Waterways Marine of Greenville, Warfield Point Wharf.**

Port: Greenville

Location: Mile 536.8, left bank of Mississippi River, Greenville. Datum: LWRP

Operator: Waterways Marine of Greenville, Inc.

Owner: Waterways Marine of Greenville, Inc.

Address: Foot of Power Plant Road. Phone: 601/335-2526

Town: Greenville State: MS County: Washington

Railway Connection: None.

Purpose: Receipt of diesel fuel; loading midstream fueling barges; fueling towboats; mooring barges for fleeting.
(See Remarks.)

Depth Alongside (feet): 9 | 9 | Latitude (decimal): 33.353333

Total Berthing Space (feet): 125 | 90 | Longitude (decimal): -91.12861

Remarks: Storage barges 'GWG 202' and 'WWG 3' have capacities for 21,400- and 16,700 barrels, respectively. Midstream fueling barges 'WWG 1' and 'WWG 2' are based at wharf. Company-operated 'Greenville Fleet' with capac to 4-abreast extends approximately 5,000 feet along west side of Lake Ferguson above wharf.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Vicksburg District

Waterway: **Mississippi River** Mile: 553 PWD: 90

Name: **Producers Rice Mill, Yellow Bend Wharf.**

Port: Yellow Bend

Location: Right bank, Mississippi River, mile 552.7 A.H.P., Yellow Bend. Datum: LWRP

Operator: Producers Rice Mill, Inc.

Owner: Producers Rice Mill, Inc.

Address: State Highway 208. Phone: 501/877-2362

Town: Yellow Bend State: AR County: Chicot

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 6 | | Latitude (decimal): 33.538889

Total Berthing Space (feet): 360 | | Longitude (decimal): -91.22833

Remarks: Grain elevator in rear consisting of 4 steel tanks has total capacity for 490,000 bushels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21552 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 554 PWD: 88

Name: **Texas Eastern Products Pipeline Co., Arkansas City Wharf.**

Port: Arkansas City

Location: Right bank, Mississippi River, mile 554.0 A.H.P., Arkansas City. Datum: LWRP

Operator: Not operated.

Owner: Texas Eastern Products Pipeline Co.

Address: State Highway 4. Phone: 501/338-3428

Town: Arkansas City State: AR County: Desha

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 30 | | Latitude (decimal): 33.554444

Total Berthing Space (feet): 450 | | Longitude (decimal): -91.23583

Remarks: Three 12-inch and one 4-inch pipelines, blanked at time of survey extend from wharf to 9 steel storage tanks at rear, total capacity 750,000 barrels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21554 Vicksburg District

Waterway: **Mississippi River** Mile: 557 PWD: 89

Name: **Yellow Bend River Port Wharf.**

Port: Yellow Bend

Location: Right bank, Mississippi River, mile 553.6 A.H.P., Yellow Bend. Datum: LWRP

Operator: Yellow Bend Port, Inc.

Owner: Chicot-Desha Metropolitan Port Authority.

Address: - Phone: 501/222-3732

Town: Arkansas City State: AR County: Chicot

Railway Connection: In planning stage at time of survey.

Purpose: Receipt and shipment of general cargo, steel products, cottonseed, soybeans, rice and miscellaneous dry bulk commodities (see Remarks).

Depth Alongside (feet): 10 | | Latitude (decimal): 33.583333

Total Berthing Space (feet): 235 | | Longitude (decimal): -91.16667

Remarks: *Slip was dredged and facility was scheduled for construction subsequent to field survey and is described as planned. Type of construction, dimensions, and details of handling equipment and terminal facilities ha 1991.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21553 Vicksburg District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 571 PWD: 87
 Name: **Bunge Corp., DeSoto Landing Wharf.**
 Port: DeSoto Landing
 Location: Right bank, Mississippi River, mile 570.6 A.H.P., DeSoto Landing. Datum: LWRP
 Operator: Bunge Corp. and Potlatch Corp.
 Owner: Bunge Corp.
 Address: State Highway 4. Phone: 501/877-2312
 Town: DeSoto Landing State: AR County: Desha
 Railway Connection: None.
 Purpose: Shipment of grain and receipt of fuel oil (see Remarks).
 Depth Alongside (feet): 15 | | Latitude (decimal): 33.692222
 Total Berthing Space (feet): 425 | | Longitude (decimal): -91.22889
 Remarks: Bunge Corp.: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 900,000 bushels. □ Potlatch Corp.: Two 8-inch pipelines extend from wharf to one 95,200-barrel steel storage tank at rear, maintained on stand-by basis.

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21570 Vicksburg District

Waterway: **Mississippi River** Mile: 609 PWD: 86
 Name: **Bunge Corp., Hurricane Point Terminal Wharf.**
 Port: Hurricane Point
 Location: Left bank, Mississippi River, mile 609.0 A.H.P., Hurricane Point. Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: Bunge Road, Hurricane Point. Phone: 601/747-2238
 Town: Hurricane Point State: MS County: Bolivar
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 15 | | Latitude (decimal): 34.016944
 Total Berthing Space (feet): 300 | | Longitude (decimal): -91.04028
 Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 1,390,000 bushels. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 22609 Vicksburg District

Port Facilities by Waterway

Waterway: **Ouachita** Mile: 117.7 PWD: 22

Name: **Port of Columbia Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Ouachita River, mile 117.7 on oxbow, 0.5 mile above Columbia Lock and Dam. Datum: CRP

Operator: Not operated. (See Remarks.)

Owner: Caldwell Parish.

Address: U.S. Highway 165 Phone: 318/649-0101

Town: Riverton State: LA County: Caldwell

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 7 | 3 | Latitude (decimal): 31.633889

Total Berthing Space (feet): 210 | 75 | Longitude (decimal): -91.81333

Remarks: Grain elevator at rear leased by Great River Grain Corp. consisting of 5 steel tanks has capacity for 106,800 bushels. Steel flat storage building in rear leased by Kennedy Rice Dryers, Inc. has capacity for 700,000 bushels. At time of survey (1999), all grain was being handled by truck.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita** Mile: 142.1 PWD: 23

Name: **International Paper Co. Logtown Fuel Oil Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Ouachita River, mile 142.1, approximately 7 highway miles south of Monroe city limit. Datum: CRP

Operator: Pickett-Davison Fuel Service.

Owner: International Paper Co.

Address: 3671 Louisiana State Highway 165 Phone: 318/388-3930

Town: Logtown State: LA County: Ouachita

Railway Connection: None.

Purpose: Receipt of No. 6 fuel oil.

Depth Alongside (feet): 17 | | Latitude (decimal): 32.328889

Total Berthing Space (feet): 480 | | Longitude (decimal): -92.08667

Remarks: Two 10-inch pipelines extend from wharf to one 125,000-barrel storage tank in rear. One 8-inch steam line serves wharf. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Vicksburg District

Port Facilities by Waterway

Waterway: **Ouachita** Mile: 150.5 PWD: 24

Name: **Sunshine Oil & Storage Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Ouachita River, mile 150.5, approximately 3 highway miles south of Monroe city limit. Datum: CRP

Operator: Pickett-Davison Fuel Service.

Owner: Sunshine Oil & Storage Inc.

Address: 486 U.S. Highway 165 Phone: 318/387-9467

Town: Rilla State: LA County: Ouachita

Railway Connection: None.

Purpose: Receipt and shipment of petroleum products.

Depth Alongside (feet): 19 | | Latitude (decimal): 32.410833

Total Berthing Space (feet): 195 | | Longitude (decimal): -92.08833

Remarks: One 10- four 8 and two 6-inch pipelines extend to wharf from 8 steel storage tanks at rear, total capacity 500,000 barrels. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita** Mile: 161.8 PWD: 25

Name: **Corps of Engineers Monroe Navigation Field Office Wharf and Moorin**

Port: Missouri/Arkansas R.

Location: Left bank, Ouachita River, mile 161.8, left bank, approximately 5 miles below Interstate Highway 20 Brid Datum: CRP

Operator: U.S. Army Corps of Engineers.

Owner: United States Government.

Address: 3505 South Grand Street Phone: 318/322-7880

Town: Monroe State: LA County: Ouachita

Railway Connection: None.

Purpose: Mooring Corps of Engineers floating equipment for maintenance, repair and storage; handling construction materials and supplies.

Depth Alongside (feet): 15 | 15 | 9 - 12 Latitude (decimal): 32.465278

Total Berthing Space (feet): 200 | 500 | 1,000 Longitude (decimal): -92.11556

Remarks: Small boat launch ramp located at lower end. U.S. Army Corps of Engineers Navigation Field Office is located on opposite side of Grand Street in rear. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Vicksburg District

Port Facilities by Waterway

Waterway: **Ouachita** Mile: 167.1 PWD: 26

Name: **Cornerstone Welding and Boat Yard Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Ouachita River, mile 167.1, right bank, above Illinois Central Railroad Datum: CRP bridge.

Operator: Not operated.

Owner: Cornerstone Welding and Boat Yard.

Address: 108 North Riverfront Street Phone: 318/324-0504

Town: Monroe State: LA County: Ouachita

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 32.501111

Total Berthing Space (feet): 100 | | Longitude (decimal): -92.12111

Remarks: At time of survey the 300-ton marine railway was inoperative and the property was in litigation.□

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita** Mile: 191.3 PWD: 27

Name: **Koch Nitrogen Co., Sterlington Plant Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Ouachita River, mile 191.3, approximately 1,800 feet below State Highway 2 Bridge Datum: CRP

Operator: Davison Petroleum Products.

Owner: Koch Nitrogen Co.

Address: 6310 Horseshoe Lake Road Phone: 318/665-4250

Town: Sterlington State: LA County: Ouachita

Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.

Purpose: Receipt of caustic soda; Shipment of anhydrous ammonia.

Depth Alongside (feet): 10 | | Latitude (decimal): 32.699444

Total Berthing Space (feet): 400 | | Longitude (decimal): -92.08722

Remarks: One 8-inch pipeline becoming two 6-inch pipelines extends to cell from 3 ammonia storage tanks, total capacity 50,000 tons and one 10-inch pipeline extends to one 4,000,000-gallon caustic soda storage tank. One 2-inch compressed air pipeline serves wharf.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Vicksburg District

Port Facilities by Waterway

Waterway: **Ouachita** Mile: 232.6 PWD: 28
 Name: **Port of Crosset Public Wharf.**
 Port: Missouri/Arkansas R.
 Location: Mile 232.6, left bank, Ouachita River, approximately < mile below U.S. Highway Bridge. Datum: CRP
 Operator: City of Crosset, Arkansas.
 Owner: City of Crosset, Arkansas.
 Address: U.S. Highway 85, West Phone: 870/364-4830
 Town: Sterlington State: AR County: Bradley-Union
 Railway Connection: None.
 Purpose: Occasional receipt and shipment of general cargo and miscellaneous bulk materials.
 Depth Alongside (feet): 9 | | Latitude (decimal): 33.154444
 Total Berthing Space (feet): 90 | | Longitude (decimal): -92.10972
 Remarks: A 16,000 square foot steel frame, metal-covered warehouse is located at rear. □ □
 Port Series: 68 Year of Last Survey: 2000 Corps of Engnr's Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita** Mile: 283.2 PWD: 29
 Name: **Lion Oil Co., Champagnolle Landing Dock.**
 Port: Missouri/Arkansas R.
 Location: Right bank, Ouachita River, mile 283.2, approximately 2.5 miles above Calion Lock and Dam. Datum: CRP
 Operator: Not operated.
 Owner: Lion Oil Co.
 Address: Champagnolle Landing Phone: 870/864-1372
 Town: Calion State: AR County: Union
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 33.313333
 Total Berthing Space (feet): 450 | | Longitude (decimal): -92.51972
 Remarks: One 8-inch pipeline extends to wharf from 2 calcium chloride storage tanks at rear, total capacity 420,000 gallons. One 8-inch pipeline, formerly used for shipment of crude oil, extends to wharf from 3 steel storage tanks at rear, total capacity 24,000 barrels.
 Port Series: 68 Year of Last Survey: 2000 Corps of Engnr's Waterway Code: 21872 Vicksburg District

Port Facilities by Waterway

Waterway: **Ouachita** Mile: 81.0 PWD: 21

Name: **Duty Ferry Landings.**

Port: Missouri/Arkansas R.

Location: Ouachita River, mile 81.0. Datum: CRP

Operator: State of Louisiana, Department of Transportation and Development.

Owner: State of Louisiana, Department of Transportation and Development.

Address: Phone:

Town: Duty State: LA County: Catahoula

Railway Connection: None.

Purpose: Landings for vehicular ferry.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 31.633889

Total Berthing Space (feet): 24 | 24 | Longitude (decimal): -91.81333

Remarks: Free ferry operates daily during daylight hours.□□

Port Series: 68 Year of Last Survey: 1987 Corps of Engns Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita River** Mile: 305.4 PWD: 30

Name: **Cross Oil Refining & Marketing Co. Ouachita Terminal, Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Ouachita River, mile 305.4, Millers Bluff. Datum: CRP

Operator: Cross Oil Refining & Marketing Co.

Owner: Cross Oil Refining & Marketing Co.

Address: 477 Ouachita County Highway 71 Phone: 501/725-2236

Town: Luann State: AR County: Ouachita

Railway Connection: None.

Purpose: Receipt and shipment of crude oil and lubricating oil.

Depth Alongside (feet): 12 | | Latitude (decimal): 33.397778

Total Berthing Space (feet): 200 | | Longitude (decimal): -92.63583

Remarks: Four 6- inch pipelines extend from wharf to 2 steel storage tanks, total capacity 80,000 barrels.□

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita River** Mile: 329.4 PWD: 31

Name: **Camden Port Authority Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Ouachita River, mile 329.4, approximately 1.5 miles above State Highway 45 Bridge. Datum: CRP

Operator: Camden Port Authority.

Owner: City of Camden.

Address: 1 Port of Camden Drive Phone: 870/837-5500

Town: Camden State: AR County: Ouachita

Railway Connection: Trackage serving warehouse in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of miscellaneous bulk materials and general cargo.

Depth Alongside (feet): 12 | | Latitude (decimal): 33.581667

Total Berthing Space (feet): 250 | | Longitude (decimal): -92.82611

Remarks: At time of survey (1999), port-owned 29,000-square foot, steel frame, metal-covered warehouse in rear was leased to private operators handling shipment only by truck and rail. Approximately 10,000 square feet of gravel-surfaced open storage area is located adjacent to warehouse.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 21872 Vicksburg District

Port Facilities by Waterway

Waterway: **Ouachita River** Mile: 41.9 PWD: 19

Name: **Bunge Corp., Jonesville Grain Elevator Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Ouachita River, mile 41.9, approximately 2,500 feet above junction with Black River. Datum: CRP

Operator: Bunge Corp.

Owner: Bunge Corp.

Address: State Highway 124 Phone: 318/339-8555

Town: Jonesville State: LA County: Catahoula

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 30 | | Latitude (decimal): 31.633889

Total Berthing Space (feet): 390 | | Longitude (decimal): -91.81333

Remarks: Grain elevator at rear, consisting of 9 steel tanks, has total capacity for 3,000,000 bushels. □

Port Series: 68 Year of Last Survey: 1987 Corps of Engns Waterway Code: 21872 Vicksburg District

Waterway: **Ouachita River** Mile: 42.1 PWD: 20

Name: **Eott Energy Corp. Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Ouachita River, mile 42.1, approximately 3,000 feet above junction with Black River. Datum: CRP

Operator: Not operated.

Owner: Eott Energy Corp. Dock.

Address: Phone: 318/534-6203

Town: Jonesville State: LA County: Catahoula

Railway Connection: None.

Purpose: Not used. (See Remarks.)

Depth Alongside (feet): 25 | | Latitude (decimal): 31.633889

Total Berthing Space (feet): 400 | | Longitude (decimal): -91.81333

Remarks: Wharf was formerly used for shipment of crude oil. One 12-inch pipeline extends to wharf from 3 steel storage tanks in rear, total capacity 20,000 barrels.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 21872 Vicksburg District

Port Facilities by Waterway

Waterway:	Red River			Mile: 152.5	PWD: 10
Name:	Natchitoches Parish Port Commission General Cargo Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 152.5, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.			Datum: NPL	
Operator:	Natchitoches Parish Port Commission.				
Owner:	Natchitoches Parish Port Commission.				
Address:	Louisiana State Highways 6 and 486.			Phone: 318/356-9686	
Town:	Natchitoches	State: LA	County: Natchitoches		
Railway Connection:	One platform level track at the rear of warehouse joins additional terminal trackage, connects with Kansas City Southern Railway.				
Purpose:	Receipt and shipment of general cargo; Shipment of paper, lumber and other forest products; receipt of sand and crushed stone (See Remarks).				
Depth Alongside (feet):	9			Latitude (decimal):	31.830833
Total Berthing Space (feet):	230			Longitude (decimal):	-93.08556
Waterway:	Red River			Mile: 152.5	PWD: 10
Name:	Natchitoches Parish Port Commission General Cargo Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 152.5, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.			Datum: NPL	
Operator:	Natchitoches Parish Port Commission.				
Owner:	Natchitoches Parish Port Commission.				
Address:	Louisiana State Highways 6 and 486.			Phone: 318/356-9686	
Town:	Natchitoches	State: LA	County: Natchitoches		
Railway Connection:	One platform level track at the rear of warehouse joins additional terminal trackage, connects with Kansas City Southern Railway.				
Purpose:	Receipt and shipment of general cargo; Shipment of paper, lumber and other forest products; receipt of sand and crushed stone (See Remarks).				
Depth Alongside (feet):	9			Latitude (decimal):	31.830833
Total Berthing Space (feet):	230			Longitude (decimal):	-93.08556
Remarks:	Entire facility was under construction at time of survey (1999). A 62,000 square foot steel frame, metal-covered warehouse for general cargo; and approximately 50 acres of undeveloped open storage area are located at rear. Pine Bluff Sand & Gravel Co. utilizes bank below wharf for receipt of sand and crushed stone.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs	Waterway Code: 20870	Vicksburg District	
<hr/>					
Remarks:	Entire facility was under construction at time of survey (1999). A 62,000 square foot steel frame, metal-covered warehouse for general cargo; and approximately 50 acres of undeveloped open storage area are located at rear. Pine Bluff Sand & Gravel Co. utilizes bank below wharf for receipt of sand and crushed stone.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs	Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River			Mile: 152.5	PWD: 10
Name:	Natchitoches Parish Port Commission General Cargo Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 152.5, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.			Datum: NPL	
Operator:	Natchitoches Parish Port Commission.				
Owner:	Natchitoches Parish Port Commission.				
Address:	Louisiana State Highways 6 and 486.			Phone: 318/356-9686	
Town:	Natchitoches	State: LA	County: Natchitoches		
Railway Connection:	One platform level track at the rear of warehouse joins additional terminal trackage, connects with Kansas City Southern Railway.				
Purpose:	Receipt and shipment of general cargo; Shipment of paper, lumber and other forest products; receipt of sand and crushed stone (See Remarks).				
Depth Alongside (feet):	9			Latitude (decimal):	31.830833
Total Berthing Space (feet):	230			Longitude (decimal):	-93.08556
Waterway:	Red River			Mile: 152.5	PWD: 10
Name:	Natchitoches Parish Port Commission General Cargo Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 152.5, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.			Datum: NPL	
Operator:	Natchitoches Parish Port Commission.				
Owner:	Natchitoches Parish Port Commission.				
Address:	Louisiana State Highways 6 and 486.			Phone: 318/356-9686	
Town:	Natchitoches	State: LA	County: Natchitoches		
Railway Connection:	One platform level track at the rear of warehouse joins additional terminal trackage, connects with Kansas City Southern Railway.				
Purpose:	Receipt and shipment of general cargo; Shipment of paper, lumber and other forest products; receipt of sand and crushed stone (See Remarks).				
Depth Alongside (feet):	9			Latitude (decimal):	31.830833
Total Berthing Space (feet):	230			Longitude (decimal):	-93.08556
Remarks:	Entire facility was under construction at time of survey (1999). A 62,000 square foot steel frame, metal-covered warehouse for general cargo; and approximately 50 acres of undeveloped open storage area are located at rear. Pine Bluff Sand & Gravel Co. utilizes bank below wharf for receipt of sand and crushed stone.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnr's	Waterway Code: 20870	Vicksburg District	
<hr/>					
Remarks:	Entire facility was under construction at time of survey (1999). A 62,000 square foot steel frame, metal-covered warehouse for general cargo; and approximately 50 acres of undeveloped open storage area are located at rear. Pine Bluff Sand & Gravel Co. utilizes bank below wharf for receipt of sand and crushed stone.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnr's	Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 152.6	PWD: 11
Name:	Natchitoches Parish Port Commission Wood Chip Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 152.6, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.	Datum:	NPL
Operator:	Natchitoches Parish Port Commission.		
Owner:	Natchitoches Parish Port Commission.		
Address:	Louisiana State Highways 6 and 486.	Phone:	318/356-9686
Town:	Natchitoches	State:	LA
		County:	Natchitoches
Railway Connection:	Trackage serving wood chip mill in rear, connects with Kansas City Southern Railway.		
Purpose:	Shipment of wood chips.		
Depth Alongside (feet):	9		Latitude (decimal): 31.831111
Total Berthing Space (feet):	400		Longitude (decimal): -93.08556
Waterway:	Red River	Mile: 152.6	PWD: 11
Name:	Natchitoches Parish Port Commission Wood Chip Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 152.6, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.	Datum:	NPL
Operator:	Natchitoches Parish Port Commission.		
Owner:	Natchitoches Parish Port Commission.		
Address:	Louisiana State Highways 6 and 486.	Phone:	318/356-9686
Town:	Natchitoches	State:	LA
		County:	Natchitoches
Railway Connection:	Trackage serving wood chip mill in rear, connects with Kansas City Southern Railway.		
Purpose:	Shipment of wood chips.		
Depth Alongside (feet):	9		Latitude (decimal): 31.831111
Total Berthing Space (feet):	400		Longitude (decimal): -93.08556
Remarks:	Facility was under construction at time of survey (1999). A wood chip storage area at rear is served by a radial stacker and has capacity for 7,800 tons. A wood chipping mill operated by Price Companies located on property in rear has open storage area for an additional 2,600 tons of wood chips.		
Port Series:	68	Year of Last Survey:	2000
		Corps of Engrs Waterway Code:	20870
			Vicksburg District
Remarks:	Facility was under construction at time of survey (1999). A wood chip storage area at rear is served by a radial stacker and has capacity for 7,800 tons. A wood chipping mill operated by Price Companies located on property in rear has open storage area for an additional 2,600 tons of wood chips.		
Port Series:	68	Year of Last Survey:	2000
		Corps of Engrs Waterway Code:	20870
			Vicksburg District

Port Facilities by Waterway

Waterway:	Red River			Mile: 152.6	PWD: 11
Name:	Natchitoches Parish Port Commission Wood Chip Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 152.6, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.			Datum:	NPL
Operator:	Natchitoches Parish Port Commission.				
Owner:	Natchitoches Parish Port Commission.				
Address:	Louisiana State Highways 6 and 486.			Phone:	318/356-9686
Town:	Natchitoches	State:	LA	County:	Natchitoches
Railway Connection:	Trackage serving wood chip mill in rear, connects with Kansas City Southern Railway.				
Purpose:	Shipment of wood chips.				
Depth Alongside (feet):	9			Latitude (decimal):	31.831111
Total Berthing Space (feet):	400			Longitude (decimal):	-93.08556
Waterway:	Red River			Mile: 152.6	PWD: 11
Name:	Natchitoches Parish Port Commission Wood Chip Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 152.6, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge.			Datum:	NPL
Operator:	Natchitoches Parish Port Commission.				
Owner:	Natchitoches Parish Port Commission.				
Address:	Louisiana State Highways 6 and 486.			Phone:	318/356-9686
Town:	Natchitoches	State:	LA	County:	Natchitoches
Railway Connection:	Trackage serving wood chip mill in rear, connects with Kansas City Southern Railway.				
Purpose:	Shipment of wood chips.				
Depth Alongside (feet):	9			Latitude (decimal):	31.831111
Total Berthing Space (feet):	400			Longitude (decimal):	-93.08556
Remarks:	Facility was under construction at time of survey (1999). A wood chip storage area at rear is served by a radial stacker and has capacity for 7,800 tons. A wood chipping mill operated by Price Companies located on property in rear has open storage area for an additional 2,600 tons of wood chips.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrns Waterway Code:	20870
					Vicksburg District
Remarks:	Facility was under construction at time of survey (1999). A wood chip storage area at rear is served by a radial stacker and has capacity for 7,800 tons. A wood chipping mill operated by Price Companies located on property in rear has open storage area for an additional 2,600 tons of wood chips.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrns Waterway Code:	20870
					Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Waterway: **Red River** Mile: 211.0 PWD: 13

Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Omni Terminal System.

Owner: Caddo/Bossier Port Commission.

Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.

Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.

Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889

Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Waterway:	Red River	Mile: 211.0	PWD: 13
Name:	Caddo/Bossier port Commission Liquid Commodities Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Omni Terminal System.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11110 Doug Attaway Boulevard	Phone:	318/524-1100
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving tankage in at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of petroleum products, caustic soda and ethylene glycol.		
Depth Alongside (feet):	12		Latitude (decimal): 32.353889
Total Berthing Space (feet):	500		Longitude (decimal): -93.62417
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Waterway: **Red River** Mile: 211.0 PWD: 12

Name: **Oakley Louisiana Fertilizer Dock**

Port: Missouri/Arkansas R.

Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL

Operator: Oakley Louisiana Inc.

Owner: Oakley Louisiana Inc.

Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.

Purpose: Receipt of bulk fertilizer.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722

Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Waterway: Red River	Mile: 211.0 PWD: 12
Name: Oakley Louisiana Fertilizer Dock	
Port: Missouri/Arkansas R.	
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL	
Operator: Oakley Louisiana Inc.	
Owner: Oakley Louisiana Inc.	
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728	
Town: Shreveport State: LA	County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.	
Purpose: Receipt of bulk fertilizer.	
Depth Alongside (feet): 10 - 12	Latitude (decimal): 32.354722
Total Berthing Space (feet): 400	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Waterway:	Red River	Mile: 211.0	PWD: 12
Name:	Oakley Louisiana Fertilizer Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport	Datum:	NPL
Operator:	Oakley Louisiana Inc.		
Owner:	Oakley Louisiana Inc.		
Address:	11210 Doug Attaway Boulevard	Phone:	318/798-1728
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	One surface track serving storage building at rear connects with Union Pacific Railroad.		
Purpose:	Receipt of bulk fertilizer.		
Depth Alongside (feet):	10 - 12	Latitude (decimal):	32.354722
Total Berthing Space (feet):	400	Longitude (decimal):	-93.62028
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	<p>Mile: 211.4 PWD: 14</p> <p>Phone: 318/861-4981</p> <p>County: Caddo</p> <p>Latitude (decimal): 32.359167</p> <p>Longitude (decimal): -93.62528</p>
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Waterway: **Red River** Mile: 211.4 PWD: 14

Name: **Caddo/Bossier Port Commission Mooring Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission.

Owner: Caddo/Bossier Port Commission.

Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167

Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	<p>Mile: 211.4 PWD: 14</p> <p>Phone: 318/861-4981</p> <p>County: Caddo</p> <p>Latitude (decimal): 32.359167</p> <p>Longitude (decimal): -93.62528</p>
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.4 PWD: 14
Name: Caddo/Bossier Port Commission Mooring Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Caddo/Bossier Port Commission.	
Owner: Caddo/Bossier Port Commission.	
Address: 11101 Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Mooring vessels.	
Depth Alongside (feet): 20	Latitude (decimal): 32.359167
Total Berthing Space (feet): 325	Longitude (decimal): -93.62528

Waterway: Red River	Mile: 211.4 PWD: 14
Name: Caddo/Bossier Port Commission Mooring Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Caddo/Bossier Port Commission.	
Owner: Caddo/Bossier Port Commission.	
Address: 11101 Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Mooring vessels.	
Depth Alongside (feet): 20	Latitude (decimal): 32.359167
Total Berthing Space (feet): 325	Longitude (decimal): -93.62528

Waterway: Red River	Mile: 211.4 PWD: 14
Name: Caddo/Bossier Port Commission Mooring Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Caddo/Bossier Port Commission.	
Owner: Caddo/Bossier Port Commission.	
Address: 11101 Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Mooring vessels.	
Depth Alongside (feet): 20	Latitude (decimal): 32.359167
Total Berthing Space (feet): 325	Longitude (decimal): -93.62528

Waterway: Red River	Mile: 211.4 PWD: 14
Name: Caddo/Bossier Port Commission Mooring Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Caddo/Bossier Port Commission.	
Owner: Caddo/Bossier Port Commission.	
Address: 11101 Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Mooring vessels.	
Depth Alongside (feet): 20	Latitude (decimal): 32.359167
Total Berthing Space (feet): 325	Longitude (decimal): -93.62528

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	<p>Mile: 211.4 PWD: 14</p> <p>Phone: 318/861-4981</p> <p>County: Caddo</p> <p>Latitude (decimal): 32.359167</p> <p>Longitude (decimal): -93.62528</p>
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Mooring Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Caddo/Bossier Port Commission.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 11101 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Mooring vessels.</p> <p>Depth Alongside (feet): 20 </p> <p>Total Berthing Space (feet): 325 </p>	

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Waterway:	Red River	Mile: 211.4	PWD: 14
Name:	Caddo/Bossier Port Commission Mooring Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Caddo/Bossier Port Commission.		
Owner:	Caddo/Bossier Port Commission.		
Address:	11101 Doug Attaway Boulevard	Phone:	318/861-4981
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Mooring vessels.		
Depth Alongside (feet):	20		Latitude (decimal): 32.359167
Total Berthing Space (feet):	325		Longitude (decimal): -93.62528
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	At time of survey plans called for eventual use of wharf for handling liquid commodities.□		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Red River Terminals.		
Owner:	Caddo/Bossier Port Commission.		
Address:	10921 Doug Attaway Boulevard	Phone:	318/797-1311
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	21		Latitude (decimal): 32.36
Total Berthing Space (feet):	430		Longitude (decimal): -93.6175
Waterway:	Red River	Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Red River Terminals.		
Owner:	Caddo/Bossier Port Commission.		
Address:	10921 Doug Attaway Boulevard	Phone:	318/797-1311
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	21		Latitude (decimal): 32.36
Total Berthing Space (feet):	430		Longitude (decimal): -93.6175
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway:	Red River			Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL				
Operator:	Red River Terminals.				
Owner:	Caddo/Bossier Port Commission.				
Address:	10921 Doug Attaway Boulevard			Phone:	318/797-1311
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of petroleum products.				
Depth Alongside (feet):	21			Latitude (decimal):	32.36
Total Berthing Space (feet):	430			Longitude (decimal):	-93.6175
Waterway:	Red River			Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL				
Operator:	Red River Terminals.				
Owner:	Caddo/Bossier Port Commission.				
Address:	10921 Doug Attaway Boulevard			Phone:	318/797-1311
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of petroleum products.				
Depth Alongside (feet):	21			Latitude (decimal):	32.36
Total Berthing Space (feet):	430			Longitude (decimal):	-93.6175
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrs Waterway Code:	20870
					Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrs Waterway Code:	20870
					Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrs Waterway Code:	20870
					Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrs Waterway Code:	20870
					Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrs Waterway Code:	20870
					Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engrs Waterway Code:	20870
					Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway:	Red River			Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL				
Operator:	Red River Terminals.				
Owner:	Caddo/Bossier Port Commission.				
Address:	10921 Doug Attaway Boulevard			Phone: 318/797-1311	
Town:	Shreveport	State:	LA	County: Caddo	
Railway Connection:	None.				
Purpose:	Receipt of petroleum products.				
Depth Alongside (feet):	21			Latitude (decimal):	32.36
Total Berthing Space (feet):	430			Longitude (decimal):	-93.6175
Waterway:	Red River			Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL				
Operator:	Red River Terminals.				
Owner:	Caddo/Bossier Port Commission.				
Address:	10921 Doug Attaway Boulevard			Phone: 318/797-1311	
Town:	Shreveport	State:	LA	County: Caddo	
Railway Connection:	None.				
Purpose:	Receipt of petroleum products.				
Depth Alongside (feet):	21			Latitude (decimal):	32.36
Total Berthing Space (feet):	430			Longitude (decimal):	-93.6175
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Petroleum Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Red River Terminals.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 10921 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Receipt of petroleum products.</p> <p>Depth Alongside (feet): 21 </p> <p>Total Berthing Space (feet): 430 </p>	<p>Mile: 211.5 PWD: 15</p> <p>Phone: 318/797-1311</p> <p>County: Caddo</p> <p>Latitude (decimal): 32.36</p> <p>Longitude (decimal): -93.6175</p>
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Petroleum Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Red River Terminals.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 10921 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Receipt of petroleum products.</p> <p>Depth Alongside (feet): 21 </p> <p>Total Berthing Space (feet): 430 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Petroleum Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Red River Terminals.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 10921 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Receipt of petroleum products.</p> <p>Depth Alongside (feet): 21 </p> <p>Total Berthing Space (feet): 430 </p>	
<p>Waterway: Red River</p> <p>Name: Caddo/Bossier Port Commission Petroleum Dock.</p> <p>Port: Missouri/Arkansas R.</p> <p>Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL</p> <p>Operator: Red River Terminals.</p> <p>Owner: Caddo/Bossier Port Commission.</p> <p>Address: 10921 Doug Attaway Boulevard</p> <p>Town: Shreveport State: LA</p> <p>Railway Connection: None.</p> <p>Purpose: Receipt of petroleum products.</p> <p>Depth Alongside (feet): 21 </p> <p>Total Berthing Space (feet): 430 </p>	

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Red River Terminals.		
Owner:	Caddo/Bossier Port Commission.		
Address:	10921 Doug Attaway Boulevard	Phone:	318/797-1311
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	21		Latitude (decimal): 32.36
Total Berthing Space (feet):	430		Longitude (decimal): -93.6175
Waterway:	Red River	Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Red River Terminals.		
Owner:	Caddo/Bossier Port Commission.		
Address:	10921 Doug Attaway Boulevard	Phone:	318/797-1311
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	21		Latitude (decimal): 32.36
Total Berthing Space (feet):	430		Longitude (decimal): -93.6175
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway:	Red River	Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Red River Terminals.		
Owner:	Caddo/Bossier Port Commission.		
Address:	10921 Doug Attaway Boulevard	Phone:	318/797-1311
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	21		Latitude (decimal): 32.36
Total Berthing Space (feet):	430		Longitude (decimal): -93.6175
Waterway:	Red River	Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL		
Operator:	Red River Terminals.		
Owner:	Caddo/Bossier Port Commission.		
Address:	10921 Doug Attaway Boulevard	Phone:	318/797-1311
Town:	Shreveport	State:	LA
		County:	Caddo
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	21		Latitude (decimal): 32.36
Total Berthing Space (feet):	430		Longitude (decimal): -93.6175
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175
Waterway: Red River	Mile: 211.5 PWD: 15
Name: Caddo/Bossier Port Commission Petroleum Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL	
Operator: Red River Terminals.	
Owner: Caddo/Bossier Port Commission.	
Address: 10921 Doug Attaway Boulevard	Phone: 318/797-1311
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of petroleum products.	
Depth Alongside (feet): 21	Latitude (decimal): 32.36
Total Berthing Space (feet): 430	Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway:	Red River			Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL				
Operator:	Red River Terminals.				
Owner:	Caddo/Bossier Port Commission.				
Address:	10921 Doug Attaway Boulevard			Phone: 318/797-1311	
Town:	Shreveport	State: LA		County: Caddo	
Railway Connection:	None.				
Purpose:	Receipt of petroleum products.				
Depth Alongside (feet):	21			Latitude (decimal):	32.36
Total Berthing Space (feet):	430			Longitude (decimal):	-93.6175
Waterway:	Red River			Mile: 211.5	PWD: 15
Name:	Caddo/Bossier Port Commission Petroleum Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL				
Operator:	Red River Terminals.				
Owner:	Caddo/Bossier Port Commission.				
Address:	10921 Doug Attaway Boulevard			Phone: 318/797-1311	
Town:	Shreveport	State: LA		County: Caddo	
Railway Connection:	None.				
Purpose:	Receipt of petroleum products.				
Depth Alongside (feet):	21			Latitude (decimal):	32.36
Total Berthing Space (feet):	430			Longitude (decimal):	-93.6175
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		
Remarks:	Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engrns Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16
 Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway: Red River	Mile: 211.8 PWD: 16
----------------------------	---------------------

Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.
 Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175
 Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.
 Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175
 Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.
 Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175
 Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68	Year of Last Survey: 2000	Corps of Engrs Waterway Code: 20870	Vicksburg District
-----------------	---------------------------	-------------------------------------	--------------------

Port Facilities by Waterway

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16
 Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16
 Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16
 Name: **Caddo/Bossier Port Commission General Cargo Dock.**
 Port: Missouri/Arkansas R.
 Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
 Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
 Owner: Caddo/Bossier Port Commission.
 Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
 Town: Shreveport State: LA County: Caddo
 Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Port Facilities by Waterway

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Waterway: **Red River** Mile: 211.8 PWD: 16

Name: **Caddo/Bossier Port Commission General Cargo Dock.**

Port: Missouri/Arkansas R.

Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL

Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)

Owner: Caddo/Bossier Port Commission.

Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981

Town: Shreveport State: LA County: Caddo

Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.

Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.

Depth Alongside (feet): 22 | | Latitude (decimal): 32.36

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone: 318/861-4981	
Town:	Shreveport	State: LA	County: Caddo		
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone: 318/861-4981	
Town:	Shreveport	State: LA	County: Caddo		
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone: 318/861-4981	
Town:	Shreveport	State: LA	County: Caddo		
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone: 318/861-4981	
Town:	Shreveport	State: LA	County: Caddo		
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone: 318/861-4981	
Town:	Shreveport	State: LA	County: Caddo		
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone: 318/861-4981	
Town:	Shreveport	State: LA	County: Caddo		
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranaage were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028
Waterway: Red River	Mile: 212.6 PWD: 17
Name: Caddo/Bossier Port Commission Slack Water Harbor	
Port: Missouri/Arkansas R.	
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.	Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)	
Owner: Caddo/Bossier Port Commission.	
Address: Doug Attaway Boulevard	Phone: 318/861-4981
Town: Shreveport State: LA	County: Caddo
Railway Connection: None.	
Purpose: Receipt of steel and other fabrication materials.	
Depth Alongside (feet): 12	Latitude (decimal): 32.363333
Total Berthing Space (feet): -	Longitude (decimal): -93.62028

Port Facilities by Waterway

Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Waterway:	Red River			Mile: 212.6	PWD: 17
Name:	Caddo/Bossier Port Commission Slack Water Harbor				
Port:	Missouri/Arkansas R.				
Location:	Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport.			Datum: NPL	
Operator:	Shreveport Fabricators. (See Remarks)				
Owner:	Caddo/Bossier Port Commission.				
Address:	Doug Attaway Boulevard			Phone:	318/861-4981
Town:	Shreveport	State:	LA	County:	Caddo
Railway Connection:	None.				
Purpose:	Receipt of steel and other fabrication materials.				
Depth Alongside (feet):	12			Latitude (decimal):	32.363333
Total Berthing Space (feet):	-			Longitude (decimal):	-93.62028
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks:	At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and crange were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Waterway: Red River		Mile: 84.8 PWD: 4
Name: Luhr Bros., Alexandria Dock		
Port: Missouri/Arkansas R.		
Location: Mile 84.8, right bank, Red River.		Datum: NPL
Operator: Luhr Bros., Inc.		
Owner: Luhr Bros., Inc.		
Address: 5311 Third Street		Phone: 318/487-9263
Town: Alexandria	State: LA	County: Rapides
Railway Connection: None.		
Purpose: Receipt of crushed aggregate.		
Depth Alongside (feet):	12	Latitude (decimal): 31.273611
Total Berthing Space (feet):	150	Longitude (decimal): -92.39694
Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□		

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District

Port Facilities by Waterway

Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167

Port Facilities by Waterway

Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.		
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167

Port Facilities by Waterway

Waterway:	Red River		Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock			
Port:	Missouri/Arkansas R.			
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.		Datum: NPL	
Operator:	Petron, Inc			
Owner:	Alexandria Regional Port Authority.			
Address:	Port Road		Phone: 318/339-7933	
Town:	Alexandria	State: LA	County: Rapides	
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.			
Purpose:	Receipt of creosote.			
Depth Alongside (feet):	10 - 15		Latitude (decimal):	31.339444
Total Berthing Space (feet):	300		Longitude (decimal):	-92.46167
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167

Port Facilities by Waterway

Waterway:	Red River		Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock			
Port:	Missouri/Arkansas R.			
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.		Datum: NPL	
Operator:	Petron, Inc			
Owner:	Alexandria Regional Port Authority.			
Address:	Port Road		Phone: 318/339-7933	
Town:	Alexandria	State: LA	County: Rapides	
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.			
Purpose:	Receipt of creosote.			
Depth Alongside (feet):	10 - 15		Latitude (decimal):	31.339444
Total Berthing Space (feet):	300		Longitude (decimal):	-92.46167
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167
Waterway:	Red River	Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Petron, Inc		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/339-7933
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.		
Purpose:	Receipt of creosote.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	300	Longitude (decimal):	-92.46167

Port Facilities by Waterway

Waterway:	Red River		Mile: 90.9	PWD: 6
Name:	Alexandria Regional Port Authority POL Dock			
Port:	Missouri/Arkansas R.			
Location:	Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge.		Datum: NPL	
Operator:	Petron, Inc			
Owner:	Alexandria Regional Port Authority.			
Address:	Port Road		Phone: 318/339-7933	
Town:	Alexandria	State: LA	County: Rapides	
Railway Connection:	One tank at terminal is served by Union Pacific Railroad.			
Purpose:	Receipt of creosote.			
Depth Alongside (feet):	10 - 15		Latitude (decimal):	31.339444
Total Berthing Space (feet):	300		Longitude (decimal):	-92.46167
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks:	Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels. Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15				Latitude (decimal):	31.340278
Total Berthing Space (feet):	165				Longitude (decimal):	-92.46806

Port Facilities by Waterway

Waterway: Red River	Mile: 91.1 PWD: 7
Name: Alexandria Regional Port Authority General Cargo Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.340278
Total Berthing Space (feet): 165	Longitude (decimal): -92.46806
Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15				Latitude (decimal):	31.340278
Total Berthing Space (feet):	165				Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15				Latitude (decimal):	31.340278
Total Berthing Space (feet):	165				Longitude (decimal):	-92.46806

Port Facilities by Waterway

Waterway: Red River	Mile: 91.1 PWD: 7
Name: Alexandria Regional Port Authority General Cargo Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.340278
Total Berthing Space (feet): 165	Longitude (decimal): -92.46806
Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15				Latitude (decimal):	31.340278
Total Berthing Space (feet):	165				Longitude (decimal):	-92.46806

Port Facilities by Waterway

Waterway: Red River	Mile: 91.1 PWD: 7
Name: Alexandria Regional Port Authority General Cargo Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.340278
Total Berthing Space (feet): 165	Longitude (decimal): -92.46806
Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.340278
Total Berthing Space (feet):	165			Longitude (decimal):	-92.46806

Waterway:	Red River	Mile: 91.1	PWD: 7
Name:	Alexandria Regional Port Authority General Cargo Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL	
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone: 318/473-1848	
Town:	Alexandria	State: LA	County: Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.		

Depth Alongside (feet):	10 - 15				Latitude (decimal):	31.340278
Total Berthing Space (feet):	165				Longitude (decimal):	-92.46806

Port Facilities by Waterway

Waterway: Red River	Mile: 91.1 PWD: 7
Name: Alexandria Regional Port Authority General Cargo Dock.	
Port: Missouri/Arkansas R.	
Location: Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge.	Datum: NPL
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.340278
Total Berthing Space (feet): 165	Longitude (decimal): -92.46806
Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	
<hr/> Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □	
<hr/> Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028
Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028
Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028

Port Facilities by Waterway

Waterway:	Red River			Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.			Datum:	NPL
Operator:	Terral RiverService Inc.				
Owner:	Alexandria Regional Port Authority.				
Address:	Port Road		Phone: 318/445-7759		
Town:	Alexandria	State: LA	County: Rapides		
Railway Connection:	None.				
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).				
Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.341111
Total Berthing Space (feet):	300			Longitude (decimal):	-92.47028
Remarks:	Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District		

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028
Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028
Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028

Port Facilities by Waterway

Waterway:	Red River		Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.			
Port:	Missouri/Arkansas R.			
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.		Datum: NPL	
Operator:	Terral RiverService Inc.			
Owner:	Alexandria Regional Port Authority.			
Address:	Port Road		Phone: 318/445-7759	
Town:	Alexandria	State: LA	County: Rapides	
Railway Connection:	None.			
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).			
Depth Alongside (feet):	10 - 15		Latitude (decimal):	31.341111
Total Berthing Space (feet):	300		Longitude (decimal):	-92.47028
Remarks:	Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile:	91.4	PWD:	8
Name:	Alexandria Regional Port Authority Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.			Datum:	NPL
Operator:	Terral RiverService Inc.				
Owner:	Alexandria Regional Port Authority.				
Address:	Port Road	Phone:	318/445-7759		
Town:	Alexandria	State:	LA	County:	Rapides
Railway Connection:	None.				
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).				
Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.341111
Total Berthing Space (feet):	300			Longitude (decimal):	-92.47028
Waterway:	Red River	Mile:	91.4	PWD:	8

Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15		Latitude (decimal): 31.341111
Total Berthing Space (feet):	300		Longitude (decimal): -92.47028
Waterway:	Red River	Mile:	91.4
		PWD:	8

Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028

Port Facilities by Waterway

Waterway:	Red River		Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.			
Port:	Missouri/Arkansas R.			
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.		Datum: NPL	
Operator:	Terral RiverService Inc.			
Owner:	Alexandria Regional Port Authority.			
Address:	Port Road		Phone: 318/445-7759	
Town:	Alexandria	State: LA	County: Rapides	
Railway Connection:	None.			
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).			
Depth Alongside (feet):	10 - 15		Latitude (decimal):	31.341111
Total Berthing Space (feet):	300		Longitude (decimal):	-92.47028
Remarks:	Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□			
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870	Vicksburg District	

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028
Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028
Waterway:	Red River	Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.	Datum:	NPL
Operator:	Terral RiverService Inc.		
Owner:	Alexandria Regional Port Authority.		
Address:	Port Road	Phone:	318/445-7759
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.341111
Total Berthing Space (feet):	300	Longitude (decimal):	-92.47028

Port Facilities by Waterway

Waterway:	Red River			Mile: 91.4	PWD: 8
Name:	Alexandria Regional Port Authority Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge.			Datum: NPL	
Operator:	Terral RiverService Inc.				
Owner:	Alexandria Regional Port Authority.				
Address:	Port Road			Phone: 318/445-7759	
Town:	Alexandria	State: LA	County: Rapides		
Railway Connection:	None.				
Purpose:	Receipt of bulk fertilizer (ammonium nitrate).				
Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.341111
Total Berthing Space (feet):	300			Longitude (decimal):	-92.47028
Remarks:	Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870		Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870		Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870		Vicksburg District	
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 20870		Vicksburg District	

Port Facilities by Waterway

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.5	PWD: 5
Name:	Alexandria Regional Port Authority Lower Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.		
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	110	Longitude (decimal):	-92.45889
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Port Facilities by Waterway

Waterway:	Red River			Mile: 91.5	PWD: 5	
Name:	Alexandria Regional Port Authority Lower Dock					
Port:	Missouri/Arkansas R.					
Location:	Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Bridge.			Datum:	NPL	
Operator:	Alexandria Regional Port Authority.					
Owner:	Alexandria Regional Port Authority.					
Address:	600 Port Road			Phone:	318/473-1848	
Town:	Alexandria	State:	LA	County:	Rapides	
Railway Connection:	None.					
Purpose:	Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.					
Depth Alongside (feet):	10 - 15			Latitude (decimal):	31.339444	
Total Berthing Space (feet):	110			Longitude (decimal):	-92.45889	
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).					
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).					
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).					
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).					
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	20870	Vicksburg District

Port Facilities by Waterway

Waterway: Red River	Mile: 91.5 PWD: 5
Name: Alexandria Regional Port Authority Lower Dock	
Port: Missouri/Arkansas R.	
Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.	
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.339444
Total Berthing Space (feet): 110	Longitude (decimal): -92.45889

Waterway: Red River	Mile: 91.5 PWD: 5
Name: Alexandria Regional Port Authority Lower Dock	
Port: Missouri/Arkansas R.	
Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.	
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.339444
Total Berthing Space (feet): 110	Longitude (decimal): -92.45889

Waterway: Red River	Mile: 91.5 PWD: 5
Name: Alexandria Regional Port Authority Lower Dock	
Port: Missouri/Arkansas R.	
Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.	
Operator: Alexandria Regional Port Authority.	
Owner: Alexandria Regional Port Authority.	
Address: 600 Port Road	Phone: 318/473-1848
Town: Alexandria State: LA	County: Rapides
Railway Connection: None.	
Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.	
Depth Alongside (feet): 10 - 15	Latitude (decimal): 31.339444
Total Berthing Space (feet): 110	Longitude (decimal): -92.45889

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.5	PWD: 5
Name:	Alexandria Regional Port Authority Lower Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.		
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	110	Longitude (decimal):	-92.45889
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Waterway: **Red River** Mile: 91.5 PWD: 5

Name: **Alexandria Regional Port Authority Lower Dock**

Port: Missouri/Arkansas R.

Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.

Operator: Alexandria Regional Port Authority.

Owner: Alexandria Regional Port Authority.

Address: 600 Port Road Phone: 318/473-1848

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.

Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444

Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889

Port Facilities by Waterway

Waterway:	Red River	Mile: 91.5	PWD: 5
Name:	Alexandria Regional Port Authority Lower Dock		
Port:	Missouri/Arkansas R.		
Location:	Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.		
Operator:	Alexandria Regional Port Authority.		
Owner:	Alexandria Regional Port Authority.		
Address:	600 Port Road	Phone:	318/473-1848
Town:	Alexandria	State:	LA
		County:	Rapides
Railway Connection:	None.		
Purpose:	Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.		
Depth Alongside (feet):	10 - 15	Latitude (decimal):	31.339444
Total Berthing Space (feet):	110	Longitude (decimal):	-92.45889
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District
Remarks:	Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).		
Port Series: 68	Year of Last Survey: 2000	Corps of Engns Waterway Code: 20870	Vicksburg District

Port Facilities by Waterway

Waterway: **Red River** Mile: 92.2 PWD: 9

Name: **Pine Bluff Sand & Gravel Co. Docks**

Port: Missouri/Arkansas R.

Location: Mile 92.2, right bank, Red River, approximately two miles above Union Pacific Railroad Bridge. Datum: NPL

Operator: Pine Bluff Sand & Gravel Co.

Owner: Alexandria Regional Port Authority.

Address: Louisiana State Highway 1 North Phone: 318/448-0536

Town: Alexandria State: LA County: Rapides

Railway Connection: None.

Purpose: Receipt of crushed aggregate.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 31.331944

Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -92.48194

Remarks: Approximately 4 acres of open storage area with capacity for 300,000 tons of material is located at rear. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 20870 Vicksburg District

Waterway: **Vicksburg Harbor** Mile: 1 PWD: 34

Name: **Big River, Ship Builders Dock.**

Port: Vicksburg

Location: Vicksburg Harbor, approximately 1.4 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP

Operator: Big River Shipbuilders, Inc.

Owner: Big River Shipbuilders, Inc.

Address: Haining Drive. Phone: 601/636-9161

Town: Vicksburg State: MS County: Warren

Railway Connection: One surface track serves shipyard in rear; connects with Mid-South Rail.

Purpose: Mooring barges and towboats for repair; mooring floating drydock.

Depth Alongside (feet): 9 | | Latitude (decimal): 32.387222

Total Berthing Space (feet): 800 | | Longitude (decimal): -90.88472

Remarks: Wharf equipped with outlets for oxygen, water, and natural gas. One 1,650-, one 1,000-, and one 700-ton floating drydocks are moored at wharf. □

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway: **Vicksburg Harbor** Mile: 1 PWD: 31
 Name: **Ergon Marine & Industrial Supply Mooring Dock.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 1.1 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: Ergon Marine & Industrial Supply.
 Owner: Ergon Marine & Industrial Supply.
 Address: Haining Drive. Phone: 601/638-5921
 Town: Vicksburg State: MS County: Warren
 Railway Connection: None.
 Purpose: Mooring company-owned floating equipment.
 Depth Alongside (feet): 9 | | Latitude (decimal): 32.384167
 Total Berthing Space (feet): 300 | | Longitude (decimal): -90.88
 Remarks: -□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Waterway: **Vicksburg Harbor** Mile: 1 PWD: 29
 Name: **GRF Terminal Wharf.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 0.8 mile above mile 2.7 Yazoo River Diversion Datum: LWRP Canal.
 Operator: GRF Terminal, Inc.
 Owner: GRF Terminal, Inc.
 Address: Haining Drive. Phone: 601/636-3144
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track at rear connects with Mid-South Rail.
 Purpose: Receipt of dry and liquid fertilizer, lime, limestone, and miscellaneous granular dry bulk commodities.
 Depth Alongside (feet): 14 | | Latitude (decimal): 32.381667
 Total Berthing Space (feet): 160 | | Longitude (decimal): -90.87611
 Remarks: One 10-inch pipeline extends from wharf to one 500,000-gallon fertilizer storage tank. Dry bulk storage facilities at terminal include one 8,000-ton capacity concrete storage dome; one 11,000-ton capacity, steel building, and open storage area for 10,000 tons of limestone.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway: **Vicksburg Harbor** Mile: 1 PWD: 32
 Name: **Holnam, Vicksburg Terminal Dock.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 1.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: Holnam, Inc.
 Owner: Holnam, Inc.
 Address: Haining Road. Phone: 601/636-4911
 Town: Vicksburg State: MS County: Warren
 Railway Connection: Two surface tracks serve terminal in rear; connect with Mid-South Rail.
 Purpose: Receipt of bulk cement by barge.
 Depth Alongside (feet): 8 | | Latitude (decimal): 32.385
 Total Berthing Space (feet): 175 | | Longitude (decimal): -90.88083
 Remarks: One 12-inch pneumatic pipeline extends from wharf to 2 concrete, cement storage silos in rear, total capacity 2,100 tons.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnr's Waterway Code: 21599 Vicksburg District

Waterway: **Vicksburg Harbor** Mile: 1 PWD: 30
 Name: **Quaker State Corp., Vicksburg Wharf.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 0.9 mile above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: Quaker State Corp.
 Owner: Quaker State Corp.
 Address: Haining Drive. Phone: 601/634-0311
 Town: Vicksburg State: MS County: Warren
 Railway Connection: Two surface tracks at rear connect with Mid-South Rail.
 Purpose: Receipt and shipment of petroleum products.
 Depth Alongside (feet): 8 | | Latitude (decimal): 32.382222
 Total Berthing Space (feet): 400 | | Longitude (decimal): -90.86917
 Remarks: One 8-inch pipeline extends from platform to 34 steel storage tanks at terminal in rear, total capacity 163,500 barrels. One 3-inch steam pipeline serves wharf. Blending and packaging plants located at terminal

Port Series: 72 Year of Last Survey: 1991 Corps of Engnr's Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway: **Vicksburg Harbor** Mile: 1 PWD: 33
 Name: **U.S. Coast Guard, Vicksburg, Moorings.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 1.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: U.S. Coast Guard.
 Owner: U.S. Government.
 Address: Haining Drive. Phone: 601/636-8304
 Town: Vicksburg State: MS County: Warren
 Railway Connection: None.
 Purpose: Mooring U.S. Coast Guard vessels.
 Depth Alongside (feet): 9 | | Latitude (decimal): 32.385833
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.88222
 Remarks: One 4-inch sewage pipeline extends to holding tank on shore at rear.□□
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnr's Waterway Code: 21599 Vicksburg District

Waterway: **Vicksburg Harbor** Mile: 2 PWD: 39
 Name: **Bunge Corp., Soybean Processing Division, Vicksburg Wharf.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: Bunge Corp., Soybean Processing Division.
 Owner: Bunge Corp., Soybean Processing Division.
 Address: Haining Drive. Phone: 601/638-3824
 Town: Vicksburg State: MS County: Warren
 Railway Connection: Two surface tracks, undertrack receiving pit and loading spout at elevator in rear, connect with Mid-South Rail.
 Purpose: Receipt of soybeans; shipment of soybean meal and soybean oil.
 Depth Alongside (feet): 12 | | Latitude (decimal): 32.3875
 Total Berthing Space (feet): 450 | | Longitude (decimal): -90.895
 Remarks: Grain elevator in rear consists of 4, steel, seed storage buildings, total capacity 6,000,000 bushels. Soybean meal storage building at rear has capacity for 5,000 tons. One 4-inch pipeline extends to wharf for storage tanks at processing plant in rear, total capacity 4,500 tons.
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnr's Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway:	Vicksburg Harbor	Mile: 2	PWD: 38
Name:	Citgo Petroleum Corp., Vicksburg Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 1.8 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Citgo Petroleum Corp.		
Owner:	Citgo Petroleum Corp.		
Address:	Haining Drive.	Phone: 601/636-2061	
Town:	Vicksburg	County: Warren	
	State: MS		
Railway Connection:	None.		
Purpose:	Receipt of petroleum products.		
Depth Alongside (feet):	8		Latitude (decimal): 32.388056
Total Berthing Space (feet):	75		Longitude (decimal): -90.89028
Remarks:	Three 8-inch pipelines extend from platform to 7 steel storage tanks at rear, total capacity 152,000 barrels. One steel, 8- by 30-foot, steel work float moored at rear and one at lower side of platform.		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnr's Waterway Code: 21599	Vicksburg District

Port Facilities by Waterway

Waterway:	Vicksburg Harbor	Mile: 2	PWD: 40
Name:	Ergon, Vicksburg Bulk Terminal, No. 11, Lower Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 2.2 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Ergon, Inc.		
Owner:	Ergon, Inc.		
Address:	Haining Drive.	Phone:	601/636-7561
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Four surface tracks serving terminal in rear, connect with Mid-South Rail.		
Purpose:	Receipt and shipment of naphtha and petroleum products.		
Depth Alongside (feet):	9		Latitude (decimal): 32.386667
Total Berthing Space (feet):	300		Longitude (decimal): -90.89778
Waterway:	Vicksburg Harbor	Mile: 2	PWD: 40
Name:	Ergon, Vicksburg Bulk Terminal, No. 11, Lower Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 2.2 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Ergon, Inc.		
Owner:	Ergon, Inc.		
Address:	Haining Drive.	Phone:	601/636-7561
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Four surface tracks serving terminal in rear, connect with Mid-South Rail.		
Purpose:	Receipt and shipment of naphtha and petroleum products.		
Depth Alongside (feet):	9		Latitude (decimal): 32.386667
Total Berthing Space (feet):	300		Longitude (decimal): -90.89778
Remarks:	Two 8-inch pipelines extend from wharf to one 840,000-gallon capacity, naphtha, storage tank and 14 product storage tanks, total capacity 495,900 barrels, located at terminal in rear.		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
Remarks:	Two 8-inch pipelines extend from wharf to one 840,000-gallon capacity, naphtha, storage tank and 14 product storage tanks, total capacity 495,900 barrels, located at terminal in rear.		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District

Port Facilities by Waterway

Waterway:	Vicksburg Harbor	Mile: 2	PWD: 40
Name:	Ergon, Vicksburg Bulk Terminal, No. 11, Lower Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 2.2 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Ergon, Inc.		
Owner:	Ergon, Inc.		
Address:	Haining Drive.	Phone:	601/636-7561
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Four surface tracks serving terminal in rear, connect with Mid-South Rail.		
Purpose:	Receipt and shipment of naphtha and petroleum products.		
Depth Alongside (feet):	9		Latitude (decimal): 32.386667
Total Berthing Space (feet):	300		Longitude (decimal): -90.89778
Waterway:	Vicksburg Harbor	Mile: 2	PWD: 40
Name:	Ergon, Vicksburg Bulk Terminal, No. 11, Lower Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 2.2 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Ergon, Inc.		
Owner:	Ergon, Inc.		
Address:	Haining Drive.	Phone:	601/636-7561
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Four surface tracks serving terminal in rear, connect with Mid-South Rail.		
Purpose:	Receipt and shipment of naphtha and petroleum products.		
Depth Alongside (feet):	9		Latitude (decimal): 32.386667
Total Berthing Space (feet):	300		Longitude (decimal): -90.89778
Remarks:	Two 8-inch pipelines extend from wharf to one 840,000-gallon capacity, naphtha, storage tank and 14 product storage tanks, total capacity 495,900 barrels, located at terminal in rear.		
Port Series:	72	Year of Last Survey:	1991
		Corps of Engnrs Waterway Code:	21599
			Vicksburg District
Remarks:	Two 8-inch pipelines extend from wharf to one 840,000-gallon capacity, naphtha, storage tank and 14 product storage tanks, total capacity 495,900 barrels, located at terminal in rear.		
Port Series:	72	Year of Last Survey:	1991
		Corps of Engnrs Waterway Code:	21599
			Vicksburg District

Port Facilities by Waterway

Waterway: Vicksburg Harbor	Mile: 2	PWD: 42
-----------------------------------	---------	---------

Name: **Ergon, Vicksburg Bulk Terminal, No. 11, Upper Dock.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 2.3 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: Ergon, Inc.
 Owner: Ergon, Inc.
 Address: Haining Drive. Phone: 601/636-7561
 Town: Vicksburg State: MS County: Warren
 Railway Connection: Four surface tracks serving terminal in rear, connect with Mid-South Rail.
 Purpose: Receipt and shipment of naphtha and petroleum products.
 Depth Alongside (feet): 9 | | Latitude (decimal): 32.386111
 Total Berthing Space (feet): 300 | | Longitude (decimal): -90.90028

Waterway: Vicksburg Harbor	Mile: 2	PWD: 42
-----------------------------------	---------	---------

Name: **Ergon, Vicksburg Bulk Terminal, No. 11, Upper Dock.**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 2.3 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: Ergon, Inc.
 Owner: Ergon, Inc.
 Address: Haining Drive. Phone: 601/636-7561
 Town: Vicksburg State: MS County: Warren
 Railway Connection: Four surface tracks serving terminal in rear, connect with Mid-South Rail.
 Purpose: Receipt and shipment of naphtha and petroleum products.
 Depth Alongside (feet): 9 | | Latitude (decimal): 32.386111
 Total Berthing Space (feet): 300 | | Longitude (decimal): -90.90028
 Remarks: Three 12-inch pipelines extend from wharf to tankage described under Ref. No. 40. □

Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
-----------------	---------------------------	--------------------------------------	--------------------

Remarks: Three 12-inch pipelines extend from wharf to tankage described under Ref. No. 40. □

Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
-----------------	---------------------------	--------------------------------------	--------------------

Port Facilities by Waterway

Waterway:	Vicksburg Harbor	Mile: 2	PWD: 42
Name:	Ergon, Vicksburg Bulk Terminal, No. 11, Upper Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 2.3 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Ergon, Inc.		
Owner:	Ergon, Inc.		
Address:	Haining Drive.	Phone:	601/636-7561
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Four surface tracks serving terminal in rear, connect with Mid-South Rail.		
Purpose:	Receipt and shipment of naphtha and petroleum products.		
Depth Alongside (feet):	9		Latitude (decimal): 32.386111
Total Berthing Space (feet):	300		Longitude (decimal): -90.90028
Waterway:	Vicksburg Harbor	Mile: 2	PWD: 42
Name:	Ergon, Vicksburg Bulk Terminal, No. 11, Upper Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 2.3 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Ergon, Inc.		
Owner:	Ergon, Inc.		
Address:	Haining Drive.	Phone:	601/636-7561
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Four surface tracks serving terminal in rear, connect with Mid-South Rail.		
Purpose:	Receipt and shipment of naphtha and petroleum products.		
Depth Alongside (feet):	9		Latitude (decimal): 32.386111
Total Berthing Space (feet):	300		Longitude (decimal): -90.90028
Remarks:	Three 12-inch pipelines extend from wharf to tankage described under Ref. No. 40.□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
Remarks:	Three 12-inch pipelines extend from wharf to tankage described under Ref. No. 40.□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
Waterway:	Vicksburg Harbor	Mile: 2	PWD: 37
Name:	Falco Lime Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 1.7 miles above mile 2.7, Yazoo River Diversion Canal.		Datum: LWRP
Operator:	Falco Lime, Inc.		
Owner:	Falco Lime, Inc.		
Address:	Haining Drive.	Phone:	601/636-0932
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Two surface tracks serving terminal at rear connect with Mid-South Rail.		
Purpose:	Receipt and shipment of lime.		
Depth Alongside (feet):	10		Latitude (decimal): 32.387778
Total Berthing Space (feet):	140		Longitude (decimal): -90.88917
Remarks:	Two steel storage tanks at terminal in rear have total capacity for 900 tons.□□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District

Port Facilities by Waterway

Waterway: **Vicksburg Harbor** Mile: 2 PWD: 41
Name: **Magnolia Marine Transport Co. Dock.**
Port: Vicksburg
Location: Vicksburg Harbor, approximately 2.25 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Magnolia Marine Transport Co. Dock.
Owner: Magnolia Marine Transport Co.
Address: Haining Drive. Phone: 601/638-5921
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring company-owned tank barges for cleaning and repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386389
Total Berthing Space (feet): 270 | | Longitude (decimal): -90.89778
Remarks: -□□
Port Series: 72 Year of Last Survey: 1991 Corps of Engnr's Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway:	Vicksburg Harbor			Mile: 2	PWD: 35
Name:	Port of Vicksburg Terminal, Lower Dock.				
Port:	Vicksburg				
Location:	Vicksburg Harbor, approximately 1.5 miles above mile 2.7, Yazoo River Diversion Canal.			Datum: LWRP	
Operator:	The River Transportation Co., Division of Boswell Oil Co.				
Owner:	Warren County Port Commission.				
Address:	Port Terminal Circle.			Phone: 601/636-6643	
Town:	Vicksburg	State: MS	County: Warren		
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-South Rail.				
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.				
Depth Alongside (feet):	15			Latitude (decimal):	32.3875
Total Berthing Space (feet):	360			Longitude (decimal):	-90.88611
Waterway:	Vicksburg Harbor			Mile: 2	PWD: 35
Name:	Port of Vicksburg Terminal, Lower Dock.				
Port:	Vicksburg				
Location:	Vicksburg Harbor, approximately 1.5 miles above mile 2.7, Yazoo River Diversion Canal.			Datum: LWRP	
Operator:	The River Transportation Co., Division of Boswell Oil Co.				
Owner:	Warren County Port Commission.				
Address:	Port Terminal Circle.			Phone: 601/636-6643	
Town:	Vicksburg	State: MS	County: Warren		
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-South Rail.				
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.				
Depth Alongside (feet):	15			Latitude (decimal):	32.3875
Total Berthing Space (feet):	360			Longitude (decimal):	-90.88611
Remarks:	Approximately 0.7 acres paved, and 4 1/2 acres of unpaved open storage area are located at rear. Four buildings at rear are used as storage warehouses (S.W. Ref. Nos. 2, 3, 4, and 5).				
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District		
Remarks: Approximately 0.7 acres paved, and 4 1/2 acres of unpaved open storage area are located at rear. Four buildings at rear are used as storage warehouses (S.W. Ref. Nos. 2, 3, 4, and 5).					
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District		

Port Facilities by Waterway

Waterway:	Vicksburg Harbor			Mile: 2	PWD: 35
Name:	Port of Vicksburg Terminal, Lower Dock.				
Port:	Vicksburg				
Location:	Vicksburg Harbor, approximately 1.5 miles above mile 2.7, Yazoo River Diversion Canal.			Datum: LWRP	
Operator:	The River Transportation Co., Division of Boswell Oil Co.				
Owner:	Warren County Port Commission.				
Address:	Port Terminal Circle.			Phone: 601/636-6643	
Town:	Vicksburg	State: MS	County: Warren		
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-South Rail.				
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.				
Depth Alongside (feet):	15			Latitude (decimal):	32.3875
Total Berthing Space (feet):	360			Longitude (decimal):	-90.88611
Waterway:	Vicksburg Harbor			Mile: 2	PWD: 35
Name:	Port of Vicksburg Terminal, Lower Dock.				
Port:	Vicksburg				
Location:	Vicksburg Harbor, approximately 1.5 miles above mile 2.7, Yazoo River Diversion Canal.			Datum: LWRP	
Operator:	The River Transportation Co., Division of Boswell Oil Co.				
Owner:	Warren County Port Commission.				
Address:	Port Terminal Circle.			Phone: 601/636-6643	
Town:	Vicksburg	State: MS	County: Warren		
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-South Rail.				
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.				
Depth Alongside (feet):	15			Latitude (decimal):	32.3875
Total Berthing Space (feet):	360			Longitude (decimal):	-90.88611
Remarks:	Approximately 0.7 acres paved, and 4 1/2 acres of unpaved open storage area are located at rear. Four buildings at rear are used as storage warehouses (S.W. Ref. Nos. 2, 3, 4, and 5).				
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District		
Remarks: Approximately 0.7 acres paved, and 4 1/2 acres of unpaved open storage area are located at rear. Four buildings at rear are used as storage warehouses (S.W. Ref. Nos. 2, 3, 4, and 5).					
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District		

Port Facilities by Waterway

Waterway:	Vicksburg Harbor	Mile: 2	PWD: 36
Name:	Port of Vicksburg, Upper Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 1.6 miles above mile 2.7, Yazoo River Diversion Canal.	Datum:	LWRP
Operator:	The River Transportation Co., Division of Boswell Oil Co.		
Owner:	Warren County Port Commission.		
Address:	Port Terminal Circle.	Phone:	601/636-6643
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-SouthRail.		
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.		
Depth Alongside (feet):	15	Latitude (decimal):	32.387778
Total Berthing Space (feet):	160	Longitude (decimal):	-90.88806
Waterway:	Vicksburg Harbor	Mile: 2	PWD: 36
Name:	Port of Vicksburg, Upper Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 1.6 miles above mile 2.7, Yazoo River Diversion Canal.	Datum:	LWRP
Operator:	The River Transportation Co., Division of Boswell Oil Co.		
Owner:	Warren County Port Commission.		
Address:	Port Terminal Circle.	Phone:	601/636-6643
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-SouthRail.		
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.		
Depth Alongside (feet):	15	Latitude (decimal):	32.387778
Total Berthing Space (feet):	160	Longitude (decimal):	-90.88806
Remarks:	-□□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnr's Waterway Code: 21599	Vicksburg District
Remarks:	-□□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnr's Waterway Code: 21599	Vicksburg District

Port Facilities by Waterway

Waterway:	Vicksburg Harbor	Mile: 2	PWD: 36
Name:	Port of Vicksburg, Upper Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 1.6 miles above mile 2.7, Yazoo River Diversion Canal.	Datum:	LWRP
Operator:	The River Transportation Co., Division of Boswell Oil Co.		
Owner:	Warren County Port Commission.		
Address:	Port Terminal Circle.	Phone:	601/636-6643
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-SouthRail.		
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.		
Depth Alongside (feet):	15	Latitude (decimal):	32.387778
Total Berthing Space (feet):	160	Longitude (decimal):	-90.88806
Waterway:	Vicksburg Harbor	Mile: 2	PWD: 36
Name:	Port of Vicksburg, Upper Dock.		
Port:	Vicksburg		
Location:	Vicksburg Harbor, approximately 1.6 miles above mile 2.7, Yazoo River Diversion Canal.	Datum:	LWRP
Operator:	The River Transportation Co., Division of Boswell Oil Co.		
Owner:	Warren County Port Commission.		
Address:	Port Terminal Circle.	Phone:	601/636-6643
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	Two surface tracks serve terminal in rear; connect with Mid-SouthRail.		
Purpose:	Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.		
Depth Alongside (feet):	15	Latitude (decimal):	32.387778
Total Berthing Space (feet):	160	Longitude (decimal):	-90.88806
Remarks:	-□□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnr's Waterway Code: 21599	Vicksburg District
Remarks:	-□□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnr's Waterway Code: 21599	Vicksburg District

Port Facilities by Waterway

Waterway: **Vicksburg Harbor** Mile: 3 PWD: 43
 Name: **U.S. Army Corps of Engineers, Vicksburg District, Repair and Suppl**
 Port: Vicksburg
 Location: Vicksburg Harbor, approximately 2.6 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
 Operator: U.S. Army Corps of Engineers.
 Owner: U.S. Government.
 Address: Haining Drive. Phone: 601/636-5156
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track at rear connects with Mid-South Rail.
 Purpose: Mooring and repairing government-owned floating equipment; mooring floating drydock.
 Depth Alongside (feet): 14 | 14 | Latitude (decimal): 32.385
 Total Berthing Space (feet): 850 | | Longitude (decimal): -90.90417
 Remarks: One 500-ton floating drydock moored against outer end of upper approach barge. Additional 2,300 feet of mooring space along south side of harbor is used by Corps' MAT Placement Unit.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Waterway: **Vicksburg Harbor** Mile: 4 PWD: 44
 Name: **Ergon Refining, Vicksburg Wharf.**
 Port: Vicksburg
 Location: Mile 5.0 A.H.P., left bank of Yazoo River Diversion Canal, Vicksburg Harbor. Datum:
 Operator: Ergon Refining, Inc.
 Owner: Ergon Refining, Inc.
 Address: Haining Drive. Phone: 601/638-4960
 Town: Vicksburg State: MS County: Warren
 Railway Connection: None.
 Purpose: Receipt of crude oil; shipment of asphalt.
 Depth Alongside (feet): 2 - 10 | | Latitude (decimal): 32.384722
 Total Berthing Space (feet): 408 | | Longitude (decimal): -90.91028
 Remarks: One 12-inch pipeline extends from wharf to 3 crude oil storage tanks, total capacity 240,000 barrels; and one 12-inch pipeline extends to wharf from 10 asphalt storage tanks, total capacity 250,000 barrels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway: **Vicksburg Harbor** Mile: 4 PWD: 45
 Name: **Vicksburg Plant Food Dock.**
 Port: Vicksburg
 Location: Inner end, east side of slip extending from mile 5.1, left bank, Yazoo River Diversion Datum: LWRP
 Canal; Vicksburg
 Operator: Vicksburg Plant Food, Inc.
 Owner: Vicksburg Plant Food, Inc.
 Address: Industrial Road. Phone: 601/636-7781
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track at rear connects with Mid-South Rail.
 Purpose: Receipt of dry bulk fertilizer.
 Depth Alongside (feet): 10 | | Latitude (decimal): 32.393889
 Total Berthing Space (feet): 150 | | Longitude (decimal): -90.91389
 Remarks: Storage building with 4 individual bins at rear has capacity for approximately 2,000 tons of fertilizer.□
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Waterway: **Yazoo River** Mile: 116 PWD: 50
 Name: **Farmers Grain Terminal, Belzoni Dock.**
 Port: Belzoni
 Location: Mile 116.3, right bank of Yazoo River, Belzoni. Datum: LWRP
 Operator: Farmers Grain Terminal, Inc.
 Owner: Farmers Grain Terminal, Inc.
 Address: 503 Silver City Road. Phone: 601/247-3828
 Town: Belzoni State: MS County: Humphreys
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.165
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.49472
 Remarks: Grain elevator at rear consisting of 24 concrete silos and 5 steel tanks has total capacity for 655,000 bushels.□
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21600 Vicksburg District

Waterway: **Yazoo River** Mile: 45 PWD: 46
 Name: **Dixie Farms Elevator Wharf.**
 Port: Sartaria
 Location: Mile 45.0, left bank of Yazoo River, Sartaria. Datum: LWRP
 Operator: Dixie Farms Elevator.
 Owner: Morrison Enterprises.
 Address: Dixie Farms and Levee Roads. Phone: 601/746-4625
 Town: Sartaria State: MS County: Yazoo
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 | | Latitude (decimal): 32.633333
 Total Berthing Space (feet): 300 | | Longitude (decimal): -90.58333
 Remarks: Grain elevator at rear consisting of 5 steel silos has total capacity for 455,000 bushels.□
 Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21600 Vicksburg District

Port Facilities by Waterway

Waterway: **Yazoo River** Mile: 74 PWD: 47

Name: **Bunge Corp., Yazoo City, Grain Elevator Dock.**

Port: Yazoo City

Location: Mile 74.1, left bank of Yazoo River, Yazoo City. Datum: LWRP

Operator: Bunge Corp.

Owner: Bunge Corp.

Address: Levee Road. Phone: 601/746-5663

Town: Yazoo City State: MS County: Yazoo

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 32.840556

Total Berthing Space (feet): 650 | | Longitude (decimal): -90.44194

Remarks: Grain elevator at rear consisting of one concrete silo and 5 steel tanks has total capacity for 2,430,000 bushels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Vicksburg District

Waterway: **Yazoo River** Mile: 74 PWD: 48

Name: **Yazoo County Port Commission, Liquid Dock.**

Port: Yazoo City

Location: Mile 74.4, left bank of Yazoo River, Yazoo City. Datum: LWRP

Operator: Mississippi Chemical Corp.

Owner: Yazoo County Port Commission.

Address: Levee Road. Phone: 601/746-4131 ex

Town: Yazoo City State: MS County: Yazoo

Railway Connection: None.

Purpose: Shipment of liquid fertilizer.

Depth Alongside (feet): 10 | | Latitude (decimal): 32.845278

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.44222

Remarks: One 8-inch pipeline extends to pier from 3 steel storage tanks in rear, total capacity 14,100 tons.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Vicksburg District

Waterway: **Yazoo River** Mile: 75 PWD: 49

Name: **Yazoo County Port Commission, Bulk Material Dock.**

Port: Yazoo City

Location: Mile 74.5, left bank of Yazoo River, Yazoo City. Datum: LWRP

Operator: Mississippi Chemical Corp.

Owner: Yazoo County Port Commission.

Address: Levee Road. Phone: 601/746-4131 ex

Town: Yazoo City State: MS County: Yazoo

Railway Connection: One surface track extending to inner end of pier connects with Illinois Central Railroad.

Purpose: Receipt of lime, fertilizer, and other miscellaneous bulk materials.

Depth Alongside (feet): 10 | | Latitude (decimal): 32.843611

Total Berthing Space (feet): 360 | | Longitude (decimal): -90.4425

Remarks: Concrete storage building at rear has capacity for approximately 11,000 tons of material, adjacent open storage area has capacity for 3,000 tons of bulk material.

Port Series: 72 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Vicksburg District

Port Facilities by Waterway

Waterway: **Yazoo River Diversion Canal** Mile: PWD: 20
 Name: **Southland Oil Co., Vicksburg Terminal Wharf.**
 Port: Vicksburg
 Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.3 mile above Mile 437 A.H.P, left ban Datum: LWRP
 Operator: Southland Oil Co.
 Owner: Southland Oil Co.
 Address: Dorsey Street. Phone: 601/634-1361
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track in rear connects with Mid-South Rail.
 Purpose: Receipt of asphalt; receipt and shipment of petroleum products.
 Depth Alongside (feet): 6 | | Latitude (decimal): 32.338333
 Total Berthing Space (feet): 125 | | Longitude (decimal): -90.89444
 Remarks: One 10-inch pipeline extends from wharf to 4 asphalt storage tanks, total capacity 125,500 barrels and, one 8-, and one 6-inch pipelines extend to 13 product storage tanks at rear, total capacity 278,000 barrels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 22
 Name: **Anderson-Tully Lumber Co. Dock.**
 Port: Vicksburg
 Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.7 mile above Mile 437 A.H.P, left ban Datum: LWRP
 Operator: Anderson-Tully Lumber Co.
 Owner: Anderson-Tully Lumber Co.
 Address: Levee Street. Phone: 601/636-5842
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track at rear connects with Mid-South Rail.
 Purpose: Receipt of logs by barge.
 Depth Alongside (feet): 9 | | Latitude (decimal): 32.343333
 Total Berthing Space (feet): 100 | | Longitude (decimal): -90.89028
 Remarks: Lumber mill, open storage area for 500,000 board feet of logs and 3 stations for loading wood chips on trucks located in rear.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 23
 Name: **Bunge Corp., Vicksburg, River Elevator Wharf.**
 Port: Vicksburg
 Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately one mile above Mile 437 A.H.P, left ban Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: Levee Street. Phone: 601/638-9967
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track serving car receiving pit and car-loading spout at rear of grain elevator, connects with Mid-South Rail.
 Purpose: Receipt and shipment of grain.
 Depth Alongside (feet): | | Latitude (decimal): 32.3475
 Total Berthing Space (feet): 195 | | Longitude (decimal): -90.8875
 Remarks: Grain elevator in rear consisting of 20 concrete silos and 1 steel storage tank has capacity for 1,000,000 bushels.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 21
 Name: **Patton-Tully Transportation Co. Dock.**
 Port: Vicksburg
 Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.6 mile above Mile 437 A.H.P, left ban Datum: LWRP
 Operator: Patton-Tully Transportation Co.
 Owner: Patton-Tully Transportation Co.
 Address: 2200 Levee Street. Phone: 601/636-7203
 Town: Vicksburg State: MS County: Warren
 Railway Connection: None.
 Purpose: Mooring company-owned floating equipment for repair, maintenance and storage, mooring barges for fleetng.
 Depth Alongside (feet): 12 | | Latitude (decimal): 32.342778
 Total Berthing Space (feet): 250 | | Longitude (decimal): -90.89111
 Remarks: Barge fleetng area extends approximately 1,000 feet along opposite bank and has capacity for 75 barges.□

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway:	Yazoo River Diversion Canal			Mile: 1	PWD: 26
Name:	Smith Towing Co., Dock.				
Port:	Vicksburg				
Location:	Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.4 miles above Mile 437 A.H.P, left ba			Datum: LWRP	
Operator:	Smith Towing Co., Inc.				
Owner:	Smith Towing Co., Inc.				
Address:	Foot of Clay Street.			Phone: 601/636-2454	
Town:	Vicksburg	State: MS	County: Warren		
Railway Connection:	None.				
Purpose:	Mooring company-owned vessels.				
Depth Alongside (feet):	10			Latitude (decimal):	32.351667
Total Berthing Space (feet):	90			Longitude (decimal):	-90.88444
Waterway:	Yazoo River Diversion Canal			Mile: 1	PWD: 26
Name:	Smith Towing Co., Dock.				
Port:	Vicksburg				
Location:	Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.4 miles above Mile 437 A.H.P, left ba			Datum: LWRP	
Operator:	Smith Towing Co., Inc.				
Owner:	Smith Towing Co., Inc.				
Address:	Foot of Clay Street.			Phone: 601/636-2454	
Town:	Vicksburg	State: MS	County: Warren		
Railway Connection:	None.				
Purpose:	Mooring company-owned vessels.				
Depth Alongside (feet):	10			Latitude (decimal):	32.351667
Total Berthing Space (feet):	90			Longitude (decimal):	-90.88444
Remarks:	-□□				
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599		Vicksburg District	
Remarks: -□□					
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599		Vicksburg District	

Port Facilities by Waterway

Waterway: Yazoo River Diversion Canal	Mile: 1	PWD: 26
Name: Smith Towing Co., Dock.		
Port: Vicksburg		
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.4 miles above Mile 437 A.H.P, left ba		Datum: LWRP
Operator: Smith Towing Co., Inc.		
Owner: Smith Towing Co., Inc.		
Address: Foot of Clay Street.		Phone: 601/636-2454
Town: Vicksburg	State: MS	County: Warren
Railway Connection: None.		
Purpose: Mooring company-owned vessels.		
Depth Alongside (feet): 10		Latitude (decimal): 32.351667
Total Berthing Space (feet): 90		Longitude (decimal): -90.88444

Waterway: Yazoo River Diversion Canal	Mile: 1	PWD: 26
Name: Smith Towing Co., Dock.		
Port: Vicksburg		
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.4 miles above Mile 437 A.H.P, left ba		Datum: LWRP
Operator: Smith Towing Co., Inc.		
Owner: Smith Towing Co., Inc.		
Address: Foot of Clay Street.		Phone: 601/636-2454
Town: Vicksburg	State: MS	County: Warren
Railway Connection: None.		
Purpose: Mooring company-owned vessels.		
Depth Alongside (feet): 10		Latitude (decimal): 32.351667
Total Berthing Space (feet): 90		Longitude (decimal): -90.88444

Remarks: -□□

Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
-----------------	---------------------------	--------------------------------------	--------------------

Remarks: -□□

Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599	Vicksburg District
-----------------	---------------------------	--------------------------------------	--------------------

Port Facilities by Waterway

Waterway:	Yazoo River Diversion Canal	Mile: 1	PWD: 25
Name:	Vicksburg City, Wharf.		
Port:	Vicksburg		
Location:	Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.3 miles above Mile 437 A.H.P, left ba	Datum:	LWRP
Operator:	City of Vicksburg.		
Owner:	City of Vicksburg.		
Address:	Foot of Clay Street.	Phone:	601/634-6059
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	None.		
Purpose:	Landing for harbor excursion vessels; mooring miscellaneous vessels.		
Depth Alongside (feet):	10 10 10	Latitude (decimal):	32.351389
Total Berthing Space (feet):	250	Longitude (decimal):	-90.885
Waterway:	Yazoo River Diversion Canal	Mile: 1	PWD: 25
Name:	Vicksburg City, Wharf.		
Port:	Vicksburg		
Location:	Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.3 miles above Mile 437 A.H.P, left ba	Datum:	LWRP
Operator:	City of Vicksburg.		
Owner:	City of Vicksburg.		
Address:	Foot of Clay Street.	Phone:	601/634-6059
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	None.		
Purpose:	Landing for harbor excursion vessels; mooring miscellaneous vessels.		
Depth Alongside (feet):	10 10 10	Latitude (decimal):	32.351389
Total Berthing Space (feet):	250	Longitude (decimal):	-90.885
Remarks:	Harbor excursion vessel, 'Spirit of Vicksburg' berths here. The riverboat, 'Mamie S. Barnett' serves as a restaurant.□		
Port Series:	72	Year of Last Survey:	1991
		Corps of Engnrs Waterway Code:	21599
			Vicksburg District
Remarks:	Harbor excursion vessel, 'Spirit of Vicksburg' berths here. The riverboat, 'Mamie S. Barnett' serves as a restaurant.□		
Port Series:	72	Year of Last Survey:	1991
		Corps of Engnrs Waterway Code:	21599
			Vicksburg District

Port Facilities by Waterway

Waterway:	Yazoo River Diversion Canal	Mile: 1	PWD: 25
Name:	Vicksburg City, Wharf.		
Port:	Vicksburg		
Location:	Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.3 miles above Mile 437 A.H.P, left ba	Datum:	LWRP
Operator:	City of Vicksburg.		
Owner:	City of Vicksburg.		
Address:	Foot of Clay Street.	Phone:	601/634-6059
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	None.		
Purpose:	Landing for harbor excursion vessels; mooring miscellaneous vessels.		
Depth Alongside (feet):	10 10 10	Latitude (decimal):	32.351389
Total Berthing Space (feet):	250	Longitude (decimal):	-90.885
Waterway:	Yazoo River Diversion Canal	Mile: 1	PWD: 25
Name:	Vicksburg City, Wharf.		
Port:	Vicksburg		
Location:	Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.3 miles above Mile 437 A.H.P, left ba	Datum:	LWRP
Operator:	City of Vicksburg.		
Owner:	City of Vicksburg.		
Address:	Foot of Clay Street.	Phone:	601/634-6059
Town:	Vicksburg	State:	MS
		County:	Warren
Railway Connection:	None.		
Purpose:	Landing for harbor excursion vessels; mooring miscellaneous vessels.		
Depth Alongside (feet):	10 10 10	Latitude (decimal):	32.351389
Total Berthing Space (feet):	250	Longitude (decimal):	-90.885
Remarks:	Harbor excursion vessel, 'Spirit of Vicksburg' berths here. The riverboat, 'Mamie S. Barnett' serves as a restaurant.□		
Port Series:	72	Year of Last Survey:	1991
		Corps of Engnrs Waterway Code:	21599
			Vicksburg District
Remarks:	Harbor excursion vessel, 'Spirit of Vicksburg' berths here. The riverboat, 'Mamie S. Barnett' serves as a restaurant.□		
Port Series:	72	Year of Last Survey:	1991
		Corps of Engnrs Waterway Code:	21599
			Vicksburg District

Port Facilities by Waterway

Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 24
 Name: **Vicksburg Terminal Elevators, Wharf.**
 Port: Vicksburg
 Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.1 miles above Datum: LWRP
 Mile 437 A.H.P, left ba
 Operator: Not operated.
 Owner: First National Bank of Vicksburg.
 Address: Levee Street. Phone: 601/636-1151
 Town: Vicksburg State: MS County: Warren
 Railway Connection: One surface track at rear connects with Mid-South Rail.
 Purpose: Not used.
 Depth Alongside (feet): 10 | | Latitude (decimal): 32.349167
 Total Berthing Space (feet): 130 | | Longitude (decimal): -90.88611
 Remarks: Grain elevator in rear consisting of 14 steel storage tanks, has total capacity for 250,000 bushels.
 Storage tanks were empty at time of survey (1989).□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21599 Vicksburg District

Waterway: **Yazoo River Diversion Canal** Mile: 2 PWD: 28
 Name: **Patton-Tully Transportation Co., Mooring.**
 Port: Vicksburg
 Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 2.4 miles above Datum: LWRP
 Mile 437 A.H.P, left ba
 Operator: Patton-Tully Transportation Co.
 Owner: Patton-Tully Transportation Co.
 Address: North Washington Street. Phone: 601/636-7203
 Town: Vicksburg State: LA County: Warren
 Railway Connection: None.
 Purpose: Mooring barges for scrapping.
 Depth Alongside (feet): | | Latitude (decimal): 32.364167
 Total Berthing Space (feet): 400 | | Longitude (decimal): -90.8775
 Remarks: Salvage yard located at rear.□□

Port Series: 72 Year of Last Survey: 1991 Corps of Engns Waterway Code: 21599 Vicksburg District

Port Facilities by Waterway

Waterway: Yazoo River Diversion Canal	Mile: 2	PWD: 27
Name: West Mississippi Materials Co., Wharf.		
Port: Vicksburg		
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.8 miles above Mile 437 A.H.P, left ba		Datum: LWRP
Operator: West Mississippi Materials Co., Inc.		
Owner: Lewis Miller Construction Co., Inc.		
Address: 622 North Washington Street.		Phone: 601/636-7130
Town: Vicksburg	State: MS	County: Warren
Railway Connection: None.		
Purpose: Receipt of crushed stone.		
Depth Alongside (feet): 10		Latitude (decimal): 32.358056
Total Berthing Space (feet): 100		Longitude (decimal): -90.88139
Remarks: A portable steel ramp is used for access to barge for unloading. Open storage area at rear has capacity for approximately 25,000 tons of crushed stone.□		
Port Series: 72	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 21599
		Vicksburg District

US Army Corps of Engineers
Dredging Contracts Awarded

District Vicksburg

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY 1996 Awards								
OUACHITA & BLACK RIVERS	P	4/2/1996	750,000	\$1,234,400	\$1,432,000	T.L. JAMES & CO., INC.	L	3
RED RIVER WATERWAY	P	3/28/1996	3,000,000	\$3,234,487	\$3,882,000	PINE BLUFF SAND & GRAVEL CO.	L	1
			3,750,000	\$4,468,887	\$5,314,000			
FY 1997 Awards								
MISSISSIPPI RIVER HARBORS	P	6/24/1997	850,000	\$2,256,335	\$1,843,720	RIVER/GULF MARINE LLC	L	1
OUACHITA & BLACK RIVERS	P	3/4/1997	750,000	\$1,338,798	\$1,389,000	PINE BLUFF SAND & GRAVEL CO.	L	2
RED RIVER WATERWAY	P	3/18/1997	3,000,000	\$2,507,965	\$2,643,750	PINE BLUFF SAND & GRAVEL CO.	L	1
UPPER YAZOO ITEM 3-B1	P	9/9/1997	1,666,000	\$7,784,550	\$7,514,435	FIRTH CONSTRUCTION, INC.	S	7
			6,266,000	\$13,887,648	\$13,390,905			
FY 1998 Awards								
MISSISSIPPI RIVER HARBORS	P	4/14/1998	850,000	\$2,567,235	\$3,103,100	PINE BLUFF SAND & GRAVEL CO.	L	2
OUACHITA & BLACK RIVERS	P	4/9/1998	850,000	\$1,558,173	\$1,735,000	RIVER/GULF MARINE LLC	L	3
RED RIVER WATERWAY	P	4/7/1998	3,000,000	\$2,554,990	\$2,878,750	PINE BLUFF SAND & GRAVEL CO.	L	2
UPPER YAZOO ITEM 3B-2	P	4/21/1998	1,000,000	\$5,686,130	\$5,926,550	INLAND DREDGING COMPANY LLC	S	5
			5,700,000	\$12,366,528	\$13,643,400			
FY 1999 Awards								
LEASE OF 24 INCH DREDGE	P		1,354,500	\$1,496,445	\$1,867,600	INLAND DREDGING COMPANY LLC	S	3
MISSISSIPPI RIVER HARBORS	P	2/25/1999	850,000	\$2,081,150	\$2,454,100	PINE BLUFF SAND & GRAVEL CO.	L	1
RED RIVER WATERWAY	P	2/23/1999	3,000,000	\$2,818,160	\$2,865,900	PINE BLUFF SAND & GRAVEL CO.	L	2
VALEWOOD-CARLISLE, ITEM 496L	P	8/26/1999	2,915,000	\$23,675,375	\$26,477,910	CHANCELLOR & SON, INC.	S	4
			8,119,500	\$30,071,130	\$33,665,510			
FY 2000 Awards								
MISSISSIPPI RIVER HARBORS	P	3/21/2000	850,000	\$2,240,049	\$2,669,750	PINE BLUFF SAND & GRAVEL CO.	L	2
OUACHITA & BLACK RIVERS	P	2/15/2000	750,000	\$1,737,140	\$1,825,400	PENTZIEN. INC.	S	4
RED RIVER WATERWAY	P	3/2/2000	3,000,000	\$3,088,800	\$3,151,950	PINE BLUFF SAND & GRAVEL CO.	L	2
			4,600,000	\$7,065,989	\$7,647,100			

US Army Corps of Engineers Dredging Contracts Awarded

District Vicksburg

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY 2001 Awards								
LEASE OF CUTRHD DREDGE	P	4/12/2001	1,500,000	\$2,077,240	\$2,545,250	PINE BLUFF SAND & GRAVEL CO.	L	2
O/B & MS HARBORS AND PORTS	P	3/20/2001	1,600,000	\$4,284,560	\$4,298,750	PENTZIEN. INC.	S	2
RED RIVER WATERWAY + OPT YR	P	3/22/2001	6,000,000	\$4,772,900	\$5,118,532	PINE BLUFF SAND & GRAVEL CO.	L	2
			9,100,000	\$11,134,700	\$11,962,532			

Dredge Type		Status of Business
B Bucket	S Sidecaster	E Emerging Small
D Dustpan	W Combination - All types	L Large
H Hopper	X Pipeline & Bucket	S Small
N Nonconventional	Y Pipeline & Hopper	
P Pipeline	Z Hopper & Bucket	
	u undefined	

LPMS Summary by Division/District

January - December 1998 and 1999

Kaskaskia Kaskaskia		Main River Mile: 0.8				Mississippi Valley Division St. Louis District			
Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrc	Other	Total	Loaded	Empty	Total	ktons
Upbound	3,583	3,231	344	8	633	36	597	4,216	32
Downbound	<u>3,344</u>	<u>3,009</u>	<u>344</u>	<u>5</u>	<u>592</u>	<u>563</u>	<u>29</u>	<u>3,936</u>	<u>893</u>
Total	6,927	6,240	688	13	1,225	599	626	8,152	925
1999									
Upbound	2,821	2,521	294	6	385	25	360	3,206	20
Downbound	<u>2,754</u>	<u>2,465</u>	<u>294</u>	<u>6</u>	<u>407</u>	<u>353</u>	<u>54</u>	<u>3,161</u>	<u>564</u>
Total	5,575	4,986	588	12	792	378	414	6,367	584
Percent Change	-20%	-20%	-15%	-8%	-35%	-37%	-34%	-22%	-37%
Jan - Dec	Lockages				Tows		Average Delay		Total Delay
1998	Total	Rec	Comrc	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	(hrs)
Upbound	1,224	873	343	8	302	15	0.01	0.26	3.95
Downbound	<u>1,212</u>	<u>878</u>	<u>329</u>	<u>5</u>	<u>287</u>	<u>14</u>	<u>0.01</u>	<u>0.23</u>	<u>3.15</u>
Total	2,436	1,751	672	13	589	29	0.01	0.24	7.10
1999									
Upbound	1,039	739	294	6	262	8	0.00	0.11	0.92
Downbound	<u>1,019</u>	<u>730</u>	<u>283</u>	<u>6</u>	<u>258</u>	<u>9</u>	<u>0.01</u>	<u>0.28</u>	<u>2.52</u>
Total	2,058	1,469	577	12	520	17	0.01	0.20	3.44
Percent Change	-16%	-16%	-14%	-8%	-12%	-41%	0%	-17%	-52%

27 Mississippi		Aux 1 River Mile: 185.5				Mississippi Valley Division St. Louis District			
Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrc	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,195	452	705	38	1,954	636	1,318	3,149	985
Downbound	<u>1,590</u>	<u>793</u>	<u>705</u>	<u>41</u>	<u>2,331</u>	<u>1,838</u>	<u>493</u>	<u>3,921</u>	<u>2,948</u>
Total	2,785	1,245	1,410	79	4,285	2,474	1,811	7,070	3,933
1999									
Upbound	1,211	461	721	29	2,033	634	1,399	3,244	967
Downbound	<u>1,581</u>	<u>836</u>	<u>721</u>	<u>37</u>	<u>2,058</u>	<u>1,622</u>	<u>436</u>	<u>3,639</u>	<u>2,553</u>
Total	2,792	1,297	1,442	66	4,091	2,256	1,835	6,883	3,520
Percent Change	0%	4%	2%	-16%	-5%	-9%	1%	-3%	-11%
Jan - Dec	Lockages				Tows		Average Delay		Total Delay
1998	Total	Rec	Comrc	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	(hrs)
Upbound	902	197	668	37	467	160	1.59	4.65	743.37
Downbound	<u>1,082</u>	<u>314</u>	<u>728</u>	<u>40</u>	<u>563</u>	<u>175</u>	<u>1.57</u>	<u>5.05</u>	<u>884.43</u>
Total	1,984	511	1,396	77	1,030	335	1.58	4.86	1,627.80
1999									
Upbound	923	199	695	29	503	143	4.66	16.41	2,346.23
Downbound	<u>985</u>	<u>272</u>	<u>677</u>	<u>36</u>	<u>497</u>	<u>148</u>	<u>6.26</u>	<u>21.01</u>	<u>3,109.58</u>
Total	1,908	471	1,372	65	1,000	291	5.46	18.75	5,455.81
Percent Change	-4%	-8%	-2%	-16%	-3%	-13%	246%	286%	235%

LPMS Summary by Division/District

January - December 1998 and 1999

27 Mississippi		Main River Mile: 185.5				Mississippi Valley Division St. Louis District			
Jan - Dec		Vessels				Barges		Bottoms	Tonnage
1998		Total	Rec	Comrc	Other	Total	Loaded	Empty	Total ktons
Upbound		3,548	125	3,381	42	35,663	16,221	19,442	26,339
Downbound		3,580	174	3,381	48	35,132	32,021	3,111	50,475
Total		7,128	299	6,762	90	70,795	48,242	22,553	76,814
1999		Total	Rec	Comrc	Other	Total	Loaded	Empty	Total ktons
Upbound		3,747	179	3,551	17	38,577	15,531	23,046	24,662
Downbound		3,806	216	3,551	15	38,370	35,183	3,187	55,197
Total		7,553	395	7,102	32	76,947	50,714	26,233	79,859
Percent Change		6%	32%	5%	-64%	9%	5%	16%	4%

Jan - Dec		Lockages				Tows		Average Delay		Total Delay
1998		Total	Rec	Comrc	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	Total Delay (hrs)
Upbound		3,411	56	3,315	40	3,223	1,984	0.68	1.11	2,197.30
Downbound		3,435	79	3,310	46	3,215	2,021	0.77	1.23	2,476.00
Total		6,846	135	6,625	86	6,438	4,005	0.73	1.17	4,673.30
1999		Total	Rec	Comrc	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	Total Delay (hrs)
Upbound		3,545	66	3,465	14	3,342	2,152	1.05	1.64	3,519.07
Downbound		3,631	84	3,535	12	3,420	2,308	1.08	1.60	3,689.08
Total		7,176	150	7,000	26	6,762	4,460	1.07	1.62	7,208.15
Percent Change		5%	11%	6%	-70%	5%	11%	47%	38%	54%

Melvin Price Mississippi		Aux River Mile: 200.8				Mississippi Valley Division St. Louis District			
Jan - Dec		Vessels				Barges		Bottoms	Tonnage
1998		Total	Rec	Comrc	Other	Total	Loaded	Empty	Total ktons
Upbound		965	614	336	15	473	187	286	1,438
Downbound		914	565	336	20	509	204	305	1,423
Total		1,879	1,179	672	35	982	391	591	2,861
1999		Total	Rec	Comrc	Other	Total	Loaded	Empty	Total ktons
Upbound		1,934	975	940	19	3,821	1,919	1,902	5,755
Downbound		2,312	1,376	940	17	4,357	3,390	967	6,669
Total		4,246	2,351	1,880	36	8,178	5,309	2,869	12,424
Percent Change		126%	99%	180%	3%	733%	1258%	385%	334%

Jan - Dec		Lockages				Tows		Average Delay		Total Delay
1998		Total	Rec	Comrc	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	Total Delay (hrs)
Upbound		624	290	319	15	235	18	0.02	0.31	5.55
Downbound		598	254	324	20	241	21	0.03	0.31	6.47
Total		1,222	544	643	35	476	39	0.03	0.31	12.02
1999		Total	Rec	Comrc	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	Total Delay (hrs)
Upbound		1,396	492	886	18	628	298	6.90	14.53	4,330.58
Downbound		1,536	643	877	16	668	302	8.52	18.85	5,693.50
Total		2,932	1,135	1,763	34	1,296	600	7.73	16.71	10,024.08
Percent Change		140%	109%	174%	-3%	172%	1438%	5667%	5290%	83295%

LPMS Summary by Division/District

January - December 1998 and 1999

Melvin Price Mississippi		Main River Mile: 200.8				Mississippi Valley Division St. Louis District				
Jan - Dec		Vessels				Barges		Bottoms	Tonnage	
1998		<u>Total</u>	<u>Rec</u>	<u>Comrc</u>	<u>Other</u>	<u>Total</u>	<u>Loaded</u>	<u>Empty</u>	<u>Total</u>	<u>ktons</u>
Upbound		3,404	355	3,009	40	34,098	15,838	18,260	37,502	25,580
Downbound		<u>3,833</u>	<u>789</u>	<u>3,009</u>	<u>42</u>	<u>33,690</u>	<u>30,644</u>	<u>3,046</u>	<u>37,523</u>	<u>47,583</u>
Total		7,237	1,144	6,018	82	67,788	46,482	21,306	75,025	73,163
1999										
Upbound		2,722	54	2,660	8	33,934	13,495	20,439	36,656	21,494
Downbound		<u>2,791</u>	<u>75</u>	<u>2,660</u>	<u>8</u>	<u>33,491</u>	<u>30,964</u>	<u>2,527</u>	<u>36,282</u>	<u>48,129</u>
Total		5,513	129	5,320	16	67,425	44,459	22,966	72,938	69,623
Percent Change		-24%	-89%	-12%	-80%	-1%	-4%	8%	-3%	-5%

Jan - Dec		Lockages				Tows		Average Delay		Total Delay
1998		<u>Total</u>	<u>Rec</u>	<u>Comrc</u>	<u>Other</u>	<u>All</u>	<u>Delayed</u>	<u>(hrs)</u>	<u>(hrs)</u>	<u>(hrs)</u>
Upbound		3,137	169	2,932	36	2,830	1,722	0.68	1.12	1,920.52
Downbound		<u>3,313</u>	<u>339</u>	<u>2,936</u>	<u>38</u>	<u>2,906</u>	<u>1,522</u>	<u>0.59</u>	<u>1.13</u>	<u>1,719.82</u>
Total		6,450	508	5,868	74	5,736	3,244	0.63	1.12	3,640.34
1999										
Upbound		2,670	29	2,634	7	2,591	1,587	0.69	1.13	1,786.15
Downbound		<u>2,726</u>	<u>30</u>	<u>2,691</u>	<u>5</u>	<u>2,669</u>	<u>1,381</u>	<u>0.69</u>	<u>1.33</u>	<u>1,838.43</u>
Total		5,396	59	5,325	12	5,260	2,968	0.69	1.22	3,624.58
Percent Change		-16%	-88%	-9%	-84%	-8%	-9%	10%	9%	0%

25 Mississippi		Main River Mile: 241.4				Mississippi Valley Division St. Louis District				
Jan - Dec		Vessels				Barges		Bottoms	Tonnage	
1998		<u>Total</u>	<u>Rec</u>	<u>Comrc</u>	<u>Other</u>	<u>Total</u>	<u>Loaded</u>	<u>Empty</u>	<u>Total</u>	<u>ktons</u>
Upbound		2,730	1,111	1,580	39	16,924	5,981	10,943	19,654	9,453
Downbound		<u>2,787</u>	<u>1,160</u>	<u>1,580</u>	<u>41</u>	<u>17,010</u>	<u>16,416</u>	<u>594</u>	<u>19,797</u>	<u>25,367</u>
Total		5,517	2,271	3,160	80	33,934	22,397	11,537	39,451	34,820
1999										
Upbound		2,866	1,057	1,788	21	20,157	5,909	14,248	23,023	9,291
Downbound		<u>3,037</u>	<u>1,216</u>	<u>1,788</u>	<u>24</u>	<u>20,105</u>	<u>19,418</u>	<u>687</u>	<u>23,142</u>	<u>30,245</u>
Total		5,903	2,273	3,576	45	40,262	25,327	14,935	46,165	39,536
Percent Change		7%	0%	13%	-44%	19%	13%	29%	17%	14%

Jan - Dec		Lockages				Tows		Average Delay		Total Delay
1998		<u>Total</u>	<u>Rec</u>	<u>Comrc</u>	<u>Other</u>	<u>All</u>	<u>Delayed</u>	<u>(hrs)</u>	<u>(hrs)</u>	<u>(hrs)</u>
Upbound		1,939	382	1,518	39	1,311	1,047	4.68	5.86	6,139.65
Downbound		<u>1,901</u>	<u>396</u>	<u>1,464</u>	<u>41</u>	<u>1,373</u>	<u>1,100</u>	<u>4.96</u>	<u>6.18</u>	<u>6,803.32</u>
Total		3,840	778	2,982	80	2,684	2,147	4.82	6.03	12,942.97
1999										
Upbound		2,057	340	1,697	20	1,502	1,270	4.41	5.22	6,629.48
Downbound		<u>2,076</u>	<u>394</u>	<u>1,658</u>	<u>24</u>	<u>1,570</u>	<u>1,324</u>	<u>3.26</u>	<u>3.86</u>	<u>5,116.05</u>
Total		4,133	734	3,355	44	3,072	2,594	3.82	4.53	11,745.53
Percent Change		8%	-6%	13%	-45%	14%	21%	-21%	-25%	-9%

LPMS Summary by Division/District

January - December 1998 and 1999

24 Mississippi		Main River Mile: 273.4				Mississippi Valley Division St. Louis District			
Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	<u>Total</u>	<u>Rec</u>	<u>Comrcl</u>	<u>Other</u>	<u>Total</u>	<u>Loaded</u>	<u>Empty</u>	<u>Total</u>	<u>ktons</u>
Upbound	2,146	643	1,456	47	16,924	5,973	10,951	19,070	9,321
Downbound	<u>2,196</u>	<u>690</u>	<u>1,456</u>	<u>48</u>	<u>16,993</u>	<u>16,409</u>	<u>584</u>	<u>19,189</u>	<u>25,426</u>
Total	4,342	1,333	2,912	95	33,917	22,382	11,535	38,259	34,747
1999									
Upbound	2,314	657	1,635	22	20,149	5,922	14,227	22,463	9,242
Downbound	<u>2,536</u>	<u>880</u>	<u>1,635</u>	<u>22</u>	<u>20,083</u>	<u>19,390</u>	<u>693</u>	<u>22,619</u>	<u>30,055</u>
Total	4,850	1,537	3,270	44	40,232	25,312	14,920	45,082	39,297
Percent Change	12%	15%	12%	-54%	19%	13%	29%	18%	13%
Jan - Dec	Lockages				Tows		Average Delay		Total Delay
1998	<u>Total</u>	<u>Rec</u>	<u>Comrcl</u>	<u>Other</u>	<u>All</u>	<u>Delayed</u>	<u>(hrs)</u>	<u>(hrs)</u>	<u>(hrs)</u>
Upbound	1,742	270	1,426	46	1,313	1,059	4.72	5.85	6,198.75
Downbound	<u>1,779</u>	<u>301</u>	<u>1,430</u>	<u>48</u>	<u>1,374</u>	<u>1,090</u>	<u>4.49</u>	<u>5.65</u>	<u>6,163.40</u>
Total	3,521	571	2,856	94	2,687	2,149	4.60	5.75	12,362.15
1999									
Upbound	1,903	288	1,593	22	1,497	1,254	3.03	3.62	4,539.48
Downbound	<u>1,956</u>	<u>315</u>	<u>1,619</u>	<u>22</u>	<u>1,562</u>	<u>1,265</u>	<u>2.83</u>	<u>3.49</u>	<u>4,419.85</u>
Total	3,859	603	3,212	44	3,059	2,519	2.93	3.56	8,959.33
Percent Change	10%	6%	12%	-53%	14%	17%	-36%	-38%	-28%

1998 data unavailable for the following month(s): Jan